FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 7, 1911.

During the week ending 7th January 1911 there were registered in Eight of the Principal Towns of Scotland the births of 817 living children, and the deaths of 526 persons. The equivalent annual birth-rate is 22·2 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 14·3 per thousand.

The death-rate of the week is 0·4 less than that of the previous week, 0·6 less than the mean of the death-rates of the three preceding weeks, and 6·1 less than that of the corresponding week of last year.

The death-rate of the week ranged from 19·0 in Leith to 9·7 in Perth. In Dundee it was 16·5, in Edinburgh 15·0, in Glasgow 14·1, in Aberdeen 12·9, in Paisley 12·6, and in Greenock 11·3.

Deaths from the principal epidemic diseases numbered 56; they are 14 more than in the previous week, and are equal to an annual death-rate from these causes of 1·5 per thousand. These deaths include 2 from measles; 6 from scarlet fever; 14 from diphtheria; 20 from whooping-cough; 2 from enteric fever; and 12 from diarrhœas, of which 9 were of children of less than two years old. Compared with the returns of the previous week, deaths from measles are 2 more, and from whooping-cough 13 more, but those from scarlet fever, diphtheria, and enteric fever are of the same number, and those from diarrhœas 1 fewer. The death-rate from these causes varied from 4·2 in Leith, where there were 6 deaths from whooping-cough, to 0 in Greenock and Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 98; they are 8 more than in the previous week, but 73 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 102; they are 1 more than in the previous week, but 48 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 122.

The mean temperature was 36°·8, being 2°·4 below that for the previous week, and 8°·0 below that for the corresponding week of last year. The mean rainfall was 0·52 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 7, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Jan. 7, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	817	526	1062	49·9	23·1	36·8	0·52
GLASGOW, . . .	12,669	897,178	70·817	8·88	403	242	548	49·0	24·0	36·2	0·44
EDINBURGH, . .	10,912	365,253	33·473	12·92	127	105	125	46·3	30·4	37·2	0·12
DUNDEE, . . .	4,755	171,006	35·963	12·47	76	54	154	43·5	27·4	34·9	0·22
ABERDEEN, . .	6,319	189,565	29·999	13·65	66	47	36	46·2	28·5	37·8	0·60
PAISLEY, . . .	3,487	95,268	27·321	14·30	46	23	94	48·8	23·1	36·2	0·91
LEITH, ...	1,467	87,826	59·868	9·66	38	32	38	49·9	30·6	38·5	0·17
GREENOCK, . .	2,773	74,131	26·733	14·46	47	16	42	49·5	27·5	36·9	1·56
PERTH, ...	3,139	37,648	11·994	21·59	14	7	25	47·0	26·5	36·4	0·12
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	986	740	1002	56·0	29·0	44·8	0·55

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JANUARY 7, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 7, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7-13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·3	1·5	526	102	122	2	6	14	20	2	9	3	98	19	1	10	151
GLASGOW, .	14·1	1·5	242	57	43	0	2	6	7	2	7	2	46	6	1	6	85
EDINBURGH,	15·0	1·6	105	9	30	2	1	5	3	0	0	0	14	3	0	3	33
DUNDEE, . .	16·5	1·8	54	13	8	0	1	1	3	0	1	0	12	3	0	0	12
ABERDEEN, .	12·9	1·1	47	6	18	0	0	1	1	0	1	1	8	0	0	0	8
PAISLEY, . .	12·6	1·1	23	3	8	0	1	1	0	0	0	0	2	0	0	0	4
LEITH, . . .	19·0	4·2	32	10	7	0	1	0	6	0	0	0	10	4	0	1	7
GREENOCK, .	11·3	0·0	16	2	6	0	0	0	0	0	0	0	5	2	0	0	1
PERTH, . . .	9·7	0·0	7	2	2	0	0	0	0	0	0	0	1	1	0	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 8, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·4	2·6	740	150	202	0	55	6	5	6	2	19	1	171	22	204	19	4
GLASGOW, .	20·7	4·2	351	73	70	0	52	2	5	3	2	7	0	66	9	119	10	1
EDINBURGH,	19·6	1·3	135	18	55	0	3	2	0	2	0	2	0	29	6	36	4	2
DUNDEE, . .	26·7	1·2	87	22	21	0	0	0	0	1	0	3	1	35	4	13	1	0
ABERDEEN, .	16·3	1·4	58	21	18	0	0	0	0	0	0	5	0	11	1	10	2	0
PAISLEY, . .	16·7	0·6	30	5	11	0	0	0	0	0	0	1	0	10	0	7	2	1
LEITH, . . .	13·8	0·6	23	6	5	0	0	0	0	0	0	1	0	8	2	5	0	0
GREENOCK, .	26·2	1·4	37	1	14	0	0	2	0	0	0	0	0	7	0	9	0	0
PERTH, . . .	26·6	0·0	19	4	8	0	0	0	0	0	0	0	0	5	0	5	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 14, 1911.

During the week ending 14th January 1911 there were registered in Eight of the Principal Towns of Scotland the births of 889 living children, and the deaths of 611 persons. The equivalent annual birth-rate is 24·2 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 16·6 per thousand.

The death-rate of the week is 2·3 above that of the previous week, and 2·5 more than the mean of the death-rates of the three preceding weeks, but is 0·1 below that of the corresponding week of last year.

The death-rate of the week varied from 27·7 in Perth to 13·7 in Paisley. In Greenock it was 20·4, in Dundee 20·1, in Leith 17·2, in Glasgow 16·3, in Aberdeen 16·2, and in Edinburgh 14·6.

Deaths from the principal epidemic diseases numbered 51; they are 5 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·4 per thousand. These deaths include 3 from measles; 5 from scarlet fever; 9 from diphtheria; 18 from whooping-cough; 3 from enteric fever; and 13 from diarrhœas, of which 8 were of children of less than two years old. Compared with the returns of the previous week, deaths from diphtheria are 5 fewer, from whooping-cough 2 fewer, and from scarlet fever 1 fewer, but those from measles, enteric fever, and diarrhœas were each 1 more. The death-rate from these causes varied from 4·2 in Perth, and 2·7 in Dundee, to 0·6 in Aberdeen, and 0·7 in Greenock. There were 2 deaths from cerebro-spinal meningitis registered in Glasgow during the week.

Deaths from pneumonia, bronchitis, and pleurisy numbered 130; they are 32 more than in the previous week, but 2 less than in the corresponding week of last year.

Deaths of children of less than one year old numbered 104; they are 2 more than in the previous week, but 9 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 148; they are 26 more than in the previous week.

The mean temperature was 38°·7, being 1°·9 above that for the previous week, and 0°·5 above that for the corresponding week of 1910. The mean rainfall was 0·86 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 14, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Jan. 14, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	889	611	181	50·7	27·3	38·7	0·86
GLASGOW, . . .	12,669	897,178	70·817	8·88	451	281	104	49·0	28·2	39·7	0·72
EDINBURGH, . .	10,912	365,253	33·473	12·92	130	102	37	49·0	29·7	37·9	0·50
DUNDEE, . . .	4,755	171,006	35·963	12·47	94	66	7	48·6	28·5	36·9	0·26
ABERDEEN, . .	6,319	189,565	29·999	13·65	76	59	18	50·0	30·8	37·5	0·56
PAISLEY, . . .	3,487	95,268	27·321	14·30	45	25	4	49·2	27·3	39·6	1·42
LEITH, ...	1,467	87,826	59·868	9·66	48	29	3	50·7	31·6	40·3	0·47
GREENOCK, . .	2,773	74,131	26·733	14·46	32	29	8	49·7	28·0	39·4	2·76
PERTH, ...	3,139	37,648	11·994	21·59	13	20	0	50·0	29·5	38·2	0·23
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	874	604	163	54·5	20·0	38·2	1·76

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JANUARY 14, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 14, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·6	1·4	611	104	148	3	5	9	18	3	8	5	130	26	3	21	200
GLASGOW, .	16·3	1·3	281	52	60	2	2	3	9	2	3	2	54	15	2	11	112
EDINBURGH,	14·6	0·9	102	11	29	1	2	1	0	1	1	0	15	2	0	3	41
DUNDEE, . .	20·1	2·7	66	19	15	0	0	1	5	0	1	2	22	2	1	2	12
ABERDEEN, .	16·2	0·6	59	14	16	0	0	0	0	0	2	0	14	2	0	4	7
PAISLEY, . .	13·7	1·6	25	1	10	0	0	1	1	0	1	0	9	0	0	1	7
LEITH, . . .	17·2	2·4	29	1	8	0	0	1	3	0	0	0	7	2	0	0	9
GREENOCK, .	20·4	0·7	29	5	7	0	1	0	0	0	0	0	7	2	0	0	6
PERTH, . . .	27·7	4·2	20	1	3	0	0	2	0	0	0	1	2	1	0	0	6

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 15, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·7	2·3	604	113	177	0	37	10	9	4	*7	15	0	132	17	178	12	1
GLASGOW, .	16·3	3·0	277	49	60	0	31	6	3	2	†5	4	0	63	7	93	5	0
EDINBURGH,	15·5	2·2	107	17	44	0	6	0	3	0	‡2	4	0	14	2	34	4	0
DUNDEE, . .	23·0	2·8	75	14	24	0	0	2	2	1	0	4	0	21	2	24	0	0
ABERDEEN, .	11·5	0·6	41	9	15	0	0	0	1	0	0	1	0	4	2	7	1	1
PAISLEY, . .	15·1	0·6	27	5	12	0	0	0	0	0	0	1	0	12	1	6	0	0
LEITH, . . .	19·2	0·0	32	8	11	0	0	0	0	0	0	0	0	9	1	6	2	0
GREENOCK, .	19·1	2·1	27	8	8	0	0	1	0	1	0	1	0	6	2	4	0	0
PERTH, . . .	25·2	1·4	18	3	3	0	0	1	0	0	0	0	0	3	0	4	0	0

* 4 Enteric fever; 3 Cerebro-spinal meningitis. † 2 Cerebro-spinal meningitis.
‡ 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 3. WEEK ENDING SATURDAY, JANUARY 21, 1911.

During the week ending 21st January 1911 there were registered in Eight of the Principal Towns of Scotland the births of 836 living children, and the deaths of 544 persons. The equivalent annual birth-rate is 22·7 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 14·8 per thousand.

The death-rate of the week is 1·8 less than that of the previous week, 0·4 less than the mean of the death-rates of the three preceding weeks, and 0·7 less than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 17·7 in Dundee, and 17·6 in Greenock, to 11·1 in Perth, and 11·5 in Paisley. In Leith it was 15·4, in Glasgow 15·1, in Aberdeen 14·3, and in Edinburgh 13·6.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II) numbered 43; they are 8 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·2 per thousand. These deaths include 2 from scarlet fever; 6 from diphtheria; 20 from whooping-cough; 2 from enteric fever; and 13 from diarrhœas, of which 10 were of children of less than two years old. There were no deaths in these towns from measles. Compared with the returns of the previous week, deaths from whooping-cough are 2 more, but those from diarrhœas are of the same number, from enteric fever 1 fewer, and from measles, scarlet fever, and diphtheria, each 3 fewer. The death-rate from these causes ranged from 3·6 in Leith, to 0 in Perth. One death from typhus fever, and one from cerebro-spinal meningitis were registered during the week in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 121; they are 9 fewer than in the previous week, but 20 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 100; they are 4 fewer than in the previous week, but 6 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 144; they are 4 fewer than in the previous week.

The mean temperature was 41°·9, being 3°·2 above that for the previous week, and 6°·8 above that for the corresponding week of 1910. The mean rainfall was 0·08 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 21, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Jan. 21, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	836	544	120	51·7	29·0	41·9	0·08
GLASGOW, . . .	12,669	897,178	70·817	8·88	399	259	55	49·4	29·0	41·9	0·07
EDINBURGH, . .	10,912	365,253	33·473	12·92	134	95	32	49·3	30·7	41·4	0·00
DUNDEE, . . .	4,755	171,006	35·963	12·47	95	58	4	49·2	34·0	40·9	0·00
ABERDEEN, . .	6,319	189,565	29·999	13·65	74	52	12	51·7	30·6	39·5	0·00
PAISLEY, . . .	3,487	95,268	27·321	14·30	35	21	5	48·6	33·1	43·0	0·17
LEITH, ...	1,467	87,826	59·868	9·66	39	26	1	50·7	32·9	42·9	0·00
GREENOCK, . .	2,773	74,131	26·733	14·46	45	25	4	49·5	35·5	42·6	0·38
PERTH, ...	3,139	37,648	11·994	21·59	15	8	7	51·0	37·0	43·1	0·00
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	829	563	124	51·8	20·8	35·1	0·75

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JANUARY 21, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 21, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·8	1·2	544	100	144	0	2	6	20	2	10	3	121	15	3	12	161
GLASGOW, .	15·1	1·5	*259	45	59	0	2	4	12	2	4	2	50	9	3	10	86
EDINBURGH,	13·6	0·4	95	14	31	0	0	0	2	0	0	1	17	3	0	1	41
DUNDEE, . .	17·7	1·2	58	13	14	0	0	2	0	0	2	0	17	1	0	0	10
ABERDEEN, .	14·3	0·3	52	5	19	0	0	0	1	0	0	0	15	0	0	1	4
PAISLEY, . .	11·5	0·5	21	4	7	0	0	0	0	0	1	0	5	0	0	0	7
LEITH, . . .	15·4	3·6	26	11	7	0	0	0	4	0	2	0	8	1	0	0	4
GREENOCK, .	17·6	1·4	25	7	3	0	0	0	1	0	1	0	8	1	0	0	6
PERTH, . . .	11·1	0·0	8	1	4	0	0	0	0	0	0	0	1	0	0	0	3

* Including 1 typhus fever.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 22, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·5	2·1	563	94	185	0	46	2	8	4	4	13	0	101	17	165	10	0
GLASGOW, .	15·5	3·1	263	43	72	0	39	2	4	0	3	5	0	36	8	78	5	0
EDINBURGH,	16·4	1·4	113	14	50	0	6	0	0	0	0	4	0	18	3	43	4	0
DUNDEE, . .	20·8	1·5	68	13	27	0	0	0	2	0	0	3	0	20	2	17	0	0
ABERDEEN, .	11·2	1·1	40	11	10	0	0	0	2	1	0	1	0	8	1	6	0	0
PAISLEY, . .	14·5	0·0	26	5	10	0	0	0	0	0	0	0	0	9	1	8	1	0
LEITH, . . .	11·4	0·0	19	2	6	0	0	0	0	0	0	0	0	4	2	4	0	0
GREENOCK, .	17·7	2·8	25	5	6	0	1	0	0	2	1	0	0	4	0	6	0	0
PERTH, . . .	12·6	1·4	9	1	4	0	0	0	0	1	0	0	0	2	0	3	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 4. WEEK ENDING SATURDAY, JANUARY 28, 1911.

During the week ending 28th January 1911 there were registered in Eight of the Principal Towns of Scotland the births of 889 living children, and the deaths of 576 persons. The equivalent annual birth-rate is 24·2 per thousand of the estimated aggregate population, and the equivalent annual death-rate 15·7 per thousand.

The death-rate of the week is 0·9 more than that of the previous week, and 0·5 more than the mean of the death-rates of the preceding three weeks, but is 3·4 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 19·0 in Greenock, to 11·1 in Perth, and 11·3 in Aberdeen. In Leith it was 18·4, in Paisley 16·4, in Dundee 16·2, in Edinburgh 16·0, and in Glasgow 15·9.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II) numbered 46; they are 3 more than in the previous week, and are equal to an annual death-rate from these causes of 1·3 per thousand. These deaths include 1 from measles; 6 from scarlet fever; 8 from diphtheria; 14 from whooping-cough; 3 from enteric fever; and 14 from diarrhœas, of which 10 were of children of less than two years old. Compared with the returns of the previous week, deaths from whooping-cough are 6 fewer, but those from measles, enteric fever, and diarrhœas are each 1 more, from diphtheria 2 more, and from scarlet fever 4 more. The death-rate from these causes ranged from 4·8 in Leith and 3·3 in Paisley, to 0·3 in Aberdeen. There were 2 deaths from cerebro-spinal meningitis registered in Glasgow during the week.

Deaths from pneumonia, bronchitis, and pleurisy numbered 117; they are 4 fewer than in the previous week, and 6 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 101; they are 1 more than in the previous week, but 50 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 137; they are 7 fewer than in the previous week.

The mean temperature was 43°·3, being 1°·4 above that for the week immediately preceding, and 17°·3 above that for the corresponding week of 1910. The mean rainfall was 0·67 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 28, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Jan. 28, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	889	576	131	53·0	28·5	43·3	0·67
GLASGOW, . . .	12,669	897,178	70·817	8·88	412	274	52	53·0	33·8	44·9	0·70
EDINBURGH, . .	10,912	365,253	33·473	12·92	138	112	32	51·0	34·5	43·4	0·12
DUNDEE, . . .	4,755	171,006	35·963	12·47	88	53	12	52·0	34·0	42·0	0·14
ABERDEEN, . .	6,319	189,565	29·999	13·65	95	41	19	48·0	33·0	40·5	0·25
PAISLEY, . . .	3,487	95,268	27·321	14·30	48	30	5	52·6	34·2	45·1	1·10
LEITH, ...	1,467	87,826	59·868	9·66	44	31	4	52·5	35·1	44·5	0·34
GREENOCK, . .	2,773	74,131	26·733	14·46	49	27	6	50·9	35·0	43·1	2·59
PERTH, ...	3,139	37,648	11·994	21·59	15	8	1	53·0	28·5	42·9	0·13
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	783	693	125	44·2	−3·0	26·0	0·48

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, JANUARY 28, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 28, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7-13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	15·7	1·3	576	101	137	1	6	8	14	3	10	4	117	20	2	19	190
GLASGOW, .	15·9	1·0	274	49	61	0	4	2	5	2	3	1	54	13	1	7	99
EDINBURGH,	16·0	0·7	112	14	32	1	1	1	1	0	1	0	25	2	0	6	42
DUNDEE, . .	16·2	1·8	53	15	12	0	0	1	3	0	2	0	12	0	1	1	14
ABERDEEN, .	11·3	0·3	41	7	10	0	0	0	0	0	0	1	10	1	0	1	8
PAISLEY, . .	16·4	3·3	30	6	6	0	0	2	2	1	1	0	7	0	0	2	5
LEITH, . . .	18·4	4·8	31	5	9	0	0	2	3	0	2	1	5	3	0	0	11
GREENOCK, .	19·0	0·7	27	4	5	0	1	0	0	0	0	0	4	0	0	2	9
PERTH, . . .	11·1	2·8	8	1	2	0	0	0	0	0	1	1	0	1	0	0	2

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 29, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·1	2·7	693	151	198	0	54	4	12	8	*4	17	0	123	19	185	18	2
GLASGOW, .	19·2	3·5	326	68	73	0	44	3	3	2	†3	5	0	47	12	99	9	0
EDINBURGH,	15·9	2·5	110	19	33	0	8	1	1	1	0	6	0	16	2	41	4	0
DUNDEE, . .	21·8	2·5	71	25	19	0	0	0	3	2	0	3	0	20	1	8	3	2
ABERDEEN, .	17·4	1·1	62	14	26	0	0	0	4	0	0	0	0	12	0	10	0	0
PAISLEY, . .	15·6	0·0	28	7	12	0	0	0	0	0	0	0	0	6	0	2	0	0
LEITH, . . .	21·0	3·0	35	9	9	0	1	0	0	1	0	3	0	8	1	7	1	0
GREENOCK, .	31·9	3·5	45	9	16	0	1	0	1	2	1	0	0	12	2	11	1	0
PERTH, . . .	22·4	0·0	16	0	10	0	0	0	0	0	0	0	0	2	1	7	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, FEBRUARY 4, 1911.

During the week ending 4th February 1911 there were registered in Eight of the Principal Towns of Scotland the births of 768 living children, and the deaths of 670 persons. The equivalent annual birth-rate is 20·9 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 18·2 per thousand.

The death-rate of the week is 2·5 above that of the previous week, and the same amount more than the mean of the death-rates of the three preceding weeks, but is 2·3 below the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 24·4 in Dundee, and 19·8 in Glasgow, to 12·1 in Aberdeen, and 12·7 in Greenock. In Edinburgh it was 17·1, in Paisley 17·0, in Leith 16·0, and in Perth 13·9.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 63; they are 17 more than in the previous week, and are equal to an annual death-rate from these causes of 1·7 per thousand. These deaths include 4 from measles; 8 from scarlet fever; 9 from diphtheria; 22 from whooping-cough; 2 from enteric fever; and 18 from diarrhœas, of which 14 were of children of less than two years old. Compared with the returns of the previous week, deaths from enteric fever are 1 fewer, but those from whooping-cough are 8 more, from diarrhœas 4 more, from measles 3 more, from scarlet fever 2 more, and from diphtheria 1 more. The death-rate from these causes ranged from 2·4 in Dundee, and 2·1 in Greenock, to 0·5 in Paisley, and 0·6 in Leith.

Two deaths from cerebro-spinal meningitis were registered in Glasgow during the week.

Deaths from pneumonia, bronchitis, and pleurisy numbered 138; they are 21 more than in the previous week, but 12 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 116; they are 15 more than in the previous week, but 10 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 150; they are 13 more than in the previous week.

The mean temperature was 34°·6, being 8°·7 below that for the previous week, and 3°·8 below that for the corresponding week of 1910. The mean rainfall was 0·01 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 4, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Feb. 4, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	768	670	177	48·0	16·5	34·6	0·01
GLASGOW, . . .	12,669	897,178	70·817	8·88	380	340	86	47·5	20·0	32·5	0·02
EDINBURGH, . .	10,912	365,253	33·473	12·92	119	120	42	46·4	21·3	35·5	0·00
DUNDEE, . . .	4,755	171,006	35·963	12·47	77	80	8	45·2	21·8	34·2	0·01
ABERDEEN, . .	6,319	189,565	29·999	13·65	64	44	20	46·6	27·3	38·6	0·00
PAISLEY, . . .	3,487	95,268	27·321	14·30	32	31	2	47·0	20·1	32·5	0·03
LEITH, ...	1,467	87,826	59·868	9·66	40	27	4	45·0	24·1	34·7	0·00
GREENOCK, . .	2,773	74,131	26·733	14·46	49	18	8	46·0	22·5	34·7	0·03
PERTH, ...	3,139	37,648	11·994	21·59	7	10	7	48·0	16·5	34·0	0·00
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	926	744	199	52·9	23·5	38·4	0·54

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, FEBRUARY 4, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 4, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	18·2	1·7	670	116	150	4	8	9	22	2	14	4	138	27	2	20	197
GLASGOW, .	19·8	2·0	340	55	57	0	5	4	16	1	7	1	73	15	2	12	118
EDINBURGH,	17·1	1·6	120	18	33	4	1	2	2	0	2	0	16	4	0	3	44
DUNDEE, . .	24·4	2·4	80	18	20	0	2	1	1	1	3	0	22	2	0	0	17
ABERDEEN, .	12·1	1·1	44	11	18	0	0	1	0	0	2	1	5	2	0	3	4
PAISLEY, . .	17·0	0·5	31	5	9	0	0	0	1	0	0	0	7	1	0	1	3
LEITH, . . .	16·0	0·6	27	6	4	0	0	0	1	0	0	0	8	1	0	0	2
GREENOCK, .	12·7	2·1	18	3	3	0	0	0	1	0	0	2	5	2	0	1	2
PERTH, . . .	13·9	1·4	10	0	6	0	0	1	0	0	0	0	2	0	0	0	7

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 5, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·5	2·8	744	126	237	0	46	11	14	9	*4	16	0	150	21	219	24	2
GLASGOW, .	20·2	4·0	343	68	81	0	37	7	8	5	2	8	0	66	5	105	11	2
EDINBURGH,	18·8	2·5	130	17	47	0	6	3	2	1	†1	4	0	21	3	51	7	0
DUNDEE, . .	26·4	1·5	86	14	32	0	0	0	2	0	0	3	0	24	3	25	0	0
ABERDEEN, .	17·4	0·8	62	6	31	0	0	0	2	0	0	1	0	11	1	7	1	0
PAISLEY, . .	22·3	0·0	40	9	13	0	0	0	0	0	0	0	0	6	0	9	2	0
LEITH, . . .	18·0	1·8	30	4	14	0	1	0	0	2	0	0	0	7	3	7	0	0
GREENOCK, .	29·8	3·5	42	8	12	0	2	1	0	1	1	0	0	14	5	11	2	0
PERTH, . . .	15·4	0·0	11	0	7	0	0	0	0	0	0	0	0	1	1	4	1	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 11, 1911.

During the week ending 11th February 1911 there were registered in Eight of the Principal Towns of Scotland the births of 866 living children, and the deaths of 728 persons. The equivalent annual birth-rate is 23·6 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 19·8 per thousand.

The death-rate of the week is 1·6 more than that of the previous week, 3·6 more than the mean of the death-rates of the three preceding weeks, and 2·8 more than that of the corresponding week of last year.

The death-rate of the week varied from 23·9 in Greenock, to 15·3 in Paisley. In Dundee it was 22·3, in Perth 22·2, in Glasgow 20·8, in Leith 20·8, in Edinburgh 17·7, and in Aberdeen, 16·8.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 69; they are 6 more than in the previous week, and are equal to an annual death-rate from these causes of 1·9 per thousand. These deaths include 5 from measles; 6 from scarlet fever; 11 from diphtheria; 33 from whooping-cough; 1 from enteric fever; and 13 from diarrhœas, of which 9 were of children of less than two years old. Compared with the returns of the previous week, deaths from diarrhœas are 5 fewer, from scarlet fever 2 fewer, and from enteric fever 1 fewer, but those from measles are 1 more, from diphtheria 2 more, and from whooping-cough 11 more. The death-rate from these causes varied from 4·2 in Leith, where there were 5 deaths from whooping-cough, to 0·6 in Aberdeen, and 0·3 in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 161; they are 23 more than in the previous week, and 54 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 142; they are 26 more than in the previous week, and 30 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 186; they are 36 more than in the previous week.

The mean temperature was 36°·8, being 2°·2 above that for the previous week, but 1°·7 below that for the corresponding week of 1910. The mean rainfall was 0·09 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 11, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Feb. 11, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	866	728	157	47·2	21·0	36·8	0·09
GLASGOW, ...	12,669	897,178	70·817	8·88	436	357	82	46·2	26·0	37·6	0·02
EDINBURGH, . .	10,912	365,253	33·473	12·92	130	124	31	42·1	31·0	36·5	0·03
DUNDEE, . . .	4,755	171,006	35·963	12·47	73	73	6	44·0	26·0	34·7	0·05
ABERDEEN, . .	6,319	189,565	29·999	13·65	95	61	18	44·9	30·6	38·0	0·03
PAISLEY, . . .	3,487	95,268	27·321	14·30	28	28	6	47·2	28·8	38·2	0·15
LEITH, ...	1,467	87,826	59·868	9·66	48	35	6	43·9	29·9	37·4	0·15
GREENOCK, . .	2,773	74,131	26·733	14·46	42	34	7	46·0	30·5	38·3	0·26
PERTH, ...	3,139	37,648	11·994	21·59	14	16	1	46·0	21·0	33·5	0·05
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	908	615	193	52·3	18·0	38·5	0·59

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, FEBRUARY 11, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 11, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	19·8	1·9	728	142	186	5	6	11	33	1	9	4	161	28	2	17	221
GLASGOW, .	20·8	2·3	357	72	78	1	3	4	24	1	3	3	83	17	1	12	116
EDINBURGH,	17·7	1·6	124	17	42	4	0	3	3	0	1	0	11	4	0	3	41
DUNDEE, . .	22·3	0·3	73	16	19	0	0	0	0	0	1	0	25	4	0	0	22
ABERDEEN, .	16·8	0·6	61	18	16	0	0	1	0	0	1	0	10	2	0	0	12
PAISLEY, . .	15·3	2·7	28	6	8	0	1	0	1	0	2	1	9	0	0	1	5
LEITH, . . .	20·8	4·2	35	9	7	0	0	2	5	0	0	0	12	0	0	0	9
GREENOCK, .	23·9	1·4	34	3	11	0	2	0	0	0	0	0	9	1	1	1	10
PERTH, . . .	22·2	2·8	16	1	5	0	0	1	0	0	1	0	2	0	0	0	6

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 12, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·0	2·5	615	112	174	0	55	3	13	7	*3	11	3	107	26	195	14	0
GLASGOW, .	17·9	3·7	304	55	76	0	43	3	4	5	*3	4	1	57	15	90	7	0
EDINBURGH,	15·2	2·0	105	14	38	0	9	0	3	0	0	2	0	15	1	47	3	0
DUNDEE, . .	21·5	1·8	70	15	15	0	0	0	2	1	0	3	0	15	3	20	0	0
ABERDEEN, .	12·4	0·8	44	9	13	0	0	0	1	1	0	1	0	5	5	12	2	0
PAISLEY, . .	11·7	1·1	21	4	8	0	0	0	1	0	0	1	0	4	0	5	1	0
LEITH, . . .	13·8	1·2	23	5	3	0	1	0	1	0	0	0	1	3	1	5	1	0
GREENOCK, .	27·6	2·1	39	10	16	0	2	0	1	0	0	0	1	8	1	12	0	0
PERTH, . . .	12·6	0·0	9	0	5	0	0	0	0	0	0	0	0	0	0	4	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 18, 1911.

During the week ending 18th February 1911 there were registered in Eight of the Principal Towns of Scotland the births of 843 living children, and the deaths of 698 persons. The equivalent annual birth-rate is 22·9 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 19·0 per thousand.

The death-rate for the week is 0·8 below that for the previous week, 1·1 above the mean of the rates for the three preceding weeks, and 1·3 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 25·3 in Dundee, to 13·2 in Aberdeen. In Greenock it was 21·1, in Glasgow and in Paisley 20·8, in Leith 20·2, in Perth 16·6, and in Edinburgh 13·7.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 68; they are 1 less than in the previous week, and are equal to an annual death-rate from these causes of 1·9 per thousand. These 68 deaths include 4 from measles; 1 from scarlet fever; 7 from diphtheria; 45 from whooping-cough, of which 26 occurred in Glasgow, and 13 in Leith; 2 from enteric fever; and 9 from diarrhœa, of which 6 were of children of less than two years old. Compared with the returns for the previous week, deaths from scarlet fever are 5 fewer, from diphtheria and from diarrhœa each 4 fewer, and from measles 1 fewer, while those from enteric fever are 1 more, and from whooping-cough 12 more. The death-rate from these causes ranged from 8·9 in Leith, where it was due to the prevalence of whooping-cough, to 0·3 in Aberdeen. One death occurred from typhus fever in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 181; they are 20 more than in the previous week, and 46 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 136; they are 6 fewer than in the previous week, but 40 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 166; they are 20 fewer than in the previous week.

The mean temperature was 43°·9, being 7°·1 above that for the previous week, and 3°·4 above that for the corresponding week of last year. The mean rainfall was 2·00 inches.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 18, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Feb. 18, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	843	698	184	59·3	23·0	43·9	2·00
GLASGOW, . . .	12,669	897,178	70·817	8·88	378	357	91	52·2	29·0	44·2	3·05
EDINBURGH, . .	10,912	365,253	33·473	12·92	114	96	34	52·5	30·5	43·5	0·69
DUNDEE, . . .	4,755	171,006	35·963	12·47	98	83	14	52·9	26·5	42·6	0·32
ABERDEEN, . .	6,319	189,565	29·999	13·65	93	48	24	59·3	26·7	43·7	0·48
PAISLEY, . . .	3,487	95,268	27·321	14·30	46	38	4	52·9	32·0	44·5	4·16
LEITH, ...	1,467	87,826	59·868	9·66	46	34	3	54·4	33·0	45·5	0·69
GREENOCK, . .	2,773	74,131	26·733	14·46	50	30	8	51·7	31·5	43·3	5·83
PERTH, ...	3,139	37,648	11·994	21·59	18	12	6	55·0	23·0	44·1	0·77
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	870	643	172	52·0	27·0	40·5	1·63

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, FEBRUARY 18, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 18, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	19·0	1·9	698	136	166	4	1	7	45	2	6	3	181	22	1	18	201
GLASGOW, .	20·8	2·2	*357	69	67	1	0	4	26	2	2	3	97	12	1	13	111
EDINBURGH,	13·7	0·7	96	12	32	2	0	1	1	0	1	0	21	4	0	2	34
DUNDEE, . .	25·3	1·5	83	18	21	0	0	0	3	0	2	0	25	2	0	0	21
ABERDEEN, .	13·2	0·3	48	13	16	0	0	0	0	0	1	0	11	0	0	0	9
PAISLEY, . .	20·8	0·5	38	11	8	0	0	0	1	0	0	0	12	0	0	1	9
LEITH, . . .	20·2	8·9	34	12	6	1	0	1	13	0	0	0	6	1	0	1	5
GREENOCK, .	21·1	1·4	30	1	9	0	1	0	1	0	0	0	7	2	0	1	9
PERTH, . . .	16·6	1·4	12	0	7	0	0	1	0	0	0	0	2	1	0	0	3

* Including 1 from Typhus Fever.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 19, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·7	1·9	643	96	184	0	37	5	7	7	2	11	0	135	19	186	15	0
GLASGOW, .	16·9	2·5	287	44	66	0	27	4	2	4	1	4	0	67	7	89	8	0
EDINBURGH,	16·4	1·0	113	14	42	0	4	0	0	2	0	1	0	18	4	36	3	0
DUNDEE, . .	21·8	2·8	71	14	19	0	1	0	2	0	0	6	0	15	2	16	0	0
ABERDEEN, .	16·0	0·6	57	8	24	0	0	1	1	0	0	0	0	11	2	13	4	0
PAISLEY, . .	10·6	1·1	19	2	3	0	0	0	1	0	1	0	0	6	0	7	0	0
LEITH, . . .	16·2	1·8	27	3	9	0	2	0	1	0	0	0	0	6	0	6	0	0
GREENOCK, .	34·7	2·8	49	9	11	0	3	0	0	1	0	0	0	8	2	11	0	0
PERTH, . . .	28·0	0·0	20	2	10	0	0	0	0	0	0	0	0	4	2	8	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 25, 1911.

During the week ending 25th February 1911 there were registered in Eight of the Principal Towns of Scotland the births of 888 living children, and the deaths of 641 persons. The equivalent annual birth-rate is 24·2 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 17·4 per thousand.

The death-rate for the week is 1·6 below that for the previous week, and the same amount below the mean of the death-rates for the three preceding weeks, but is 1·2 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 25·0 in Dundee, to 14·6 in Aberdeen. In Perth it was 20·8, in Greenock 19·7, in Glasgow and in Leith 17·2, in Paisley 17·0, and in Edinburgh 15·4.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 76; they are 8 more than in the previous week, and are equal to an annual death-rate from these causes of 2·1 per thousand. These deaths include 6 from measles; 8 from scarlet fever; 9 from diphtheria; 39 from whooping-cough; 2 from enteric fever; and 12 from diarrhœa, of which 8 were of children of less than two years old. Compared with the returns for the previous week, deaths from whooping-cough are 6 fewer, while those from enteric fever number the same, but those from measles and from diphtheria are each 2 more, from diarrhœa 3 more, and from scarlet fever 7 more. The death-rate from these causes ranged from 5·9 in Leith, where it was principally due to the prevalence of whooping-cough, to 0·7 in Greenock. One death from typhus fever occurred in Greenock.

Deaths from pneumonia, bronchitis, and pleurisy numbered 139; they are 42 fewer than in the previous week, but 42 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 111; they are 25 fewer than in the previous week, and number the same as in the corresponding week of last year. Deaths of persons of over sixty-five numbered 167; they are 1 more than in the previous week.

The mean temperature was 42°·0, being 1°·9 below that for the previous week, but 4°·5 above that for the corresponding week of 1910. The mean rainfall was 1·54 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 25, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Feb. 25, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	888	641	195	59·0	27·0	42·0	1·54
GLASGOW, . . .	12,669	897,178	70·817	8·88	458	295	100	57·0	33·9	42·7	1·86
EDINBURGH, . .	10,912	365,253	33·473	12·92	120	108	33	56·9	*...	...	1·09
DUNDEE, . . .	4,755	171,006	35·963	12·47	86	82	19	52·5	27·0	40·4	0·58
ABERDEEN, . .	6,319	189,565	29·999	13·65	64	53	18	54·8	28·2	40·5	0·52
PAISLEY, . . .	3,487	95,268	27·321	14·30	48	31	11	54·5	34·0	42·9	2·73
LEITH, ...	1,467	87,826	59·868	9·66	52	29	5	57·8	33·9	43·2	0·97
GREENOCK, . .	2,773	74,131	26·733	14·46	50	28	9	59·0	32·5	41·9	3·56
PERTH, ...	3,139	37,648	11·994	21·59	10	15	0	56·0	27·0	42·4	1·03
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	867	588	174	47·0	21·0	37·5	0·85

* Minimum Thermometer Index shaken down by gale.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—2/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, FEBRUARY 25, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 25, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	17·4	2·1	641	111	167	6	8	9	39	2	8	4	139	21	1	24	180
GLASGOW, .	17·2	2·1	295	53	64	1	4	3	22	2	3	1	68	12	1	14	91
EDINBURGH,	15·4	1·4	108	20	31	5	0	2	3	0	0	0	16	4	0	6	34
DUNDEE, . .	25·0	3·4	82	18	23	0	1	1	5	0	3	1	19	3	0	0	17
ABERDEEN, .	14·6	0·8	53	2	21	0	1	0	0	0	0	2	9	0	0	1	12
PAISLEY, . .	17·0	1·1	31	3	9	0	1	0	1	0	0	0	12	0	0	1	8
LEITH, . . .	17·2	5·9	29	11	4	0	0	1	8	0	1	0	6	0	0	2	7
GREENOCK, .	19·7	0·7	*28	2	10	0	0	1	0	0	0	0	6	2	0	0	8
PERTH, . . .	20·8	4·2	15	2	5	0	1	1	0	0	1	0	3	0	0	0	3

* Including 1 from Typhus Fever.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 26, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·2	2·2	588	111	169	0	40	8	8	8	*6	9	0	97	15	186	11	3
GLASGOW, .	15·9	3·3	270	56	54	0	29	6	7	6	†4	4	0	41	7	86	4	1
EDINBURGH,	14·9	1·3	103	15	34	0	5	2	0	1	0	1	0	18	5	46	3	0
DUNDEE, . .	14·7	0·6	48	14	14	0	0	0	0	1	0	1	0	7	2	13	1	1
ABERDEEN, .	17·4	0·6	62	18	28	0	0	0	1	0	0	1	0	15	1	9	1	1
PAISLEY, . .	12·8	1·1	23	2	3	0	0	0	0	0	0	2	0	3	0	9	2	0
LEITH, . . .	20·4	1·8	34	3	13	0	3	0	0	0	0	0	0	6	0	5	0	0
GREENOCK, .	24·1	3·5	34	3	11	0	3	0	0	0	2	0	0	5	0	12	0	0
PERTH, . . .	19·6	0·0	14	0	12	0	0	0	0	0	0	0	0	2	0	6	0	0

* 4 Enteric fever; 2 Cerebro-spinal meningitis. † 2 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 9. WEEK ENDING SATURDAY, MARCH 4, 1911.

During the week ending 4th March 1911 there were registered in Eight of the Principal Towns of Scotland the births of 898 living children, and the deaths of 621 persons. The equivalent annual birth-rate is 24·4 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 16·9 per thousand.

The death-rate of the week is 0·5 less than that of the previous week, and 1·8 less than the mean of the death-rates of the preceding three weeks, but is 0·6 more than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 20·1 in Dundee, to 8·8 in Paisley. In Greenock it was 19·7, in Glasgow 18·3, in Edinburgh 16·6, in Perth 16·6, in Aberdeen 14·0, and in Leith 10·1.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 57; they are 19 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·6 per thousand. These deaths include 2 from measles; 4 from scarlet fever; 5 from diphtheria; 32 from whooping-cough; 2 from enteric fever; and 12 from diarrhœa, of which 10 were of children of less than two years old. Compared with the returns of the previous week, deaths from whooping-cough are 7 fewer, and from measles, scarlet fever, and diphtheria each 4 fewer, but those from enteric fever and from diarrhœa are of the same number. The death-rate from these causes ranged from 2·1 in Dundee, and 1·9 in Glasgow, to 0·6 in Leith, and 0·8 in Aberdeen. In Glasgow 2 deaths from cerebro-spinal meningitis were registered during the week.

Deaths from pneumonia, bronchitis, and pleurisy numbered 118; they are 21 fewer than in the previous week, but 5 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 115; they are 4 more than in the previous week, and 3 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 161; they are 6 fewer than in the previous week.

The mean temperature was 43°·6, being 1°·6 above that for the previous week, and 2°·7 above that for the corresponding week of 1910. The mean rainfall was 0·82 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 4, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Mar. 4, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	898	621	293	56·4	28·0	43·6	0·82
GLASGOW, . . .	12,669	897,178	70·817	8·88	460	315	169	52·1	33·0	44·4	0·83
EDINBURGH, . .	10,912	365,253	33·473	12·92	141	116	38	52·8	34·5	43·2	0·28
DUNDEE, . . .	4,755	171,006	35·963	12·47	72	66	13	52·4	28·7	42·2	0·26
ABERDEEN, . .	6,319	189,565	29·999	13·65	79	51	17	56·4	29·6	43·1	0·28
PAISLEY, . . .	3,487	95,268	27·321	14·30	36	16	18	54·0	32·1	44·5	1·60
LEITH, ...	1,467	87,826	59·868	9·66	45	17	14	55·7	33·7	45·1	0·92
GREENOCK, . .	2,773	74,131	26·733	14·46	50	28	16	51·0	32·5	42·7	2·13
PERTH, ...	3,139	37,648	11·994	21·59	15	12	8	55·0	28·0	43·7	0·28
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	912	590	222	53·2	26·0	40·9	0·81

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, MARCH 4, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 4, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·9	1·6	621	115	161	2	4	5	32	2	10	2	118	15	1	20	190
GLASGOW, .	18·3	1·9	315	67	72	0	3	4	16	1	8	1	60	7	1	8	104
EDINBURGH,	16·6	1·0	116	13	40	2	0	1	3	0	0	1	17	1	0	8	45
DUNDEE, . .	20·1	2·1	66	10	15	0	1	0	5	0	1	0	16	2	0	0	19
ABERDEEN, .	14·0	0·8	51	11	18	0	0	0	2	0	1	0	9	1	0	1	7
PAISLEY, . .	8·8	1·6	16	4	6	0	0	0	3	0	0	0	6	0	0	1	0
LEITH, . . .	10·1	0·6	17	3	1	0	0	0	1	0	0	0	3	1	0	0	6
GREENOCK, .	19·7	1·4	28	6	4	0	0	0	1	1	0	0	6	3	0	2	8
PERTH, . . .	16·6	1·4	12	1	5	0	0	0	1	0	0	0	1	0	0	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 5, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·3	2·2	590	112	172	0	40	5	12	2	6	14	1	113	19	171	20	2
GLASGOW, .	17·6	2·9	299	63	69	0	28	3	9	1	3	6	1	59	7	94	15	2
EDINBURGH,	12·0	0·9	83	13	32	0	2	1	1	1	0	1	0	14	3	27	3	0
DUNDEE, . .	18·1	1·2	59	10	22	0	1	0	1	0	0	2	0	15	1	14	1	0
ABERDEEN, .	14·3	0·8	51	8	17	0	0	0	0	0	0	3	0	9	1	10	1	0
PAISLEY, . .	10·6	0·6	19	4	7	0	0	0	0	0	0	1	0	1	1	7	0	0
LEITH, . . .	18·6	4·8	31	6	10	0	6	1	1	0	0	0	0	4	4	6	0	0
GREENOCK, .	27·6	4·3	39	8	11	0	3	0	0	0	3	0	0	10	2	9	0	0
PERTH, . . .	12·6	1·4	9	0	4	0	0	0	0	0	0	1	0	1	0	4	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 10. WEEK ENDING SATURDAY, MARCH 11, 1911.

During the week ending 11th March 1911 there were registered in Eight of the Principal Towns of Scotland the births of 894 living children, and the deaths of 583 persons. The equivalent annual birth-rate is 24·3 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 15·9 per thousand.

The death-rate of the week is 1·0 less than that of the previous week, 1·9 less than the mean of the death-rates of the three preceding weeks, and 1·3 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 25·3 in Greenock, and 24·9 in Perth, to 11·0 in Paisley, and 11·3 in Aberdeen. In Dundee it was 21·1, in Leith 16·6, in Glasgow 15·6, and in Edinburgh 14·6.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 60; they are 3 more than in the previous week, and are equal to an annual death-rate of 1·6 per thousand. These deaths include 5 from measles; 4 from scarlet fever; 5 from diphtheria; 36 from whooping-cough; 3 from enteric fever; and 7 from diarrhœa, all of which last were of children of less than two years old. Compared with the returns of the previous week, deaths from measles are 3 more, from whooping-cough 4 more, and from enteric fever 1 more, but those from scarlet fever and diphtheria are of the same number, and those from diarrhœa 5 fewer. The death-rate from these causes varied from 3·0 in Leith, where there were 4 deaths from whooping-cough, and 2·7 in Dundee, where there were 8 deaths from that cause, to 0·8 in Aberdeen.

Deaths from pneumonia, pleurisy, and bronchitis numbered 108; they are 10 fewer than in the previous week, but 1 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 98; they are 17 fewer than in the previous week, and 26 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 135; they are 26 fewer than in the previous week.

The mean temperature was 40°·9, being 2°·7 below that for the previous week, and 2°·3 below that for the corresponding week of 1910. The mean rainfall was 0·29 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 11, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Mar. 11, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	894	583	185	53·0	28·0	40·9	0·29
GLASGOW, . . .	12,669	897,178	70·817	8·88	460	269	102	49·1	31·0	41·4	0·27
EDINBURGH, . .	10,912	365,253	33·473	12·92	126	102	29	47·6	32·9	39·8	0·17
DUNDEE, . . .	4,755	171,006	35·963	12·47	72	69	9	50·0	32·0	40·3	0·19
ABERDEEN, . .	6,319	189,565	29·999	13·65	74	41	22	51·6	33·1	41·0	0·18
PAISLEY, . . .	3,487	95,268	27·321	14·30	49	20	5	52·9	30·9	41·8	0·38
LEITH, ...	1,467	87,826	59·868	9·66	41	28	8	50·4	34·7	42·1	0·34
GREENOCK, . .	2,773	74,131	26·733	14·46	52	36	8	49·0	31·5	40·0	0·62
PERTH, ...	3,139	37,648	11·994	21·59	20	18	2	53·0	28·0	41·0	0·19
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	865	622	167	54·3	27·5	43·2	0·87

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, MARCH 11, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 11, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	15·9	1·6	583	98	135	5	4	5	36	3	7	0	108	20	2	13	177
GLASGOW, .	15·6	1·6	269	43	47	3	0	1	19	2	3	0	52	10	2	11	95
EDINBURGH,	14·6	1·1	102	11	33	2	2	2	2	0	0	0	15	2	0	0	32
DUNDEE, . .	21·1	2·7	69	15	16	0	1	0	8	0	0	0	13	1	0	0	17
ABERDEEN, .	11·3	0·8	41	10	8	0	0	1	0	0	2	0	9	1	0	0	10
PAISLEY, . .	11·0	1·6	20	5	6	0	0	0	2	0	1	0	6	1	0	0	5
LEITH, . . .	16·6	3·0	28	3	10	0	0	0	4	1	0	0	2	0	0	1	3
GREENOCK, .	25·3	2·1	36	6	8	0	1	0	1	0	1	0	8	3	0	1	11
PERTH, . . .	24·9	1·4	18	5	7	0	0	1	0	0	0	0	3	2	0	0	4

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 12, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·2	2·3	622	124	174	0	46	5	5	12	*2	12	0	107	18	195	18	3
GLASGOW, .	16·9	2·2	286	56	59	0	24	2	1	5	1	4	0	51	10	101	13	3
EDINBURGH,	19·6	1·2	135	31	48	0	3	0	0	2	†1	2	0	18	4	40	4	0
DUNDEE, . .	17·2	3·1	56	7	23	0	3	2	1	2	0	2	0	7	0	18	0	0
ABERDEEN, .	14·6	1·1	52	11	20	0	0	0	2	0	0	2	0	12	1	15	0	0
PAISLEY, . .	11·7	1·1	21	3	5	0	0	1	1	0	0	0	0	7	0	5	1	0
LEITH, . . .	15·6	3·6	26	6	8	0	5	0	0	1	0	0	0	6	2	6	0	0
GREENOCK, .	24·8	10·6	35	9	5	0	11	0	0	2	0	2	0	6	1	4	0	0
PERTH, . . .	15·4	0·0	11	1	6	0	0	0	0	0	0	0	0	0	0	6	0	0

* 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 11. WEEK ENDING SATURDAY, MARCH 18, 1911.

During the week ending 18th March 1911 there were registered in Eight of the Principal Towns of Scotland the births of 907 living children, and the deaths of 617 persons. The equivalent annual birth-rate is 24·7 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 16·8 per thousand.

The death-rate of the week is 0·9 more than that of the previous week, 0·1 more than the mean of the death-rates of the preceding three weeks, but 0·1 less than that of the corresponding week of last year.

The death-rate of the week varied from 20·8 in Paisley, and 20·1 in Dundee, to 14·3 in Leith, and 14·6 in Aberdeen. In Greenock it was 18·3, in Edinburgh 16·9, in Glasgow 16·3, and in Perth 15·2.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 66; they are 6 more than in the previous week, and are equal to an annual death-rate from these causes of 1·8 per thousand. These deaths include 4 from measles; 5 from scarlet fever; 9 from diphtheria; 36 from whooping-cough; 1 from enteric fever; and 11 from diarrhœa, of which 10 were of children of less than two years old. Compared with the returns of the previous week, deaths from enteric fever are 2 fewer, and from measles 1 fewer, but those from whooping-cough are of the same number, from scarlet fever 1 more, from diphtheria 4 more, and from diarrhœa 4 more. The death-rate from these causes varied from 4·2 in Leith, and 3·3 in Paisley, in both of which towns whooping-cough is prevalent, to 0 in Perth. Two deaths occurred in Glasgow from cerebro-spinal meningitis.

Deaths from pneumonia, bronchitis and pleurisy numbered 109; they are 1 more than in the previous week, and 10 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 119; they are 21 more than in the previous week, but 6 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 154; they are 19 more than in the previous week.

The mean temperature was 38°·9, being 2°·0 below that for the previous week, and 1°·4 below that for the corresponding week of 1910. The mean rainfall was 0·45 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 18, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Mar. 18, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	907	617	163	49·5	30·7	38·9	0·45
GLASGOW, . . .	12,669	897,178	70·817	8·88	471	281	75	45·9	32·8	39·6	0·15
EDINBURGH, . .	10,912	365,253	33·473	12·92	125	118	40	43·5	30·7	37·2	0·46
DUNDEE, . . .	4,755	171,006	35·963	12·47	64	66	11	44·6	32·6	38·0	0·65
ABERDEEN, . .	6,319	189,565	29·999	13·65	85	53	14	46·5	33·4	39·2	0·90
PAISLEY, . . .	3,487	95,268	27·321	14·30	45	38	2	49·5	32·1	40·2	0·12
LEITH, ...	1,467	87,826	59·868	9·66	49	24	4	46·7	33·4	39·1	0·84
GREENOCK, . .	2,773	74,131	26·733	14·46	51	26	8	45·0	32·0	38·8	0·05
PERTH, ...	3,139	37,648	11·994	21·59	17	11	9	46·0	32·0	39·3	0·43
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	953	612	165	59·2	26·0	40·3	0·26

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, MARCH 18, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 18, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·8	1·8	617	119	154	4	5	9	36	1	10	1	109	18	1	20	180
GLASGOW, .	16·3	1·6	281	57	62	2	2	3	15	0	4	1	49	12	1	13	89
EDINBURGH,	16·9	1·7	118	18	37	2	1	4	5	0	0	0	18	3	0	1	44
DUNDEE, . .	20·1	2·7	66	16	17	0	0	0	4	0	5	0	13	0	0	1	16
ABERDEEN, .	14·6	0·8	53	7	13	0	0	1	2	0	0	0	9	1	0	1	14
PAISLEY, . .	20·8	3·3	38	6	11	0	1	0	5	0	0	0	9	0	0	3	8
LEITH, . . .	14·3	4·2	24	7	3	0	0	1	5	1	0	0	4	1	0	0	2
GREENOCK, .	18·3	1·4	26	4	8	0	1	0	0	0	1	0	4	1	0	1	7
PERTH, . . .	15·2	0·0	11	4	3	0	0	0	0	0	0	0	3	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 19, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·9	2·0	612	125	174	0	35	4	8	10	*3	12	1	99	30	173	9	0
GLASGOW, .	16·3	2·3	277	61	66	0	20	1	5	6	†2	5	1	44	12	86	2	0
EDINBURGH,	15·1	1·2	104	12	35	0	1	1	0	3	0	3	0	9	9	39	3	0
DUNDEE, . .	22·1	2·8	72	19	18	0	6	1	0	0	0	2	0	17	5	18	1	0
ABERDEEN, .	16·3	1·1	58	9	22	0	0	0	2	1	0	1	0	12	0	15	0	0
PAISLEY, . .	15·1	0·6	27	9	9	0	0	1	0	0	0	0	0	4	2	5	2	0
LEITH, . . .	19·8	2·4	33	3	11	0	3	0	1	0	0	0	0	5	1	5	0	0
GREENOCK, .	19·1	4·3	27	8	5	0	5	0	0	0	0	1	0	6	0	4	1	0
PERTH, . . .	19·6	1·4	14	4	8	0	0	0	0	0	1	0	0	2	1	1	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 12. WEEK ENDING SATURDAY, MARCH 25, 1911.

During the week ending 25th March 1911 there were registered in Eight of the Principal Towns of Scotland the births of 945 living children, and the deaths of 633 persons. The equivalent annual birth-rate is 25·7 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 17·2 per thousand.

The death-rate of the week is 0·4 above that of the previous week, 0·7 more than the mean of the death-rates of the preceding three weeks, and 1·9 more than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 24·6 in Greenock, and 24·4 in Dundee, to 13·4 in Edinburgh, and 14·0 in Aberdeen. In Paisley it was 18·6, in Glasgow 17·4, in Leith 17·2, and in Perth 15·2.

Deaths from the principal epidemic diseases numbered 55; they are 11 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·5 per thousand. These deaths include 2 from measles; 3 from scarlet fever; 5 from diphtheria; 32 from whooping-cough; 1 from enteric fever; and 12 from diarrhœa, of which 10 were of children of less than two years old. Compared with the returns of the previous week, deaths from diphtheria and whooping-cough are each 4 fewer, and from measles and scarlet fever each 2 fewer, but those from enteric fever number the same, and those from diarrhœa are 1 more. The death-rate from these causes varied from 2·8 in Perth, and 2·1 in Dundee, to 0 in Greenock, and 0·3 in Aberdeen. Two deaths from cerebro-spinal meningitis occurred in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 115; they are 6 more than in the previous week, and 16 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 113; they are 6 fewer than in the previous week, but 2 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 150; they are 4 fewer than in the previous week.

The mean temperature was 38°·6, being 0°·3 below that for the previous week, and 7°·3 below that for the corresponding week of 1910. The mean rainfall was 0·05 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 25, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Mar. 25, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	945	633	168	52·1	28·0	38·6	0·05
GLASGOW, . . .	12,669	897,178	70·817	8·88	457	299	90	49·4	33·0	39·1	0·00
EDINBURGH, . .	10,912	365,253	33·473	12·92	151	94	36	45·0	31·7	36·9	0·00
DUNDEE, . . .	4,755	171,006	35·963	12·47	102	80	8	47·8	31·0	37·7	0·10
ABERDEEN, . .	6,319	189,565	29·999	13·65	91	51	15	47·0	32·8	39·2	0·15
PAISLEY, . . .	3,487	95,268	27·321	14·30	46	34	2	52·1	32·1	39·4	0·00
LEITH, ...	1,467	87,826	59·868	9·66	45	29	5	50·0	35·6	39·6	0·08
GREENOCK, . .	2,773	74,131	26·733	14·46	40	35	11	49·2	32·2	38·7	0·00
PERTH, ...	3,139	37,648	11·994	21·59	13	11	1	50·0	28·0	38·5	0·08
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	850	556	173	59·8	31·5	45·9	0·01

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—3/1911. 90/430. Group II.

[TURN OVER.

Week ending Saturday, MARCH 25, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 25, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	17·2	1·5	633	113	150	2	3	5	32	1	10	2	115	23	2	14	188
GLASGOW, .	17·4	1·9	299	60	61	2	1	4	19	1	4	2	49	12	1	4	99
EDINBURGH,	13·4	1·0	94	14	28	0	1	1	2	0	3	0	15	1	0	4	28
DUNDEE, . .	24·4	2·1	80	19	21	0	1	0	6	0	0	0	16	1	0	0	18
ABERDEEN, .	14·0	0·3	51	9	15	0	0	0	0	0	1	0	7	3	1	1	15
PAISLEY, . .	18·6	1·1	34	3	9	0	0	0	1	0	1	0	9	2	0	4	6
LEITH, . . .	17·2	1·8	29	3	6	0	0	0	3	0	0	0	5	1	0	0	8
GREENOCK, .	24·6	0·0	35	5	8	0	0	0	0	0	0	0	9	3	0	1	10
PERTH, . . .	15·2	2·8	11	0	2	0	0	0	1	0	1	0	5	0	0	0	4

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 26, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·3	2·1	556	111	128	0	45	6	6	8	*3	9	1	99	16	156	16	0
GLASGOW, .	15·5	1·9	263	48	46	0	19	2	0	6	0	5	0	53	10	67	9	0
EDINBURGH,	12·3	0·7	85	15	29	0	3	1	0	1	0	0	1	12	1	35	5	0
DUNDEE, . .	20·2	4·0	66	16	20	0	9	1	1	0	0	2	0	13	4	18	0	0
ABERDEEN, .	14·9	1·1	53	9	15	0	0	1	3	0	0	0	0	10	1	16	0	0
PAISLEY, . .	15·6	3·3	28	11	5	0	3	0	1	0	†2	0	0	5	0	7	1	0
LEITH, . . .	13·2	3·6	22	4	5	0	4	1	0	0	0	1	0	2	0	3	1	0
GREENOCK, .	21·3	7·8	30	8	3	0	7	0	1	1	1	1	0	3	0	5	0	0
PERTH, . . .	12·6	0·0	9	0	5	0	0	0	0	0	0	0	0	1	0	5	0	0

* 1 Enteric fever; 2 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 13. WEEK ENDING SATURDAY, APRIL 1, 1911.

During the week ending 1st April 1911 there were registered in Eight of the Principal Towns of Scotland the births of 963 living children, and the deaths of 573 persons. The equivalent annual birth-rate is 26·2 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 15·6 per thousand.

The death-rate for the week is 1·6 below that for the week immediately preceding, 1·0 below the mean of the rates for the three preceding weeks, and 2·5 below the rate for the corresponding week of last year.

The death-rate for the week ranged from 22·5 in Greenock to 9·4 in Aberdeen. In Perth it was 20·8, in Dundee 18·6, in Glasgow 16·0, in Edinburgh 15·6, in Leith 14·3, and in Paisley 12·6.

Deaths from the principal epidemic diseases numbered 43; they are 12 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·2 per thousand. These deaths include 1 from measles; 3 from scarlet fever; 3 from diphtheria; 28 from whooping-cough; and 8 from diarrhœa, of which 6 were of children of less than two years old. No deaths were registered from enteric fever. Compared with the returns for the previous week, deaths from whooping-cough and from diarrhœa are each 4 fewer, from diphtheria 2 fewer, and from measles and from enteric fever each 1 fewer, while those from scarlet fever number the same. The death-rate from these causes ranged from 2·8 in Perth, to 0·3 in Edinburgh. Two deaths from cerebro-spinal meningitis were registered in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 109; they are 6 fewer than in the previous week, and 13 fewer than in the corresponding week of last year.

Deaths of persons of less than one year old numbered 93; they are 20 fewer than in the previous week, and 47 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 126; they are 24 fewer than in the previous week.

The mean temperature was 40°·8, being 2°·2 above that for the previous week, but 2°·9 below that for the corresponding week of last year. The mean rainfall was 0·14 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 1, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Apr. 1, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	963	573	191	50·2	32·1	40·8	0·14
GLASGOW, . . .	12,669	897,178	70·817	8·88	462	275	101	50·0	32·5	40·6	0·08
EDINBURGH, . .	10,912	365,253	33·473	12·92	137	109	34	42·1	35·6	38·4	0·05
DUNDEE, . . .	4,755	171,006	35·963	12·47	98	61	6	46·5	34·2	40·1	0·08
ABERDEEN, . . .	6,319	189,565	29·999	13·65	95	34	20	49·6	37·4	42·6	0·25
PAISLEY, . . .	3,487	95,268	27·321	14·30	50	23	16	50·2	32·1	41·5	0·16
LEITH, ...	1,467	87,826	59·868	9·66	52	24	3	45·4	37·5	40·8	0·17
GREENOCK, . .	2,773	74,131	26·733	14·46	53	32	10	50·0	33·9	41·2	0·22
PERTH, ...	3,139	37,648	11·994	21·59	16	15	1	50·0	32·5	41·5	0·08
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	930	656	408	62·3	26·5	43·7	0·12

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1911. 120/11. Group II.

[TURN OVER.

Week ending Saturday, APRIL 1, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 1, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	15·6	1·2	573	93	126	1	3	3	28	0	6	2	109	22	3	17	175
GLASGOW, .	16·0	1·4	275	54	47	0	1	3	16	0	2	2	55	12	3	13	93
EDINBURGH,	15·6	0·3	109	11	31	0	1	0	1	0	0	0	17	2	0	1	39
DUNDEE, . .	18·6	0·9	61	5	16	0	0	0	2	0	1	0	11	0	0	0	15
ABERDEEN, .	9·4	0·8	34	9	13	0	0	0	1	0	2	0	3	2	0	1	6
PAISLEY, . .	12·6	1·6	23	2	3	0	0	0	2	0	1	0	5	0	0	0	4
LEITH, . . .	14·3	2·4	24	5	7	0	0	0	4	0	0	0	4	3	0	1	6
GREENOCK, .	22·5	1·4	32	3	6	0	0	0	2	0	0	0	10	3	0	1	6
PERTH, . . .	20·8	2·8	15	4	3	1	1	0	0	0	0	0	4	0	0	0	6

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 2, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·1	2·3	656	140	179	0	43	4	2	7	1	25	0	122	25	204	20	3
GLASGOW, .	17·5	1·7	297	65	71	0	10	2	1	4	1	10	0	58	12	101	13	3
EDINBURGH,	15·9	1·3	110	16	40	0	4	1	0	0	0	4	0	23	3	41	4	0
DUNDEE, . .	25·4	6·4	83	22	16	0	16	0	0	0	0	5	0	15	6	24	0	0
ABERDEEN, .	14·3	0·8	51	8	18	0	0	0	1	1	0	1	0	9	0	8	1	0
PAISLEY, . .	16·7	1·7	30	1	11	0	2	1	0	0	0	0	0	3	2	11	1	0
LEITH, . . .	19·8	4·2	33	12	10	0	4	0	0	0	0	3	0	4	0	10	1	0
GREENOCK, .	26·9	7·8	38	9	8	0	7	0	0	2	0	2	0	8	2	5	0	0
PERTH, . . .	19·6	0·0	14	4	5	0	0	0	0	0	0	0	0	2	0	4	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 14. WEEK ENDING SATURDAY, APRIL 8, 1911.

During the week ending 8th April 1911 there were registered in Eight of the Principal Towns of Scotland the births of 904 living children, and the deaths of 635 persons. The equivalent annual birth-rate is 24·6 per thousand of the estimated aggregate population, and the equivalent annual death-rate 17·3 per thousand.

The death-rate for the week is 1·7 above that for the previous week, and 0·8 above the mean of the rates for the three preceding weeks, but is 0·9 below the rate for the corresponding week of last year.

The death-rate for the week ranged from 24·1 in Dundee to 9·7 in Perth. In Greenock it was 22·5, in Edinburgh 18·4, in Glasgow 16·9, in Leith 16·6, in Paisley 16·4, and in Aberdeen 11·0.

Deaths from the principal epidemic diseases numbered 67; they are 24 more than in the previous week, and are equal to an annual death-rate from these causes of 1·8 per thousand. These deaths include 5 from measles; 5 from scarlet fever; 6 from diphtheria; 41 from whooping-cough; 1 from enteric fever; and 9 from diarrhœa, 8 of which were of children of less than two years old. Compared with the returns for the previous week, deaths from enteric fever and from diarrhœa are each 1 more, from scarlet fever 2 more, from diphtheria 3 more, from measles 4 more, and from whooping-cough 13 more. The death-rate from these causes ranged from 4·4 in Paisley, to 0·6 in Aberdeen and in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 153; they are 44 more than in the previous week, and 41 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 113; they are 20 more than in the previous week, but 25 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 155; they are 29 more than in the previous week.

The mean temperature was 39°·7, being 1°·1 below that for the previous week, and 3°·4 below that for the corresponding week of last year. The mean rainfall was 0·06 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 8, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Apr. 8, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	904	635	234	57·9	21·5	39·7	0·06
GLASGOW, . . .	12,669	897,178	70·817	8·88	433	290	110	53·0	31·0	40·1	0·00
EDINBURGH, . .	10,912	365,253	33·473	12·92	148	129	46	49·0	30·6	38·0	0·07
DUNDEE, . . .	4,755	171,006	35·963	12·47	95	79	24	50·2	28·0	38·9	0·02
ABERDEEN, . .	6,319	189,565	29·999	13·65	81	40	14	49·2	30·1	39·9	0·16
PAISLEY, . . .	3,487	95,268	27·321	14·30	36	30	13	57·9	25·9	41·1	0·04
LEITH, ...	1,467	87,826	59·868	9·66	40	28	10	52·9	32·9	40·3	0·16
GREENOCK, . .	2,773	74,131	26·733	14·46	55	32	11	53·0	26·7	39·9	0·00
PERTH, ...	3,139	37,648	11·994	21·59	16	7	6	56·0	21·5	39·5	0·04
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	978	659	237	59·0	27·5	43·1	0·20

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1911. 120/11. Group II.

[TURN OVER.

Week ending Saturday, APRIL 8, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 8, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	17·3	1·8	635	113	155	5	5	6	41	1	8	1	153	20	1	11	198
GLASGOW, .	16·9	2·2	290	60	56	3	2	4	23	1	3	1	85	9	0	6	98
EDINBURGH,	18·4	1·1	129	15	40	2	2	0	3	0	1	0	24	3	1	3	42
DUNDEE, . .	24·1	2·4	79	14	23	0	0	2	4	0	2	0	16	3	0	0	22
ABERDEEN, .	11·0	0·6	40	11	10	0	0	0	1	0	1	0	8	3	0	0	11
PAISLEY, . .	16·4	4·4	30	5	8	0	1	0	6	0	1	0	4	0	0	1	4
LEITH, . . .	16·6	0·6	28	4	6	0	0	0	1	0	0	0	7	1	0	1	10
GREENOCK, .	22·5	1·4	32	3	9	0	0	0	2	0	0	0	8	1	0	0	10
PERTH, . . .	9·7	1·4	7	1	3	0	0	0	1	0	0	0	1	0	0	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 9, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·2	3·4	659	138	147	0	74	10	14	6	*2	17	2	112	18	202	16	1
GLASGOW, .	18·4	2·4	312	63	76	0	15	6	6	2	†1	11	2	53	8	99	8	0
EDINBURGH,	14·5	2·5	100	24	25	0	11	1	2	2	0	1	0	15	3	44	3	1
DUNDEE, . .	29·4	11·3	96	26	14	0	28	2	0	2	0	5	0	13	2	19	2	0
ABERDEEN, .	11·8	0·6	42	7	10	0	0	1	1	0	0	0	0	8	2	12	0	0
PAISLEY, . .	15·6	1·7	28	2	6	0	0	0	2	0	1	0	0	7	2	10	2	0
LEITH, . . .	16·8	3·6	28	7	7	0	6	0	0	0	0	0	0	7	1	4	1	0
GREENOCK, .	29·1	12·0	41	6	4	0	14	0	3	0	0	0	0	7	0	8	0	0
PERTH, . . .	16·8	0·0	12	3	5	0	0	0	0	0	0	0	0	2	0	6	0	0

* 1 Enteric fever; 1 Typhus fever. † Typhus fever.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 15. WEEK ENDING SATURDAY, APRIL 15, 1911.

During the week ending 15th April 1911 there were registered in Eight of the Principal Towns of Scotland the births of 859 living children, and the deaths of 625 persons. The equivalent annual birth-rate is 23·4 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 17·0 per thousand.

The death-rate for the week is 0·3 below that for the previous week, and 1·5 below that for the corresponding week of last year, but is 0·3 above the mean of the rates for the last three weeks.

The death-rate for the week ranged from 21·9 in Paisley to 13·1 in Leith. In Greenock it was 20·4, in Glasgow 17·7, in Perth 16·6, in Edinburgh 16·3, in Dundee 15·6, and in Aberdeen 14·3.

Deaths from the principal epidemic diseases numbered 74; they are 7 more than in the previous week, and are equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 11 from measles; 1 from scarlet fever; 8 from diphtheria; 41 from whooping-cough, of which 27 occurred in Glasgow; 2 from enteric fever; and 11 from diarrhœa, of which 9 were of children of less than two years old. Compared with the returns for the previous week, deaths from scarlet fever are 4 fewer, and those from whooping-cough number the same, but those from enteric fever are 1 more, from diphtheria and from diarrhœa each 2 more, and from measles 6 more. The death-rate from these causes ranged from 3·8 in Paisley to 0 in Aberdeen.

Deaths from pneumonia, bronchitis, and pleurisy numbered 131; they are 22 fewer than in the previous week, but 6 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 104; they are 9 fewer than in the previous week, and 17 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 165; they are 10 more than in the previous week.

The mean temperature was 46°·9, being 7°·2 above that for the previous week, and 4°·8 above that for the corresponding week of last year. The mean rainfall was 0·20 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 15, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Apr. 15, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	859	625	324	64·8	27·0	46·9	0·20
GLASGOW, . . .	12,669	897,178	70·817	8·88	422	305	155	62·0	28·8	46·7	0·21
EDINBURGH, . .	10,912	365,253	33·473	12·92	127	114	46	60·9	36·7	46·0	0·17
DUNDEE, . . .	4,755	171,006	35·963	12·47	88	51	52	60·5	32·5	46·7	0·01
ABERDEEN, . .	6,319	189,565	29·999	13·65	80	52	28	59·1	36·0	46·3	0·17
PAISLEY, . . .	3,487	95,268	27·321	14·30	35	40	21	64·8	34·0	48·4	0·39
LEITH, ...	1,467	87,826	59·868	9·66	30	22	7	62·4	38·6	47·8	0·15
GREENOCK, . .	2,773	74,131	26·733	14·46	58	29	10	59·0	32·2	45·9	0·43
PERTH, ...	3,139	37,648	11·994	21·59	19	12	5	64·0	27·0	47·1	0·10
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	934	669	283	62·0	30·0	42·1	2·36

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1911. 120/11. Group II.

[TURN OVER.

Week ending Saturday, APRIL 15, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 15, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	17·0	2·0	625	104	165	11	1	8	41	2	9	2	131	19	3	15	183
GLASGOW, .	17·7	2·7	305	49	65	9	1	2	27	1	5	2	62	8	2	7	101
EDINBURGH,	16·3	1·0	114	17	43	2	0	2	2	0	1	0	25	6	0	4	44
DUNDEE, . .	15·6	1·8	51	8	14	0	0	2	3	1	0	0	9	1	0	0	14
ABERDEEN, .	14·3	0·0	52	14	16	0	0	0	0	0	0	0	8	0	0	1	10
PAISLEY, . .	21·9	3·8	40	5	8	0	0	0	5	0	2	0	7	2	1	3	8
LEITH, . . .	13·1	1·8	22	6	7	0	0	0	2	0	1	0	6	2	0	0	1
GREENOCK, .	20·4	1·4	29	4	8	0	0	0	2	0	0	0	11	0	0	0	4
PERTH, . . .	16·6	2·8	12	1	4	0	0	2	0	0	0	0	3	0	0	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 16, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·5	2·7	669	121	190	0	64	2	8	6	*2	15	1	125	18	191	17	1
GLASGOW, .	19·8	1·9	335	59	99	0	17	1	4	4	0	6	1	70	9	107	8	1
EDINBURGH,	16·5	1·3	114	14	42	0	6	0	0	0	*2	1	0	19	3	43	6	0
DUNDEE, . .	28·5	11·3	93	23	17	0	29	0	1	1	0	6	0	11	2	20	0	0
ABERDEEN, .	9·0	0·6	32	6	8	0	0	0	1	0	0	1	0	6	2	4	0	0
PAISLEY, . .	14·5	1·7	26	5	6	0	1	0	2	0	0	0	0	5	0	7	1	0
LEITH, . . .	16·2	1·2	27	5	9	0	2	0	0	0	0	0	0	7	1	3	0	0
GREENOCK, .	26·9	8·5	38	9	8	0	9	1	0	1	0	1	0	6	0	6	2	0
PERTH, . . .	5·6	0·0	4	0	1	0	0	0	0	0	0	0	0	1	1	1	0	0

* 1 Enteric fever; 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 16. WEEK ENDING SATURDAY, APRIL 22, 1911.

During the week ending 22nd April 1911 there were registered in Eight of the Principal Towns of Scotland the births of 916 living children, and the deaths of 612 persons. The equivalent annual birth-rate is 24·9 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 16·7 per thousand.

The death-rate for the week is 0·3 below that for the previous week, 0·4 above that for the corresponding week of last year, and 0·1 above the mean of the rates for the last three weeks.

The death-rate for the week ranged from 27·4 in Greenock and 25·2 in Paisley, to 10·5 in Aberdeen. In Perth it was 20·8, in Dundee 17·1, in Edinburgh 16·6, in Glasgow 16·2, and in Leith 14·3.

Deaths from the principal epidemic diseases numbered 81; they are 7 more than in the previous week, and are equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 7 from measles; 2 from scarlet fever; 6 from diphtheria; 56 from whooping-cough, of which 28 occurred in Glasgow and 14 in Paisley; and 10 from diarrhœa, of which 9 were of children of less than two years old. No deaths were registered from enteric fever. Compared with the returns for the previous week, deaths from measles are 4 fewer, and from diphtheria and enteric fever each 2 fewer, while those from diarrhœa are 1 fewer, but those from scarlet fever are 1 more, and those from whooping-cough 15 more. The death-rate from these causes ranged from 8·2 in Paisley to 0·3 in Aberdeen. One death from cerebro-spinal meningitis was registered in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 136; they are 5 more than in the previous week, and 45 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 109; they are 5 more than in the previous week, and 2 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 151; they are 14 fewer than in the previous week.

The mean temperature was 47°·0, being 0°·1 above that for the previous week, and 2°·9 above that for the corresponding week of last year. The mean rainfall was 0·91 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 22, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Apr. 22, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,917,875	42·132	11·52	916	612	382	64·6	28·7	47·0	0·91
GLASGOW, . . .	12,669	897,178	70·817	8·88	432	278	213	62·2	34·7	47·4	0·79
EDINBURGH, . .	10,912	365,253	33·473	12·92	150	116	71	...	...	...	...
DUNDEE, . . .	4,755	171,006	35·963	12·47	99	56	31	60·0	28·7	45·9	0·31
ABERDEEN, . .	6,319	189,565	29·999	13·65	77	38	25	64·6	32·1	46·4	0·23
PAISLEY, . . .	3,487	95,268	27·321	14·30	37	46	13	60·9	34·5	46·8	1·48
LEITH, ...	1,467	87,826	59·868	9·66	44	24	13	64·1	35·6	49·9	0·51
GREENOCK, . .	2,773	74,131	26·733	14·46	66	39	11	56·5	33·5	45·4	2·58
PERTH, ...	3,139	37,648	11·994	21·59	11	15	5	61·0	29·0	47·0	0·48
Corresponding Week of 1910 — Eight Towns.	45,521	1,891,936	41·562	11·60	969	590	209	58·0	29·5	44·1	0·63

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—4/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, APRIL 22, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 22, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7-13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·7	2·2	612	109	151	7	2	6	56	0	9	1	136	22	1	8	172
GLASGOW, .	16·2	2·4	278	47	63	3	1	3	28	0	6	0	75	7	1	4	88
EDINBURGH,	16·6	2·0	116	19	38	2	0	3	8	0	1	0	16	5	0	1	41
DUNDEE, . .	17·1	0·9	56	9	13	0	0	0	2	0	1	0	7	4	0	1	13
ABERDEEN, .	10·5	0·3	38	13	10	0	0	0	0	0	1	0	11	1	0	1	8
PAISLEY, . .	25·2	8·2	46	11	6	0	1	0	14	0	0	0	9	1	0	1	7
LEITH, . . .	14·3	1·2	24	2	7	1	0	0	1	0	0	0	7	2	0	0	5
GREENOCK, .	27·4	2·1	39	7	11	0	0	0	2	0	0	1	9	2	0	0	8
PERTH, . . .	20·8	2·8	15	1	3	1	0	0	1	0	0	0	2	0	0	0	2

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 23, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·3	2·4	590	107	159	0	59	1	4	6	*1	16	1	91	21	178	10	0
GLASGOW, .	15·9	1·9	270	53	60	0	18	1	3	2	*1	7	0	52	11	94	5	0
EDINBURGH,	14·2	1·6	98	15	31	0	7	0	0	1	0	3	1	9	2	43	3	0
DUNDEE, . .	26·1	8·9	85	15	20	0	24	0	1	2	0	2	0	10	4	8	1	0
ABERDEEN, .	13·2	0·6	47	10	21	0	0	0	0	0	0	2	0	7	2	9	1	0
PAISLEY, . .	14·5	1·7	26	5	7	0	1	0	0	1	0	1	0	5	1	6	0	0
LEITH, . . .	7·8	0·0	13	2	5	0	0	0	0	0	0	0	0	2	0	6	0	0
GREENOCK, .	26·2	7·1	37	5	10	0	9	0	0	0	0	1	0	4	1	8	0	0
PERTH, . . .	19·6	0·0	14	2	5	0	0	0	0	0	0	0	0	2	0	4	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 17. WEEK ENDING SATURDAY, APRIL 29, 1911.

NOTE.—The estimates of population now used are founded upon the numbers returned in the Summaries prepared by the Registrars after the recent Census, and will be employed until the revised details of the Census are obtained.

During the week ending Saturday 29th April 1911 there were registered in Eight of the Principal Towns of Scotland the births of 968 living children, and the deaths of 625 persons. The equivalent annual birth-rate is 29·5 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 19·1.

The death-rate for the week is 0·4 above the revised death-rate for the previous week, but is the same as the mean of the revised rates for the three previous weeks, and is 0·2 below the revised death-rate for the corresponding week of last year.

The death-rate for the week ranged from 23·3 in Perth to 14·9 in Leith. In Greenock it was 22·2, in Dundee 20·6, in Paisley 20·4, in Edinburgh 19·7, in Glasgow 18·7, and in Aberdeen 17·3.

Deaths from the principal epidemic diseases numbered 65; they are 16 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 10 from measles; 1 from scarlet fever; 5 from diphtheria; 40 from whooping-cough; 1 from enteric fever; and 8 from diarrhœa, of which 7 were of children of less than two years old. Compared with the returns for the previous week, deaths from whooping-cough are 16 fewer, from diarrhœa 2 fewer, and from scarlet fever and from diphtheria each 1 fewer, from enteric fever 1 more, and from measles 3 more. The death-rate from these causes ranged from 4·9 in Paisley to 0·3 in Aberdeen. Deaths from cerebro-spinal meningitis numbered 3 in Glasgow and 2 in Edinburgh.

Deaths from bronchitis, pneumonia, and pleurisy numbered 120; they are 16 fewer than in the previous week, but are 27 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 121; they are 12 more than in the previous week, and 5 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 149; they are 2 fewer than in the previous week.

The mean temperature was 48°·0, being 1°·0 above that for the previous week, and 4°·0 above that for the corresponding week of last year. The mean rainfall was 0·81 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 29, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Apr. 29, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,376	37·573	12·20	968	625	348	61·7	32·0	48·0	0·81
GLASGOW, . . .	12,669	784,655	61·935	9·50	487	281	211	56·2	35·7	48·0	1·17
EDINBURGH, . .	10,912	320,843	29·403	13·79	130	121	60	55·4	38·7	47·0	0·37
DUNDEE, . . .	4,755	165,048	34·710	12·69	116	65	20	58·0	36·0	48·0	0·43
ABERDEEN, . .	6,319	163,326	25·847	14·70	95	54	19	61·7	34·0	48·9	0·76
PAISLEY, . . .	3,487	84,607	24·264	15·18	40	33	16	59·9	36·5	48·3	1·27
LEITH, ...	1,467	80,678	54·995	10·08	43	23	11	57·8	38·9	48·6	0·52
GREENOCK, . .	2,773	75,321	27·162	14·34	43	32	7	55·5	37·0	46·6	1·70
PERTH, ...	3,139	35,898	11·436	22·11	14	16	4	59·0	32·0	49·0	0·28
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,310	37·484	12·21	998	630	288	61·0	30·0	44·0	0·32

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, APRIL 29, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 29, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	19·1	2·0	625	121	149	10	1	5	40	1	7	1	120	23	1	11	196
GLASGOW, .	18·7	2·7	281	56	58	6	0	4	24	1	5	0	65	9	0	2	96
EDINBURGH,	19·7	1·1	121	26	32	3	0	1	3	0	0	0	20	5	0	5	40
DUNDEE, . .	20·6	1·6	65	14	15	0	0	0	4	0	1	0	14	3	0	1	22
ABERDEEN, .	17·3	0·3	54	11	17	0	0	0	1	0	0	0	9	2	1	2	8
PAISLEY, . .	20·4	4·9	33	8	7	0	0	0	7	0	1	0	2	0	0	1	6
LEITH, . . .	14·9	1·3	23	1	7	1	0	0	0	0	0	1	2	3	0	0	6
GREENOCK, .	22·2	0·7	32	2	7	0	1	0	0	0	0	0	6	1	0	0	16
PERTH, . . .	23·3	1·5	16	3	6	0	0	0	1	0	0	0	2	0	0	0	2

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, April 30, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·3	2·3	630	116	161	0	44	5	2	7	*2	16	0	93	14	184	9	1
GLASGOW, .	18·6	1·5	280	41	64	0	5	3	1	5	*2	7	0	44	12	97	3	1
EDINBURGH,	18·1	0·2	111	27	34	0	1	0	0	0	0	0	0	11	1	40	4	0
DUNDEE, . .	33·9	12·3	107	24	18	0	32	0	1	2	0	4	0	16	1	19	1	0
ABERDEEN, .	15·1	0·6	47	10	21	0	0	0	0	0	0	2	0	7	0	11	1	0
PAISLEY, . .	13·0	2·5	21	2	3	0	3	0	0	0	0	1	0	5	0	2	0	0
LEITH, . . .	14·9	0·0	23	6	7	0	0	0	0	0	0	0	0	4	0	9	0	0
GREENOCK, .	21·7	3·5	31	5	9	0	3	1	0	0	0	1	0	5	0	4	0	0
PERTH, . . .	14·6	2·9	10	1	5	0	0	1	0	0	0	1	0	1	0	2	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 18. WEEK ENDING SATURDAY, MAY 6, 1911.

NOTE.—The estimates of population now used are founded upon the numbers returned in the Summaries prepared by the Registrars after the recent Census, and will be employed until the revised details of the Census are obtained.

During the week ending 6th May 1911 there were registered in Eight of the Principal Towns of Scotland the births of 969 living children, and the deaths of 567 persons. The equivalent annual birth-rate is 29·6 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 17·3 per thousand.

The death-rate of the week is 1·8 less than that of the previous week, and 1·7 less than the mean of the death-rates of the three preceding weeks, but is 0·1 more than that of the corresponding week of last year.

The death-rate for the week ranged from 28·4 in Greenock, to 13·9 in Dundee. In Glasgow it was 17·9, in Edinburgh 17·2, in Leith 16·2, in Perth 16·0, in Aberdeen 15·0, and in Paisley 14·8.

Deaths from the principal epidemic diseases numbered 67; they are 2 more than in the previous week, and are equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 8 from measles; 2 from scarlet fever; 6 from diphtheria; 37 from whooping-cough; 3 from enteric fever; and 11 from diarrhœa, all of which last were of children under two years of age. Compared with the returns of the previous week, deaths from whooping-cough are 3 fewer, and from measles 2 fewer, but those from scarlet fever and from diphtheria are each 1 more, from enteric fever 2 more, and from diarrhœa 3 more. The death-rate from these causes ranged from 3·2 in Leith, and 2·9 in Glasgow and Perth, to 0·6 in Dundee. Two deaths from cerebro-spinal meningitis were registered in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 84; they are 36 fewer than in the previous week, but 8 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 118; they are 3 fewer than in the previous week, and 24 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 125; there are 24 fewer than in the previous week.

The mean temperature was 46°·9, being 1°·1 below that for the previous week, but 1°·5 above that for the corresponding week of 1910. The mean rainfall was 0·94 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 6, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending May 6, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,299	37·572	12·20	969	567	337	62·3	32·5	46·9	0·94
GLASGOW, . . .	12,669	784,621	61·932	9·50	457	269	175	61·0	33·3	46·9	0·94
EDINBURGH, . .	10,912	320,829	29·401	13·79	168	106	68	60·1	36·8	46·7	0·40
DUNDEE, . . .	4,755	165,040	34·709	12·69	98	44	19	60·0	33·4	46·3	0·54
ABERDEEN, . .	6,319	163,318	25·846	14·70	81	47	19	57·4	36·1	46·0	0·53
PAISLEY, . . .	3,487	84,603	24·262	15·18	53	24	22	61·0	35·0	47·5	1·78
LEITH, ...	1,467	80,674	54·993	10·08	44	25	19	62·3	35·9	48·9	0·52
GREENOCK, . .	2,773	75,317	27·161	14·34	48	41	10	58·5	37·0	46·7	2·25
PERTH, ...	3,139	35,897	11·436	22·11	20	11	5	61·0	32·5	46·6	0·53
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,310	37·484	12·21	980	564	362	67·0	31·0	45·4	0·55

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, MAY 6, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 6, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	17·3	2·0	567	118	125	8	2	6	37	3	11	0	84	22	0	11	163
GLASGOW, .	17·9	2·9	269	55	55	7	1	3	24	2	6	0	40	11	0	4	81
EDINBURGH,	17·2	1·1	106	19	25	1	0	1	4	0	1	0	9	2	0	2	42
DUNDEE, . .	13·9	0·6	44	10	8	0	1	1	0	0	0	0	6	4	0	0	13
ABERDEEN, .	15·0	1·0	47	11	13	0	0	0	2	1	0	0	13	2	0	1	12
PAISLEY, . .	14·8	1·9	24	3	5	0	0	0	3	0	0	0	3	0	0	1	4
LEITH, . . .	16·2	3·2	25	7	8	0	0	1	3	0	1	0	3	0	0	2	2
GREENOCK, .	28·4	1·4	41	10	10	0	0	0	0	0	2	0	7	3	0	1	7
PERTH, . . .	16·0	2·9	11	3	1	0	0	0	1	0	1	0	3	0	0	0	2

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, May 7, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·2	2·7	564	94	166	0	52	7	4	11	1	12	1	76	16	188	11	2
GLASGOW, .	16·6	2·1	250	47	68	0	13	5	1	7	0	5	1	44	5	94	6	2
EDINBURGH,	18·4	2·0	113	9	41	0	7	1	1	1	0	2	0	10	6	50	3	0
DUNDEE, . .	25·6	9·8	81	20	16	0	26	1	0	1	0	3	0	8	1	13	0	0
ABERDEEN, .	13·5	0·3	42	5	19	0	0	0	0	1	0	0	0	4	1	9	1	0
PAISLEY, . .	16·1	2·5	26	3	9	0	1	0	2	1	0	0	0	3	0	6	1	0
LEITH, . . .	9·7	0·0	15	3	4	0	0	0	0	0	0	0	0	4	2	5	0	0
GREENOCK, .	17·5	4·2	25	5	5	0	5	0	0	0	1	0	0	3	0	5	0	0
PERTH, . . .	17·5	2·9	12	2	4	0	0	0	0	0	0	2	0	0	1	6	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 19. WEEK ENDING SATURDAY, MAY 13, 1911.

NOTE.—The estimates of population now used are founded upon the numbers returned in the Summaries prepared by the Registrars after the recent Census, and will be employed until the revised details of the Census are obtained.

During the week ending 13th May 1911 there were registered in Eight of the Principal Towns of Scotland the births of 929 living children, and the deaths of 558 persons. The equivalent annual birth-rate is 28·3 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 17·0 per thousand.

The death-rate is 0·3 below that for the previous week, 1·4 below the mean of the rates for the three preceding weeks, and the same as that for the corresponding week of last year.

The death-rate for the week ranged from 24·3 in Greenock, to 13·1 in Perth. In Glasgow it was 18·3, in Dundee 16·1, in Edinburgh 15·6, in Paisley 15·4, in Aberdeen 14·4, and in Leith 14·2.

Deaths from the principal epidemic diseases numbered 82; they are 15 more than in the previous week, and are equal to an annual death-rate from these causes of 2·5 per thousand. These deaths include 15 from measles; 7 from scarlet fever; 6 from diphtheria; 43 from whooping-cough; 2 from enteric fever; and 9 from diarrhœa, of which 6 were of children of less than two years old. Compared with the numbers for the previous week, deaths from diarrhœa are 2 fewer, from enteric fever 1 fewer, and those from diphtheria number the same, while those from scarlet fever are 5 more, from whooping-cough 6 more, and from measles 7 more. The death-rate from these causes ranged from 3·5 in Glasgow to 1·3 in Edinburgh, in Aberdeen, and in Leith. Three deaths from cerebro-spinal meningitis were registered in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 75; they are 9 fewer than in the previous week, and 24 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 104; they are 14 fewer than in the previous week, but 3 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 108; there are 17 fewer than in the previous week.

The mean temperature was 53°·0, being 6°·1 above that for the previous week, and 6°·5 above that for the corresponding week of 1910. The mean rainfall was 0·47 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 13, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending May 13, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,299	37·572	12·20	929	558	77	71·9	39·0	53·0	0·47
GLASGOW, . . .	12,669	784,621	61·932	9·50	477	275	46	68·3	42·4	53·8	0·28
EDINBURGH, . .	10,912	320,829	29·401	13·79	139	96	16	57·7	41·6	49·9	0·27
DUNDEE, . . .	4,755	165,040	34·709	12·69	79	51	2	68·8	43·0	53·5	0·22
ABERDEEN, . .	6,319	163,318	25·846	14·70	80	45	4	61·3	41·4	51·5	0·69
PAISLEY, . . .	3,487	84,603	24·262	15·18	49	25	0	71·9	42·2	55·1	0·61
LEITH, ...	1,467	80,674	54·993	10·08	43	22	3	60·2	43·6	51·3	0·29
GREENOCK, . .	2,773	75,317	27·161	14·34	45	35	5	71·0	41·0	54·5	1·15
PERTH, ...	3,139	35,897	11·436	22·11	17	9	1	71·0	39·0	54·8	0·29
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,310	37·484	12·21	1047	555	83	71·0	29·0	46·5	0·61

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, MAY 13, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 13, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7-13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	17·0	2·5	558	104	108	15	7	6	43	2	6	3	75	33	0	14	184
GLASGOW, .	18·3	3·5	275	57	41	12	6	2	27	0	4	1	35	17	0	6	95
EDINBURGH,	15·6	1·3	96	17	20	3	0	0	4	0	1	0	10	10	0	4	38
DUNDEE, . .	16·1	2·5	51	11	12	0	1	2	3	0	0	2	10	1	0	1	20
ABERDEEN, .	14·4	1·3	45	9	11	0	0	1	3	0	0	0	4	0	0	2	9
PAISLEY, . .	15·4	2·5	25	4	6	0	0	0	2	1	1	0	5	2	0	1	4
LEITH, . . .	14·2	1·3	22	1	8	0	0	0	2	0	0	0	4	0	0	0	8
GREENOCK, .	24·3	1·4	35	5	8	0	0	0	2	0	0	0	5	2	0	0	6
PERTH, . . .	13·1	2·9	9	0	2	0	0	1	0	1	0	0	2	1	0	0	4

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, May 14, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·0	2·4	555	101	143	0	48	4	4	8	*1	15	0	99	19	150	20	3
GLASGOW, .	16·5	1·9	248	45	52	0	9	3	2	6	*1	7	0	55	11	79	9	3
EDINBURGH,	14·8	0·8	91	18	29	0	3	0	0	0	0	2	0	15	2	38	4	0
DUNDEE, . .	26·3	11·7	83	15	13	0	31	1	1	2	0	2	0	10	1	11	1	0
ABERDEEN, .	13·2	0·3	41	7	16	0	0	0	0	0	0	1	0	8	1	4	2	0
PAISLEY, . .	20·5	1·9	33	6	12	0	1	0	0	0	0	2	0	5	1	7	0	0
LEITH, . . .	13·0	0·6	20	5	7	0	0	0	0	0	0	1	0	2	1	2	3	0
GREENOCK, .	21·0	3·5	30	5	9	0	4	0	1	0	0	0	0	2	2	6	1	0
PERTH, . . .	13·2	0·0	9	0	5	0	0	0	0	0	0	0	0	2	0	3	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 20. WEEK ENDING SATURDAY, MAY 20, 1911.

NOTE.—The estimates of population now used are founded upon the numbers returned in the Summaries prepared by the Registrars after the recent Census, and will be employed until the revised details of the Census are obtained.

During the week ending 20th May 1911 there were registered in Eight of the Principal Towns of Scotland the births of 983 living children, and the deaths of 517 persons. The equivalent annual birth-rate is 30·0 per thousand of the estimated aggregate population of those towns, and the equivalent annual death-rate is 15·8 per thousand.

The death-rate is 1·2 less than that of the previous week, 2·0 less than the mean of the death-rates of the three preceding weeks, and 1·4 less than that of the corresponding week of last year.

The death-rate of the week ranged from 19·1 in Paisley to 5·2 in Leith. In Edinburgh it was 18·7, in Greenock 18·7, in Dundee 18·3, in Glasgow 15·2, in Perth 14·5, and in Aberdeen 12·8.

Deaths from the principal epidemic diseases, (Cols. 7 to 13 of Table II.) numbered 71; they are 11 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 7 from measles; 2 from scarlet fever; 1 from diphtheria; 49 from whooping-cough; 1 from enteric fever; and 11 from diarrhœa, of which 7 were of children of less than two years old. Compared with the returns of the previous week, deaths from measles are 8 fewer, from scarlet fever 5 fewer, from diphtheria 5 fewer, and from enteric fever 1 fewer, but those from diarrhœa are 2 more, and from whooping-cough 6 more. The death-rate from these causes ranged from 4·2 in Greenock, and 3·7 in Paisley, to 0 in Leith, and 1·0 in Aberdeen. A death from small-pox was registered in Dundee. There were no deaths from cerebro-spinal meningitis registered in the eight towns during the week.

Deaths from pneumonia, bronchitis, and pleurisy numbered 66; they are 9 fewer than in the previous week, and 32 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 112; they are 8 more than in the previous week, but 8 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 113; they are 5 more than in the previous week.

The mean temperature was 52°·2, being 0°·8 below that for the previous week, and 0°·3 below that for the corresponding week of 1910. The mean rainfall was 0·33 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 20, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending May 20, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,299	37·572	12·20	983	517	103	68·9	35·5	52·2	0·33
GLASGOW, . . .	12,669	784,621	61·932	9·50	477	228	50	66·2	38·0	53·6	0·62
EDINBURGH, . .	10,912	320,829	29·401	13·79	166	115	26	61·9	40·6	49·6	0·14
DUNDEE, . . .	4,755	165,040	34·709	12·69	101	58	4	62·0	37·9	50·9	0·07
ABERDEEN, . .	6,319	163,318	25·846	14·70	86	40	15	59·6	44·2	50·4	1·30
PAISLEY, . . .	3,487	84,603	24·262	15·18	50	31	1	68·9	39·9	55·0	0·15
LEITH, ...	1,467	80,674	54·993	10·08	37	8	4	63·9	37·9	51·1	0·15
GREENOCK, . .	2,773	75,317	27·161	14·34	47	27	1	66·2	41·2	53·5	0·15
PERTH, ...	3,139	35,897	11·436	22·11	19	10	2	68·0	35·5	53·3	0·04
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,310	37·484	12·21	872	562	90	74·5	33·5	52·5	0·45

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, MAY 20, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 20, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7-13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	15·8	2·2	517	112	113	7	2	1	49	1	7	4	66	18	1	16	165
GLASGOW, .	15·2	2·5	228	51	43	5	0	0	31	1	0	1	28	11	1	5	75
EDINBURGH,	18·7	1·6	115	24	32	1	1	1	4	0	3	0	17	2	0	7	43
DUNDEE, . .	18·3	1·9	*58	13	9	0	0	0	3	0	1	2	10	2	0	1	21
ABERDEEN, .	12·8	1·0	40	10	6	0	0	0	3	0	0	0	3	3	0	1	12
PAISLEY, . .	19·1	3·7	31	9	7	0	0	0	5	0	1	0	4	0	0	2	3
LEITH, . . .	5·2	0·0	8	1	1	0	0	0	0	0	0	0	2	0	0	0	3
GREENOCK, .	18·7	4·2	27	3	12	0	1	0	3	0	1	1	1	0	0	0	5
PERTH, . . .	14·5	2·9	10	1	3	1	0	0	0	0	1	0	1	0	0	0	3

* Including 1 from Small-pox.

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, May 21, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·2	1·9	562	120	160	0	41	1	1	7	*1	12	0	98	15	181	17	1
GLASGOW, .	17·8	1·6	267	59	68	0	10	1	1	5	*1	6	0	54	8	100	6	1
EDINBURGH,	17·9	0·7	110	24	34	0	1	0	0	0	0	3	0	15	0	41	7	0
DUNDEE, . .	21·5	8·2	68	16	14	0	23	0	0	2	0	1	0	11	2	12	3	0
ABERDEEN, .	12·9	0·3	40	8	16	0	0	0	0	0	0	1	0	4	2	5	1	0
PAISLEY, . .	14·3	1·9	23	3	9	0	3	0	0	0	0	0	0	6	1	6	0	0
LEITH, . . .	13·6	0·6	21	8	7	0	0	0	0	0	0	1	0	2	2	3	0	0
GREENOCK, .	15·4	2·8	22	2	8	0	4	0	0	0	0	0	0	6	0	6	0	0
PERTH, . . .	16·1	0·0	11	0	4	0	0	0	0	0	0	0	0	0	0	8	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 21. WEEK ENDING SATURDAY, MAY 27, 1911.

NOTE.—The estimates of population now used are founded upon the numbers returned in the Summaries prepared by the Registrars after the recent Census, and will be employed until the revised details of the Census are obtained.

During the week ending 27th May 1911 there were registered in Eight of the Principal Towns of Scotland the births of 869 living children, and the deaths of 581 persons. The equivalent annual birth-rate is 26·5 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate is 17·7 per thousand.

The death-rate is 1·9 above that for the previous week, 1·0 above the mean of the rates for the three preceding weeks, and 2·2 above that for the corresponding week of 1910.

The death-rate for the week ranged from 21·8 in Perth to 10·5 in Paisley. In Dundee it was 19·6, in Aberdeen 18·8, in Greenock 18·7, in Glasgow 18·3, in Edinburgh 16·9, and in Leith 14·2.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 67; they are 4 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 13 from measles; 5 from scarlet fever; 1 from diphtheria; 37 from whooping-cough; 1 from enteric fever; and 10 from diarrhœa, of which 5 were of children of less than two years old. Compared with the returns for the previous week, deaths from whooping-cough are 12 fewer, and from diarrhœa 1 fewer, while those from diphtheria and from enteric fever number the same, those from scarlet fever are 3 more, and those from measles 6 more. The death-rate from these causes ranged from 2·7 in Glasgow to 0 in Leith and in Perth. One death from cerebro-spinal meningitis occurred in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 78; they are 12 more than in the previous week, but 2 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 121; they are 9 more than in the previous week, and 45 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 126; they are 13 more than in the previous week.

The mean temperature was 56°·7, being 4°·5 above that for the previous week, and 1°·7 above that for the corresponding week of 1910. The mean rainfall was 0·15 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 27, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending May 27, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	869	581	84	75·0	34·0	56·7	0·15
GLASGOW, . . .	12,669	784,621	61·932	9·50	406	275	45	70·4	38·0	56·3	0·15
EDINBURGH, . .	10,912	320,829	29·401	13·79	130	104	11	65·7	38·6	55·7	0·26
DUNDEE, . . .	4,755	165,044	34·710	12·69	92	62	8	70·0	40·0	56·8	0·00
ABERDEEN, . .	6,319	163,318	25·846	14·70	85	59	13	68·7	37·4	55·6	0·14
PAISLEY, . . .	3,487	84,603	24·262	15·18	46	17	0	72·1	39·1	57·3	0·15
LEITH, ...	1,467	80,674	54·993	10·08	41	22	1	70·9	48·8	58·5	0·20
GREENOCK, . .	2,773	75,305	27·157	14·35	48	27	3	67·0	40·5	55·4	0·26
PERTH, ...	3,139	35,897	11·436	22·11	21	15	3	75·0	34·0	57·9	0·02
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	969	506	95	74·0	38·0	55·0	0·08

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—5/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, MAY 27, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 27, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	17·7	2·0	581	121	126	13	5	1	37	1	5	5	78	19	1	15	182
GLASGOW, .	18·3	2·7	275	63	44	7	3	1	26	0	0	4	38	9	1	10	94
EDINBURGH,	16·9	2·3	104	15	28	5	1	0	5	0	3	0	9	4	0	1	36
DUNDEE, . .	19·6	1·3	62	13	15	1	0	0	2	0	1	0	8	1	0	0	22
ABERDEEN, .	18·8	1·3	59	15	17	0	1	0	3	0	0	0	10	3	0	4	12
PAISLEY, . .	10·5	1·2	17	6	2	0	0	0	1	0	1	0	3	0	0	0	3
LEITH, . . .	14·2	0·0	22	2	8	0	0	0	0	0	0	0	5	0	0	0	4
GREENOCK, .	18·7	1·4	27	4	5	0	0	0	0	1	0	1	4	2	0	0	7
PERTH, . . .	21·8	0·0	15	3	7	0	0	0	0	0	0	0	1	0	0	0	4

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, May 28, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·5	1·9	506	76	135	0	33	4	4	5	1	15	0	80	11	159	8	1
GLASGOW, .	16·6	1·7	250	43	62	0	9	2	2	4	1	7	0	37	7	98	5	1
EDINBURGH,	12·0	0·5	74	6	29	0	2	1	0	0	0	0	0	12	0	23	1	0
DUNDEE, . .	23·7	8·5	75	16	17	0	19	0	1	1	0	6	0	7	1	18	1	0
ABERDEEN, .	10·6	0·0	33	2	14	0	0	0	0	0	0	0	0	6	1	4	0	0
PAISLEY, . .	15·5	0·6	25	2	6	0	1	0	0	0	0	0	0	8	0	4	0	0
LEITH, . . .	11·7	1·9	18	2	3	0	1	0	1	0	0	1	0	4	1	5	0	0
GREENOCK, .	16·8	2·1	24	5	1	0	1	1	0	0	0	1	0	5	1	4	1	0
PERTH, . . .	10·2	0·0	7	0	3	0	0	0	0	0	0	0	0	1	0	3	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 22. WEEK ENDING SATURDAY, JUNE 3, 1911.

NOTE.—The estimates of population now used are founded upon the numbers returned in the Summaries prepared by the Registrars after the recent Census, and will be employed until the revised details of the Census are obtained.

During the week ending 3rd June 1911 there were registered in Eight of the Principal Towns of Scotland the births of 931 living children, and the deaths of 554 persons. The equivalent annual birth-rate is 28·4 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 16·9 per thousand.

The death-rate is 0·8 below that for the previous week, but is 0·1 above the mean of the rates for the three preceding weeks, and 1·1 above that for the corresponding week of 1910.

The death-rate for the week ranged from 19·2 in Glasgow to 14·4 in Aberdeen. In Greenock it was 17·3, in Perth 16·0, in Leith 15·5, in Paisley 15·4, in Dundee 14·9, and in Edinburgh 14·5.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 67; they are of the same number as in the previous week, and are equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 11 from measles; 2 from scarlet fever; 4 from diphtheria; 43 from whooping-cough; and 7 from diarrhœa, of which 6 were of children of less than two years old. No deaths were registered from enteric fever. Compared with the returns for the previous week, deaths from scarlet fever and from diarrhœa are each 3 fewer, from measles 2 fewer, and from enteric fever 1 fewer, while those from diphtheria are 3 more, and those from whooping-cough 6 more. The death-rate from these causes ranged from 5·8 in Perth to 0·6 in Paisley. One death from cerebro-spinal meningitis occurred in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 76; they are 2 fewer than in the previous week, and 5 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 93; they are 28 fewer than in the previous week, but 1 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 117; they are 9 fewer than in the previous week.

The mean temperature was 59°·0, being 2°·3 above that for the previous week, and 8°·2 above that for the corresponding week of 1910. The mean rainfall was 0·03 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 3, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending June 3, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	931	554	248	80·1	37·5	59·0	0·03
GLASGOW, . . .	12,669	784,621	61·932	9·50	462	288	128	79·5	43·9	61·8	0·02
EDINBURGH, . .	10,912	320,829	29·401	13·79	138	89	50	74·9	44·8	57·7	0·00
DUNDEE, . . .	4,755	165,044	34·710	12·69	103	47	16	68·5	43·0	56·5	0·00
ABERDEEN, . .	6,319	163,318	25·846	14·70	72	45	35	66·6	42·6	55·3	0·00
PAISLEY, . . .	3,487	84,603	24·262	15·18	49	25	7	80·1	45·4	62·7	0·08
LEITH, ...	1,467	80,674	54·993	10·08	44	24	3	78·1	47·0	57·8	0·03
GREENOCK, . .	2,773	75,305	27·157	14·35	50	25	7	76 2	45·9	62·2	0·06
PERTH, ...	3,139	35,897	11·436	22·11	13	11	2	76·0	37·5	58·4	0·04
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	954	517	261	65·0	35·5	50·8	0·28

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, JUNE 3, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 3, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7-13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·9	2·0	554	93	117	11	2	4	43	0	6	1	76	23	1	13	191
GLASGOW, .	19·2	2·7	288	49	47	11	2	1	22	0	4	1	48	13	1	7	106
EDINBURGH,	14·5	0·8	89	16	23	0	0	0	4	0	1	0	12	1	0	5	38
DUNDEE, . .	14·9	1·6	47	6	12	0	0	0	5	0	0	0	4	2	0	0	12
ABERDEEN, .	14·4	1·9	45	11	13	0	0	1	4	0	1	0	2	4	0	0	12
PAISLEY, . .	15·4	0·6	25	2	6	0	0	0	1	0	0	0	5	0	0	0	6
LEITH, . . .	15·5	2·6	24	3	5	0	0	2	2	0	0	0	2	1	0	0	7
GREENOCK, .	17·3	0·7	25	5	8	0	0	0	1	0	0	0	3	0	0	1	7
PERTH, . . .	16·0	5·8	11	1	3	0	0	0	4	0	0	0	0	2	0	0	3

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, June 4, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·8	1·5	517	92	147	0	20	3	2	7	*3	15	1	81	18	152	19	0
GLASGOW, .	17·2	1·1	259	46	65	0	0	2	2	4	†2	7	1	48	9	94	12	0
EDINBURGH,	12·9	0·7	79	18	29	0	2	0	0	0	0	2	0	8	1	27	4	0
DUNDEE, . .	20·9	4·4	66	12	15	0	9	1	0	2	0	2	0	9	1	16	0	0
ABERDEEN, .	10·9	1·3	34	8	11	0	1	0	0	1	0	2	0	3	2	2	2	0
PAISLEY, . .	14·3	4·3	23	2	5	0	7	0	0	0	0	0	0	4	0	4	0	0
LEITH, . . .	15·6	1·3	24	3	9	0	0	0	0	0	‡1	1	0	4	1	2	0	0
GREENOCK, .	15·4	1·4	22	3	7	0	1	0	0	0	0	1	0	2	3	7	1	0
PERTH, . . .	14·6	0·0	10	0	6	0	0	0	0	0	0	0	0	3	1	0	0	0

* 1 Cerebro-spinal meningitis; 1 Typhus fever; 1 Enteric fever. † 1 Cerebro-spinal meningitis.
‡ Typhus fever.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 23. WEEK ENDING SATURDAY, JUNE 10, 1911.

NOTE.—The estimates of population now used are founded upon the numbers returned in the Summaries prepared by the Registrars after the recent Census, and will be employed until the revised details of the Census are obtained.

During the week ending 10th June 1911 there were registered in Eight of the Principal Towns of Scotland the births of 922 living children, and the deaths of 489 persons. The equivalent annual birth-rate is 28·1 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 14·9 per thousand.

The death-rate is 2·0 below that for the previous week, 1·9 below the mean of the rates for the three preceding weeks, and 0·8 below that for the corresponding week of last year.

The death-rate for the week ranged from 16·1 in Glasgow, and 16·0 in Perth, to 10·9 in Aberdeen. In Edinburgh it was 15·8, in Paisley 15·4, in Greenock 15·2, in Leith 14·2, and in Dundee 11·4.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 56; they are 11 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·7 per thousand. These deaths include 10 from measles; 1 from scarlet fever; 6 from diphtheria: 32 from whooping-cough; 2 from enteric fever; and 5 from diarrhœa, of which 4 were of children of less than two years old. Compared with the returns for the previous week, deaths from whooping-cough are 11 fewer, from diarrhœa 2 fewer, from measles and from scarlet fever each 1 fewer, while those from diphtheria and from enteric fever are each 2 more. The death-rate from these causes ranged from 2·8 in Greenock, to 0 in Perth. There were no deaths from cerebro-spinal meningitis registered in the eight towns during the week.

Deaths from pneumonia, bronchitis, and pleurisy numbered 52; they are 24 fewer than in the previous week, and 15 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 76; they are 17 fewer than in the previous week, and 21 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 103; they are 14 fewer than in the previous week.

The mean temperature was 59°·3, being 0°·3 above that for the previous week, and 2°·9 above that for the corresponding week of 1910. The mean rainfall was 0·01 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 10, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending June 10, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	922	489	610	81·0	39·5	59·3	0·01
GLASGOW, . . .	12,669	784,621	61·932	9·50	437	242	281	75·0	45·2	59·0	0·00
EDINBURGH, . .	10,912	320,829	29·401	13·79	165	97	136	77·9	43·7	59·4	0·00
DUNDEE, . . .	4,755	165,044	34·710	12·69	91	36	47	79·4	40·2	59·2	0·07
ABERDEEN, . .	6,319	163,318	25·846	14·70	88	34	55	75·2	40·1	57·4	0·01
PAISLEY, . . .	3,487	84,603	24·262	15·18	43	25	20	80·3	45·6	60·9	0·00
LEITH, ...	1,467	80,674	54·993	10·08	47	22	29	81·0	44·2	60·9	0·00
GREENOCK, . .	2,773	75,305	27·157	14·35	36	22	28	72·0	44·5	58·6	0·00
PERTH, ...	3,139	35,897	11·436	22·11	15	11	14	80·0	39·5	59·4	0·00
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	970	514	569	77·0	35·0	56·4	0·21

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, JUNE 10, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 10, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7-13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·9	1·7	489	76	103	10	1	6	32	2	4	1	52	13	2	6	166
GLASGOW, .	16·1	2·3	242	39	44	9	0	3	21	0	2	0	25	6	2	5	89
EDINBURGH,	15·8	1·1	97	11	24	1	1	0	5	0	0	0	10	1	0	1	39
DUNDEE, . .	11·4	0·6	36	5	7	0	0	1	0	0	1	0	4	2	0	0	9
ABERDEEN, .	10·9	1·3	34	6	13	0	0	0	3	0	1	0	5	0	0	0	5
PAISLEY, . .	15·4	1·9	25	7	5	0	0	1	1	1	0	0	2	1	0	0	9
LEITH, . . .	14·2	0·6	22	2	5	0	0	1	0	0	0	0	4	1	0	0	9
GREENOCK, .	15·2	2·8	22	5	1	0	0	0	2	1	0	1	2	2	0	0	1
PERTH, . . .	16·0	0·0	11	1	4	0	0	0	0	0	0	0	0	0	0	0	5

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, June 11, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·7	1·8	514	97	143	0	13	5	5	9	*5	22	0	67	17	184	17	1
GLASGOW, .	17·0	2·3	255	48	59	0	5	5	4	5	0	15	0	31	11	109	8	1
EDINBURGH,	14·8	0·3	91	9	32	0	0	0	0	0	1	1	0	12	1	33	5	0
DUNDEE, . .	19·9	4·4	63	17	13	0	7	0	1	3	0	3	0	8	3	18	0	0
ABERDEEN, .	10·3	0·0	32	8	9	0	0	0	0	0	0	0	0	5	2	9	1	0
PAISLEY, . .	11·8	0·0	19	3	10	0	0	0	0	0	0	0	0	5	0	0	0	0
LEITH, . . .	12·3	3·2	19	3	5	0	0	0	0	0	†4	1	0	2	0	9	0	0
GREENOCK, .	14·7	0·7	21	5	9	0	0	0	0	1	0	0	0	2	0	2	2	0
PERTH, . . .	20·5	4·4	14	4	6	0	1	0	0	0	0	2	0	2	0	4	1	0

* 4 Typhus fever; 1 Enteric fever. † Typhus fever.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 24. WEEK ENDING SATURDAY, JUNE 17, 1911.

During the week ending 17th June 1911 there were registered in Eight of the Principal Towns of Scotland the births of 908 living children, and the deaths of 466 persons. The equivalent annual birth-rate is 27·7 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 14·2 per thousand.

The death-rate is 0·7 below that of the previous week, and 2·3 less than the mean of the death-rates of the three preceding weeks, but is 0·3 more than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 17·9 in Paisley to 11·5 in Aberdeen. In Greenock it was 15·2, in Leith 14·9, in Glasgow 14·6, in Perth 14·5, in Dundee 13·9, and in Edinburgh 13·5.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 64; they are 8 more than in the previous week, and are equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 14 from measles; 3 from scarlet fever; 5 from diphtheria; 27 from whooping-cough; and 15 from diarrhœa, of which 12 were of children of less than two years old. Compared with the returns of the previous week, deaths from diarrhœa are 10 more, from measles 4 more, and from scarlet fever 2 more, but those from whooping-cough are 5 fewer, from enteric fever 2 fewer, and from diphtheria 1 fewer. The death-rate from these causes ranged from 5·8 in Perth, and 3·1 in Paisley, to 0·6 in Dundee and Aberdeen. Four deaths from cerebro-spinal meningitis were registered during the week, 2 being in Glasgow, 1 in Edinburgh, and 1 in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 49; they are 3 fewer than those in the previous week, and 7 fewer than those in the corresponding week of last year.

Deaths of children of less than one year old numbered 77; they are 1 more than in the previous week, and 4 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 89; they are 14 fewer than in the previous week.

The mean temperature was 52°·0, being 7°·3 below that for the previous week, and 5°·6 below that for the corresponding week of 1910. The mean rainfall was 0·60 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 17, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending June 17, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	908	466	480	71·0	32·5	52·0	0·60
GLASGOW, . . .	12,669	784,621	61·932	9·50	446	219	204	66·8	37·0	52·8	0·25
EDINBURGH, . .	10,912	320,829	29·401	13·79	144	83	101	66·8	39·4	51·8	0·18
DUNDEE, . . .	4,755	165,044	34·710	12·69	87	44	30	62·8	39·5	49·8	0·39
ABERDEEN, . .	6,319	163,318	25·846	14·70	93	36	53	62·1	39·0	49·8	0·43
PAISLEY, . . .	3,487	84,603	24·262	15·18	43	29	35	70·5	37·7	54·5	1·61
LEITH, ...	1,467	80,674	54·993	10·08	35	23	28	66·0	40·4	53·5	0·33
GREENOCK, . .	2,773	75,305	27·157	14·35	43	22	19	65·7	39·2	53·5	1·07
PERTH, ...	3,139	35,897	11·436	22·11	17	10	10	71·0	32·5	49·9	0·51
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	920	503	466	78·5	39·0	57·6	0·06

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, JUNE 17, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 17, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·2	2·0	466	77	89	14	3	5	27	0	12	3	49	13	0	10	161
GLASGOW, .	14·6	2·2	219	37	32	10	1	2	12	0	7	1	24	4	0	5	82
EDINBURGH,	13·5	2·1	83	9	23	2	1	0	5	0	3	2	7	3	0	2	33
DUNDEE, . .	13·9	0·6	44	9	8	0	0	0	2	0	0	0	4	3	0	0	13
ABERDEEN, .	11·5	0·6	36	7	9	0	0	0	1	0	1	0	5	1	0	1	10
PAISLEY, . .	17·9	3·1	29	5	6	0	1	1	2	0	1	0	2	1	0	1	7
LEITH, . . .	14·9	1·3	23	6	1	2	0	0	0	0	0	0	3	0	0	1	4
GREENOCK, .	15·2	2·1	22	1	9	0	0	0	3	0	0	0	3	1	0	0	8
PERTH, . . .	14·5	5·8	10	3	1	0	0	2	2	0	0	0	1	0	0	0	4

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, June 18, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·4	1·3	503	73	153	0	15	2	3	6	1	15	0	56	19	153	7	3
GLASGOW, .	15·2	1·2	229	36	72	0	5	2	0	5	0	6	0	31	9	78	2	1
EDINBURGH,	11·7	0·5	72	11	21	0	1	0	0	1	0	1	0	5	3	26	2	0
DUNDEE, . .	21·2	2·8	67	9	14	0	5	0	1	0	0	3	0	6	1	14	2	1
ABERDEEN, .	14·1	1·0	44	3	15	0	0	0	1	0	0	2	0	4	3	9	1	1
PAISLEY, . .	18·0	3·1	29	7	5	0	4	0	1	0	0	0	0	5	0	9	0	0
LEITH, . . .	14·9	0·6	23	3	9	0	0	0	0	0	0	1	0	2	2	10	0	0
GREENOCK, .	20·3	2·1	29	4	13	0	0	0	0	0	1	2	0	3	1	3	0	0
PERTH, . . .	14·6	0·0	10	0	4	0	0	0	0	0	0	0	0	0	0	4	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 25. WEEK ENDING SATURDAY, JUNE 24, 1911.

During the week ending 24th June 1911 there were registered in Eight of the Principal Towns of Scotland the births of 825 living children, and the deaths of 435 persons. The equivalent annual birth-rate is 25·2 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 13·3 per thousand.

The death-rate is 0·9 below that of the previous week, and 2·0 less than the mean of the death-rates of the three preceding weeks, but is the same as the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 22·2 in Greenock to 8·3 in Aberdeen. In Dundee it was 15·5, in Paisley 14·8, in Glasgow 13·6, in Perth 13·1, in Leith 12·3, and in Edinburgh 11·5.

Deaths from the principal epidemic diseases (Cols. 7 to 13, Table II.) numbered 58; they are 6 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·8 per thousand. These deaths include 16 from measles; 2 from scarlet fever; 1 from diphtheria; 25 from whooping-cough; 1 from enteric fever; and 13 from diarrhœa, of which 9 were of children of less than two years old. Compared with the returns of the previous week, deaths from diphtheria are 4 fewer, from whooping-cough and diarrhœa each 2 fewer, and from scarlet fever 1 fewer, but from measles they number 2 more, and from enteric fever 1 more. The death-rate from these causes ranged from 3·1 in Paisley and 2·2 in Glasgow, to 0·6 in Aberdeen. One death from cerebro-spinal meningitis was registered in Aberdeen during the week.

Deaths from pneumonia, bronchitis, and pleurisy numbered 51; they are 2 more than in the previous week, but 10 fewer than in the corresponding week of last year.

Deaths of children of under one year of age numbered 67; they are 10 fewer than in the previous week, and 25 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 100; they are 11 more than in the previous week.

The mean temperature was 56°·6, being 4°·6 above that for the previous week, but 1°·3 below that for the corresponding week of 1910. The mean rainfall was 1·53 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 24, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending June 24, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	825	435	470	70·0	43·5	56·6	1·53
GLASGOW, . . .	12,669	784,621	61·932	9·50	406	205	254	69·0	47·1	56·8	0·73
EDINBURGH, . .	10,912	320,829	29·401	13·79	120	71	89	64·0	47·9	55·4	2·18
DUNDEE, . . .	4,755	165,044	34·710	12·69	85	49	33	69·0	47·5	56·6	0·38
ABERDEEN, . .	6,319	163,318	25·846	14·70	76	26	43	68·8	49·4	57·1	1·71
PAISLEY, . . .	3,487	84,603	24·262	15·18	45	24	13	69·5	46·7	57·0	1·71
LEITH, ...	1,467	80,674	54·993	10·08	44	19	13	67·2	48·8	56·9	2·02
GREENOCK, . .	2,773	75,305	27·157	14·35	37	32	20	67·0	47·0	55·9	2·57
PERTH, ...	3,139	35,897	11·436	22·11	12	9	5	70·0	43·5	56·9	0·96
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	920	484	385	73·1	42·0	57·9	0·87

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—6/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, JUNE 24, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 24, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	13·3	1·8	435	67	100	16	2	1	25	1	9	4	51	18	1	13	137
GLASGOW, .	13·6	2·2	205	31	35	12	1	0	14	1	4	1	33	6	1	4	68
EDINBURGH,	11·5	1·3	71	10	21	3	0	0	3	0	1	1	4	3	0	4	27
DUNDEE, . .	15·5	1·3	49	11	15	0	0	0	1	0	2	1	3	3	0	0	13
ABERDEEN, .	8·3	0·6	26	4	5	0	0	0	1	0	1	0	5	0	0	1	5
PAISLEY, . .	14·8	3·1	24	5	4	0	0	0	3	0	1	1	2	3	0	4	4
LEITH, . . .	12·3	1·3	19	4	5	1	0	1	0	0	0	0	2	2	0	0	8
GREENOCK, .	22·2	2·1	32	2	11	0	1	0	2	0	0	0	1	1	0	0	12
PERTH, . . .	13·1	1·5	9	0	4	0	0	0	1	0	0	0	1	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, June 25, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·8	1·9	484	92	125	0	12	9	8	11	*4	17	0	61	14	165	19	2
GLASGOW, .	14·5	2·2	218	43	47	0	4	5	6	7	†2	9	0	29	6	81	10	0
EDINBURGH,	15·0	1·3	92	15	25	0	1	3	1	1	1	1	0	10	1	38	4	0
DUNDEE, . .	20·6	3·5	65	13	19	0	4	0	1	3	0	3	0	7	3	18	1	1
ABERDEEN, .	12·9	0·3	40	8	15	0	0	0	0	0	0	1	0	5	3	11	2	0
PAISLEY, . .	14·3	3·7	23	8	6	0	3	0	0	0	1	2	0	4	0	4	1	0
LEITH, . . .	14·9	0·6	23	3	4	0	0	1	0	0	0	0	0	3	1	5	0	0
GREENOCK, .	10·5	0·0	15	2	5	0	0	0	0	0	0	0	0	3	0	5	1	1
PERTH, . . .	11·7	1·5	8	0	4	0	0	0	0	0	0	1	0	0	0	3	0	0

* 2 Enteric fever; 2 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 26. **WEEK ENDING SATURDAY, JULY 1, 1911.**

During the week ending 1st July 1911 there were registered in Eight of the Principal Towns of Scotland the births of 945 living children and the deaths of 467 persons. The equivalent annual birth-rate is 28·8 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 14·2 per thousand.

The death-rate is 0·9 above that of the previous week, 0·1 more than the mean of the death-rates of the three preceding weeks, and 1·0 above that of the corresponding week of last year.

The death-rate of the week ranged from 17·4 in Dundee and 16·0 in Perth, to 10·2 in Aberdeen and 11·6 in Leith. In Glasgow it was 15·4, in Paisley 15·4, in Greenock 13·2, and in Edinburgh 12·4.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 63; they are 5 more than in the previous week, and are equal to an annual death-rate from these causes of 1·9 per thousand. These deaths include 13 from measles; 3 from scarlet fever; 5 from diphtheria; 22 from whooping-cough; and 20 from diarrhœa, of which 16 were of children of under two years old. There were no deaths in these towns from enteric fever during the week. Compared with the returns of the previous week, deaths from measles and whooping-cough are each 3 fewer, and from enteric fever 1 fewer, but from scarlet fever they are 1 more, from diphtheria 4 more, and from diarrhœa 7 more. The death-rate from these causes ranged from 7·3 in Perth and 2·3 in Glasgow, to 0·6 in Leith and 0·8 in Edinburgh. Two deaths from cerebro-spinal meningitis were registered, in Dundee and in Paisley respectively.

Deaths from bronchitis, pneumonia, and pleurisy numbered 48; they are 3 fewer than in the previous week, and 7 fewer than in the corresponding week of last year.

Deaths of children of under one year of age numbered 101; they are 34 more than in the previous week, and 13 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 105; they are 5 more than in the previous week.

The mean temperature was 54°·4, being 2°·2 below that for the previous week, but 0°·8 above that for the corresponding week of 1910. The mean rainfall was 0·16 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 1, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending July 1, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	945	467	396	67·0	42·1	54·4	0·16
GLASGOW, . . .	12,669	784,621	61·932	9·50	443	231	199	61·7	42·5	54·0	0·04
EDINBURGH, . .	10,912	320,829	29·401	13·79	173	76	76	61·6	42·7	53·5	0·15
DUNDEE, . . .	4,755	165,044	34·710	12·69	96	55	34	66·2	45·6	55·8	0·13
ABERDEEN, . .	6,319	163,318	25·846	14·70	86	32	47	64·8	46·3	54·0	0·38
PAISLEY, . . .	3,487	84,603	24·262	15·18	40	25	10	66·2	42·1	54·9	0·04
LEITH, ...	1,467	80,674	54·993	10·08	45	18	7	63·0	44·6	55·0	0·10
GREENOCK, . .	2,773	75,305	27·157	14·35	47	19	14	60·2	42·7	52·3	0·28
PERTH, ...	3,139	35,897	11·436	22·11	15	11	9	67·0	46·0	55·7	0·19
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	936	477	446	66·9	41·8	53·6	0·75

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, JULY 1, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 1, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·2	1·9	467	101	105	13	3	5	22	0	16	4	48	8	3	13	157
GLASGOW, .	15·4	2·3	231	48	39	11	1	3	13	0	6	1	24	5	2	7	87
EDINBURGH,	12·4	0·8	76	8	26	0	1	0	2	0	1	1	10	1	0	3	27
DUNDEE, . .	17·4	1·9	55	19	12	0	0	0	1	0	5	0	3	0	0	1	16
ABERDEEN, .	10·2	1·6	32	8	10	0	0	0	3	0	1	1	3	0	1	1	9
PAISLEY, . .	15·4	1·9	25	6	6	0	0	0	1	0	1	1	4	2	0	1	6
LEITH, . . .	11·6	0·6	18	4	5	0	0	0	1	0	0	0	1	0	0	0	6
GREENOCK, .	13·2	2·1	19	6	5	0	1	0	0	0	2	0	3	0	0	0	3
PERTH, . . .	16·0	7·3	11	2	2	2	0	2	1	0	0	0	0	0	0	0	3

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, July 2, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·6	1·5	477	88	130	0	9	4	5	12	*1	17	0	55	22	152	12	1
GLASGOW, .	14·3	1·4	215	50	57	0	1	2	2	5	*1	10	0	32	7	82	4	1
EDINBURGH,	13·2	1·0	81	10	26	0	0	1	1	1	0	3	0	6	5	35	3	0
DUNDEE, . .	22·8	3·5	72	10	15	0	5	0	1	4	0	1	0	6	3	11	1	0
ABERDEEN, .	11·6	1·0	36	7	11	0	0	0	1	1	0	1	0	0	2	8	0	0
PAISLEY, . .	13·7	3·1	22	5	3	0	2	1	0	0	0	2	0	2	2	3	2	0
LEITH, . . .	15·6	0·6	24	4	8	0	0	0	0	1	0	0	0	5	1	5	1	0
GREENOCK, .	11·9	0·0	17	1	5	0	0	0	0	0	0	0	0	2	0	7	0	0
PERTH, . . .	14·6	1·5	10	1	5	0	1	0	0	0	0	0	0	2	2	1	1	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 27. WEEK ENDING SATURDAY, JULY 8, 1911.

During the week ending 8th July 1911 there were registered in Eight of the Principal Towns of Scotland the births of 885 living children and the deaths of 477 persons. The equivalent annual birth-rate is 27·0 of the estimated aggregate population of these towns, and the equivalent annual death-rate 14·6 per thousand.

The death-rate is 0·4 above that for the previous week, 0·7 above the mean of the rates for the three preceding weeks, and 2·5 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 19·4 in Greenock, to 8·7 in Perth. In Glasgow it was 16·2, in Leith 14·9, in Edinburgh 14·6, in Dundee 13·0, in Paisley 9·9, and in Aberdeen 9·3.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 49; they are 14 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·5 per thousand. These deaths include 14 from measles; 2 from scarlet fever; 7 from diphtheria; 12 from whooping-cough; and 14 from diarrhœa, of which 12 were of children of less than two years old. No deaths were registered from enteric fever. Compared with the returns for the previous week, deaths from whooping-cough are 10 fewer, from diarrhœa 6 fewer, and from scarlet fever 1 fewer, but those from measles are 1 more, and from diphtheria 2 more. The death-rate from these causes ranged from 2·2 in Glasgow, and 2·1 in Greenock, to 0 in Paisley and in Perth. One death from small-pox was registered in Paisley, and one from cerebro-spinal meningitis in Greenock.

Deaths from bronchitis, pneumonia, and pleurisy numbered 56; they are 8 more than in the previous week, but 10 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 88; they are 13 fewer than in the previous week, but 28 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 113; they are 8 more than in the previous week.

The mean temperature was 58°·5, being 4°·1 above that for the previous week, and 1°·7 above that for the corresponding week of 1910. The mean rainfall was 0·26 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 8, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending July 8, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	885	477	466	80·6	36·5	58·5	0·26
GLASGOW, . . .	12,669	784,621	61·932	9·50	429	244	204	72·0	42·8	57·8	0·28
EDINBURGH, . .	10,912	320,829	29·401	13·79	152	90	101	68·7	43·0	57·8	0·22
DUNDEE, . . .	4,755	165,044	34·710	12·69	84	41	27	74·8	42·8	59·5	0·14
ABERDEEN, . .	6,319	163,318	25·846	14·70	60	29	43	80·6	42·6	59·9	0·25
PAISLEY, . . .	3,487	84,603	24·262	15·18	46	16	23	74·3	42·0	57·9	0·26
LEITH, ...	1,467	80,674	54·993	10·08	40	23	20	70·0	44·7	59·9	0·26
GREENOCK, . .	2,773	75,305	27·157	14·35	54	28	39	69·5	41·5	56·0	0·53
PERTH, ...	3,139	35,897	11·436	22·11	20	6	9	73·0	36·5	59·5	0·17
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	864	439	362	75·0	40·5	56·8	0·89

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1911. 120/11 Group II.

[TURN OVER

Week ending Saturday, JULY 8, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 8, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·6	1·5	477	88	113	14	2	7	12	0	12	2	56	26	1	18	151
GLASGOW, .	16·2	2·2	244	46	39	11	0	5	9	0	7	1	34	11	0	10	84
EDINBURGH,	14·6	1·1	90	17	25	3	0	1	0	0	3	0	9	5	0	4	33
DUNDEE, . .	13·0	1·3	41	4	15	0	2	0	1	0	1	0	4	1	1	1	9
ABERDEEN, .	9·3	0·3	29	11	5	0	0	0	0	0	1	0	2	4	0	0	5
PAISLEY, . .	9·9	0·0	*16	1	7	0	0	0	0	0	0	0	1	1	0	1	6
LEITH, . . .	14·9	0·6	23	3	7	0	0	0	0	0	0	1	3	0	0	1	5
GREENOCK, .	19·4	2·1	28	5	12	0	0	1	2	0	0	0	2	4	0	1	7
PERTH, . . .	8·7	0·0	6	1	3	0	0	0	0	0	0	0	1	0	0	0	2

* Including 1 from Small-pox.

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, July 9, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·4	1·3	439	60	113	0	8	4	9	2	2	19	0	66	18	145	9	1
GLASGOW, .	14·0	1·5	210	33	53	0	4	1	4	2	1	11	0	36	8	70	4	0
EDINBURGH,	14·3	0·8	88	7	21	0	1	1	1	0	0	2	0	10	2	43	3	0
DUNDEE, . .	15·8	2·8	50	8	12	0	3	0	3	0	0	3	0	8	1	15	0	0
ABERDEEN, .	9·0	0·6	28	4	12	0	0	0	0	0	0	2	0	0	2	0	0	0
PAISLEY, . .	6·8	0·0	11	0	1	0	0	0	0	0	0	0	0	4	0	4	0	0
LEITH, . . .	11·0	0·6	17	4	6	0	0	0	0	0	0	1	0	2	1	2	0	0
GREENOCK, .	15·4	2·1	22	3	4	0	0	1	1	0	1	0	0	5	1	7	2	1
PERTH, . . .	19·0	1·5	13	1	4	0	0	1	0	0	0	0	0	1	3	4	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 28. WEEK ENDING SATURDAY, JULY 15, 1911.

During the week ending 15th July 1911 there were registered in Eight of the Principal Towns of Scotland the births of 820 living children, and the deaths of 488 persons. The equivalent annual birth-rate is 25·0 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 14·9 per thousand.

The death-rate is 0·3 above that for the previous week, 0·9 above the mean of the rates for the three preceding weeks, and 1·2 above that for the corresponding week of last year.

The death-rate for the week ranged from 18·9 per thousand in Edinburgh, to 9·1 in Leith. In Greenock it was 17·3, in Paisley 16·7, in Perth 16·0, in Aberdeen 14·4, in Glasgow 14·2, and in Dundee 11·7.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 57; they are 8 more than in the previous week, and are equal to an annual death-rate from these causes of 1·7 per thousand. These deaths include 6 from measles; 5 from scarlet fever; 4 from diphtheria; 23 from whooping-cough; 1 from enteric fever; and 18 from diarrhœa, of which 16 were of children of less than two years old. Compared with the returns for the previous week, deaths from measles are 8 fewer, and from diphtheria 3 fewer, while those from enteric are 1 more, from scarlet fever 3 more, from diarrhœa 4 more, and from whooping-cough 11 more. The death-rate from these causes ranged from 2·9 in Perth to 0 in Leith. One death from cerebro-spinal meningitis was registered in Glasgow.

Deaths from bronchitis, pneumonia, and pleurisy numbered 47; they are 9 fewer than in the previous week, and 2 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 90; they are 2 more than in the previous week, and 3 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 115; they are 2 more than in the previous week.

The mean temperature was 63°·1, being 4°·6 above that for the previous week, and 5°·4 above that for the corresponding week of last year. The mean rainfall was 0·06 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 15, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending July 15, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	820	488	390	90·0	39·0	63·1	0·06
GLASGOW, . . .	12,669	784,621	61·932	9·50	391	213	219	85·0	45·3	64·1	0·03
EDINBURGH, . .	10,912	320,829	29·401	13·79	120	116	50	83·7	45·5	62·3	0·10
DUNDEE, . . .	4,755	165,044	34·710	12·69	92	37	18	82·4	43·4	60·5	0·05
ABERDEEN, . .	6,319	163,318	25·846	14·70	75	45	45	75·4	42·0	59·4	0·06
PAISLEY, . . .	3,487	84,603	24·262	15·18	43	27	12	87·1	46·0	65·3	0·01
LEITH, ...	1,467	80,674	54·993	10·08	34	14	7	82·3	45·4	62·5	0·19
GREENOCK, . .	2,773	75,305	27·157	14·35	51	25	26	82·7	49·2	66·5	0·00
PERTH, ...	3,139	35,897	11·436	22·11	14	11	13	90·0	39·0	64·1	0·03
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	899	449	397	82·1	39·5	57·7	0·01

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1911. 120/11 Group II.

[TURN OVER

Week ending Saturday, JULY 15, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 15, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7-13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·9	1·7	488	90	115	6	5	4	23	1	16	2	47	28	4	18	148
GLASGOW, .	14·2	1·9	213	46	33	5	1	3	12	1	6	1	22	16	3	8	71
EDINBURGH,	18·9	2·3	116	17	37	0	2	1	8	0	3	0	9	5	0	5	45
DUNDEE, . .	11·7	1·3	37	10	12	1	0	0	1	0	2	0	2	2	0	0	4
ABERDEEN, .	14·4	1·0	45	5	12	0	2	0	0	0	1	0	8	0	0	1	10
PAISLEY, . .	16·7	1·2	27	5	9	0	0	0	1	0	0	1	2	3	0	3	6
LEITH, . . .	9·1	0·0	14	1	4	0	0	0	0	0	0	0	0	1	0	0	2
GREENOCK, .	17·3	2·1	25	5	5	0	0	0	1	0	2	0	3	1	1	1	6
PERTH, . . .	16·0	2·9	11	1	3	0	0	0	0	0	2	0	1	0	0	0	4

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, July 16, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·7	1·0	449	87	119	0	4	6	5	3	*2	13	0	49	26	161	16	3
GLASGOW, .	13·4	0·9	202	48	44	0	1	2	2	2	†1	6	0	21	16	80	10	2
EDINBURGH,	13·0	0·7	80	13	25	0	1	0	1	0	0	2	0	13	7	33	2	0
DUNDEE, . .	15·2	1·6	48	11	13	0	0	1	0	0	1	3	0	6	0	8	0	0
ABERDEEN, .	13·8	1·0	43	3	17	0	1	0	2	0	0	0	0	3	2	15	3	1
PAISLEY, . .	11·2	0·6	18	3	3	0	1	0	0	0	0	0	0	1	0	6	0	0
LEITH, . . .	12·3	1·3	19	2	4	0	0	1	0	0	0	1	0	2	0	8	0	0
GREENOCK, .	21·7	2·1	31	4	11	0	0	2	0	1	0	0	0	3	1	10	1	0
PERTH, . . .	11·7	1·5	8	3	2	0	0	0	0	0	0	1	0	0	0	1	0	0

* 1 Enteric fever; 1 Cerebro-spinal meningitis. † Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 29. WEEK ENDING SATURDAY, JULY 22, 1911.

During the week ending 22nd July 1911 there were registered in Eight of the Principal Towns of Scotland the births of 838 living children, and the deaths of 457 persons. The equivalent annual birth-rate is 25·6 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 13·9 per thousand.

The death-rate of the week is 1·0 less than that of the previous week, and 0·7 less than the mean of the death-rates of the three preceding weeks, but 0·6 more than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 17·4 in Perth, and 15·9 in Glasgow, to 8·6 in Paisley. In Greenock it was 14·6, in Edinburgh 13·8, in Dundee 12·0, in Leith 10·3, and in Aberdeen 10·2.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 63; they are 6 more than in the previous week, and are equal to an annual death-rate from these causes of 1·9 per thousand. These deaths include 9 from measles; 4 from scarlet fever; 3 from diphtheria; 17 from whooping-cough; 2 from enteric fever; and 28 from diarrhœa, of which 23 were of children of less than two years old. Compared with the returns of the previous week, deaths from diarrhœa are 10 more, from measles 3 more, and from enteric fever 1 more, but those from diphtheria and from scarlet fever are each 1 fewer, and those from whooping-cough 6 fewer. The death-rate from these causes varied from 2·9 in Perth, and 2·7 in Glasgow, to 0·6 in Dundee, Paisley, and Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 51; they are 4 more than in the previous week, and 2 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 85; they are 5 fewer than in the previous week, and 4 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 90; they are 25 fewer than in the previous week.

The mean temperature was 59°·1, being 4°·0 below that for the previous week, but 2°·6 above that for the corresponding week of 1910. The mean rainfall was 0·60 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 22, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending July 22, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	838	457	591	79·0	39·5	59·1	0·60
GLASGOW, . . .	12,669	784,621	61·932	9·50	407	239	386	71·2	49·6	58·4	0·52
EDINBURGH, . .	10,912	320,829	29·401	13·79	103	85	75	68·6	48·4	58·5	0·32
DUNDEE, . . .	4,755	165,044	34·710	12·69	106	38	36	69·5	45·7	58·5	0·44
ABERDEEN, . .	6,319	163,318	25·846	14·70	78	32	45	73·0	44·0	57·1	0·77
PAISLEY, . . .	3,487	84,603	24·262	15·18	45	14	20	73·9	49·5	59·5	0·57
LEITH, ...	1,467	80,674	54·993	10·08	33	16	13	73·1	50·6	60·2	0·58
GREENOCK, . .	2,773	75,305	27·157	14·35	55	21	8	79·0	48·0	60·9	1·19
PERTH, ...	3,139	35,897	11·436	22·11	11	12	8	69·0	39·5	59·5	0·44
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	884	434	599	69·0	45·0	56·5	0·70

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—7/1911. 120/11 Group II.

[TURN OVER

Week ending Saturday, JULY 22, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 22, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	13·9	1·9	457	85	90	9	4	3	17	2	23	5	51	28	0	14	171
GLASGOW, .	15·9	2·7	239	49	42	5	3	2	10	2	16	2	30	15	0	8	94
EDINBURGH,	13·8	2·0	85	12	17	3	1	0	3	0	3	2	9	7	0	2	39
DUNDEE, . .	12·0	0·6	38	7	9	0	0	0	2	0	0	0	1	3	0	1	12
ABERDEEN, .	10·2	1·0	32	4	7	1	0	0	1	0	0	1	2	2	0	1	9
PAISLEY, . .	8·6	0·6	14	1	4	0	0	0	0	0	1	0	4	1	0	1	4
LEITH, . . .	10·3	0·6	16	4	5	0	0	1	0	0	0	0	1	0	0	0	5
GREENOCK, .	14·6	1·4	21	5	3	0	0	0	0	0	2	0	4	0	0	1	4
PERTH, . . .	17·4	2·9	12	3	3	0	0	0	1	0	1	0	0	0	0	0	4

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, July 23, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·3	1·8	434	89	118	0	5	6	8	12	*6	21	1	49	16	161	16	1
GLASGOW, .	13·8	2·4	208	46	50	0	2	3	4	10	†4	13	0	23	9	75	9	1
EDINBURGH,	13·7	1·3	84	11	25	0	1	2	1	1	1	2	1	9	3	42	3	0
DUNDEE, . .	11·7	1·6	37	9	11	0	2	0	1	0	0	2	0	5	1	15	0	0
ABERDEEN, .	13·2	1·6	41	10	12	0	0	1	2	0	0	2	0	6	1	6	2	0
PAISLEY, . .	14·3	0·6	23	4	8	0	0	0	0	0	0	1	0	4	0	8	1	0
LEITH, . . .	10·4	0·6	16	4	2	0	0	0	0	1	0	0	0	1	1	7	1	0
GREENOCK, .	7·7	0·7	11	3	2	0	0	0	0	0	1	0	0	0	1	4	0	0
PERTH, . . .	20·5	1·5	14	2	8	0	0	0	0	0	0	1	0	1	0	4	0	0

* 5 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 30. WEEK ENDING SATURDAY, JULY 29, 1911.

During the week ending 29th July 1911 there were registered in Eight of the Principal Towns of Scotland the births of 835 living children, and the deaths of 488 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population of these towns is 25·5, and the equivalent annual death-rate 14·9 per thousand.

The death-rate for the week is 1·0 above that for the previous week, 0·4 above the mean of the rates for the three preceding weeks, and 0·8 above that for the corresponding week of last year.

The death-rate for the week ranged from 22·2 in Greenock to 9·9 in Aberdeen. In Leith it was 16·2, in Perth 16·0, in Edinburgh 15·9, in Glasgow 15·4, in Dundee 13·0, and in Paisley 11·7.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 72; they are 9 more than in the previous week, and are equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 4 from measles; 4 from scarlet fever; 6 from diphtheria; 17 from whooping-cough; 1 from enteric fever; and 40 from diarrhœa, of which 33 were of children of less than two years old. Compared with the returns for the previous week, deaths from measles are 5 fewer, and from enteric fever 1 fewer, while those from scarlet fever and from whooping cough number the same, those from diphtheria are 3 more, and from diarrhœa 12 more. The death-rate from these causes ranged from 4·4 in Perth, to 0·6 in Dundee. One death from cerebro-spinal meningitis was registered in Glasgow, and one from small-pox in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 48; they are 3 fewer than in the previous week, and 12 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 103; they are 18 more than in the previous week, and 19 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 98; they are 8 more than in the previous week.

The mean temperature was 60°·3, being 1°·2 above that for the previous week, and 3°·8 above that for the corresponding week of last year. The mean rainfall was 0·86 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 29, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending July 29, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	835	488	332	76·0	45·0	60·3	0·86
GLASGOW, . . .	12,669	784,621	61·932	9·50	432	231	83	74·5	48·2	61·2	1·27
EDINBURGH, . .	10,912	320,829	29·401	13·79	141	98	96	73·1	48·5	59·3	0·32
DUNDEE, . . .	4,755	165,044	34·710	12·69	55	41	97	73·2	47·4	60·3	0·42
ABERDEEN, . .	6,319	163,318	25·846	14·70	74	31	21	73·7	47·2	60·3	0·11
PAISLEY, . . .	3,487	84,603	24·262	15·18	45	19	10	73·9	49·0	60·9	1·53
LEITH, ...	1,467	80,674	54·993	10·08	40	25	13	75·6	48·9	60·9	0·26
GREENOCK, . .	2,773	75,305	27·157	14·35	34	32	5	71·0	48·5	59·2	2·10
PERTH, ...	3,139	35,897	11·436	22·11	14	11	7	76·0	45·0	60·5	0·89
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	854	460	288	70·0	40·0	56·5	2·18

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1911. 120/11 Group II.

[TURN OVER

Week ending Saturday, JULY 29, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 29, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·9	2·2	488	103	98	4	4	6	17	1	33	7	48	18	1	17	159
GLASGOW, .	15·4	2·8	231	57	40	3	1	2	12	1	17	6	32	9	1	8	74
EDINBURGH,	15·9	1·8	98	16	33	0	1	1	2	0	6	1	10	1	0	2	37
DUNDEE, . .	13·0	0·6	*41	6	6	0	0	0	0	0	2	0	1	1	0	0	15
ABERDEEN, .	9·9	1·0	31	6	8	1	1	0	1	0	0	0	2	2	0	2	3
PAISLEY, . .	11·7	1·2	19	4	1	0	0	1	0	0	1	0	0	2	0	3	8
LEITH, . . .	16·2	2·6	25	4	4	0	0	0	1	0	3	0	1	0	0	0	6
GREENOCK, .	22·2	3·5	32	8	4	0	0	0	1	0	4	0	2	2	0	2	11
PERTH, . . .	16·0	4·4	11	2	2	0	1	2	0	0	0	0	0	1	0	0	5

* Including 1 from Small-pox.

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, July 30, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·1	1·4	460	84	120	0	4	3	4	11	*4	20	1	60	11	136	15	1
GLASGOW, .	15·7	2·5	236	50	47	0	3	1	3	9	*4	17	1	33	7	69	9	0
EDINBURGH,	12·7	0·5	78	9	25	0	0	0	1	1	0	1	0	9	0	30	2	0
DUNDEE, . .	14·2	0·6	45	6	16	0	1	1	0	0	0	0	0	3	0	15	1	0
ABERDEEN, .	11·3	0·0	35	6	11	0	0	0	0	0	0	0	0	4	2	9	1	0
PAISLEY, . .	14·9	1·2	24	6	8	0	0	1	0	0	0	1	0	4	1	8	2	1
LEITH, . . .	9·1	0·6	14	4	4	0	0	0	0	0	0	1	0	1	0	0	0	0
GREENOCK, .	13·3	0·7	19	1	9	0	0	0	0	1	0	0	0	5	0	2	0	0
PERTH, . . .	13·2	0·0	9	2	0	0	0	0	0	0	0	0	0	1	1	3	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 31. WEEK ENDING SATURDAY, AUGUST 5, 1911.

During the week ending 5th August 1911 there were registered in Eight of the Principal Towns of Scotland the births of 866 living children, and the deaths of 452 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population of these towns is 26·4, and the death-rate 13·8.

The death-rate for the week is 1·1 below that for the previous week, and 0·8 below the mean of the rates for the three preceding weeks, but is 0·2 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 18·7 in Greenock to 7·3 in Perth. In Glasgow it was 15·4, in Leith 14·9, in Edinburgh 13·3, in Dundee 13·0, in Aberdeen 8·9, and in Paisley 8·6.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 61; they are 11 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·9 per thousand. These deaths include 11 from measles; 1 from scarlet fever; 6 from diphtheria; 7 from whooping-cough; 3 from enteric fever; and 33 from diarrhœa, of which 26 were of children of less than two years old. Compared with the returns for the previous week, deaths from whooping cough are 10 fewer, from diarrhœa 7 fewer, and from scarlet fever 3 fewer, while those from diphtheria number the same, those from enteric fever are 2 more, and those from measles 7 more. The death-rate from these causes ranged from 3·2 in Leith to 0·3 in Aberdeen. One death from cerebro-spinal meningitis was registered in Glasgow, and one from small-pox in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 32; they are 16 fewer than in the previous week, and 26 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 100; they are 3 fewer than in the previous week, but 14 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 92; they are 6 fewer than in the previous week.

The mean temperature was 63°·5, being 3°·2 above that for the previous week, and 5°·8 above that for the corresponding week of last year. The mean rainfall was 0·74 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 5, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Aug. 5, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	866	452	246	79·9	46·5	63·5	0·74
GLASGOW, . . .	12,669	784,621	61·932	9·50	426	232	100	77·0	48·0	64·0	1·20
EDINBURGH, . .	10,912	320,829	29·401	13·79	126	82	78	76·4	51·2	63·4	0·24
DUNDEE, . . .	4,755	165,044	34·710	12·69	83	41	13	75·6	48·5	63·8	0·59
ABERDEEN, . .	6,319	163,318	25·846	14·70	78	28	20	73·4	49·6	62·2	0·40
PAISLEY, . . .	3,487	84,603	24·262	15·18	44	14	5	76·9	49·0	63·5	1·10
LEITH, ...	1,467	80,674	54·993	10·08	39	23	11	79·9	...	...	0·20
GREENOCK, . .	2,773	75,305	27·157	14·35	56	27	10	74·5	49·5	62·4	0·86
PERTH, ...	3,139	35,897	11·436	22·11	14	5	9	79·0	46·5	64·9	0·57
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	854	445	245	71·2	45·2	57·7	0·69

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1911. 120/11 Group II.

[TURN OVER

Week ending Saturday, AUGUST 5, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 5, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	13·8	1·9	452	100	92	11	1	6	7	3	26	7	32	31	6	11	153
GLASGOW, .	15·4	2·7	232	53	36	9	1	5	6	3	14	3	17	14	3	6	84
EDINBURGH,	13·3	1·0	82	14	25	1	0	1	0	0	3	1	3	6	1	1	36
DUNDEE, . .	13·0	0·9	*41	11	10	0	0	0	0	0	2	1	3	4	0	0	8
ABERDEEN, .	8·9	0·3	28	3	7	0	0	0	1	0	0	0	3	3	1	4	4
PAISLEY, . .	8·6	0·6	14	5	2	0	0	0	0	0	1	0	1	0	0	0	3
LEITH, . . .	14·9	3·2	23	8	5	0	0	0	0	0	5	0	1	2	1	0	9
GREENOCK, .	18·7	2·1	27	4	6	0	0	0	0	0	1	2	4	2	0	0	8
PERTH, . . .	7·3	1·5	5	2	1	1	0	0	0	0	0	0	0	0	0	0	1

* Including 1 from Small-pox.

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, August 6, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	13·6	1·3	445	86	122	0	5	2	4	4	*3	26	1	58	19	152	9	0
GLASGOW, .	13·6	1·7	204	38	46	0	2	1	2	1	*3	17	1	26	9	72	6	0
EDINBURGH,	12·7	0·7	78	16	22	0	0	0	1	1	0	2	0	7	3	34	2	0
DUNDEE, . .	18·0	1·6	57	10	18	0	1	0	0	0	0	4	0	6	1	23	0	0
ABERDEEN, .	12·5	0·6	39	10	16	0	1	0	0	0	0	1	0	7	3	8	0	0
PAISLEY, . .	14·9	1·9	24	5	11	0	1	0	0	1	0	1	0	4	1	4	1	0
LEITH, . . .	7·8	0·6	12	3	3	0	0	0	1	0	0	0	0	4	0	5	0	0
GREENOCK, .	13·3	2·1	19	4	1	0	0	1	0	1	0	1	0	3	2	4	0	0
PERTH, . . .	17·5	0·0	12	0	5	0	0	0	0	0	0	0	0	1	0	2	0	0

* 1 Typhus fever ; 2 Cerebro-spinal meningitis

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 12, 1911.

During the week ending 12th August 1911 there were registered in Eight of the Principal Towns of Scotland the births of 793 living children, and the deaths of 471 persons. The equivalent annual birth-rate is 24·2 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 14·4 per thousand.

The death-rate for the week is 0·6 per thousand above that for the previous week, 0·2 above the mean of the rates for the three preceding weeks, and 0·3 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 21·5 in Greenock to 12·2 in Edinburgh. In Perth it was 16·0, in Glasgow 15·2, in Dundee 13·9, in Paisley 13·6, in Leith 12·9, and in Aberdeen 12·5.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 98; they are 37 more than in the previous week, and are equal to an annual death-rate from these causes of 3·0 per thousand. These deaths include 11 from measles; 1 from scarlet fever; 5 from diphtheria; 9 from whooping-cough; 2 from enteric fever; and 70 from diarrhœa, of which 49 were registered in Glasgow, and 59 were of children of less than two years old. Compared with the returns for the previous week, deaths from diphtheria and from enteric fever are each 1 fewer, while those from measles and from scarlet fever number the same, those from whooping cough are 2 more, and those from diarrhœa are 37 more. The death-rate from these causes ranged from 4·9 in Greenock, and 4·1 in Glasgow, to 0·9 in Dundee. Three deaths from cerebro-spinal meningitis were registered in Glasgow, and one from small-pox in Dundee.

Deaths from pneumonia, bronchitis, and pleurisy numbered 39; they are 7 more than in the previous week, but 8 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 124; they are 24 more than in the previous week, and 30 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 94; they are 2 more than in the previous week.

The mean temperature was 62°·7, being 0°·8 below that for the week immediately preceding, but 2°·0 above that for the corresponding week of last year. The mean rainfall was 0·14 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 12, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Aug. 12, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	793	471	276	83·1	44·0	62·7	0·14
GLASGOW, . . .	12,669	784,621	61·932	9·50	393	229	104	75·5	50·0	62·4	0·16
EDINBURGH, . .	10,912	320,829	29·401	13·79	121	75	62	78·7	50·7	61·8	0·14
DUNDEE, . . .	4,755	165,044	34·710	12·69	81	44	12	82·8	49·5	63·1	0·02
ABERDEEN, . .	6,319	163,318	25·846	14·70	66	39	25	77·3	47·0	62·1	0·35
PAISLEY, . . .	3,487	84,603	24·262	15·18	38	22	50	74·6	50·0	62·6	0·07
LEITH, ...	1,467	80,674	54·993	10·08	29	20	8	83·1	52·3	65·3	0·05
GREENOCK, . .	2,773	75,305	27·157	14·35	50	31	6	71·2	50·2	61·1	0·28
PERTH, ...	3,139	35,897	11·436	22·11	15	11	9	81·0	44·0	63·1	0·02
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	836	460	180	75·0	46·5	60·7	0·41

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, AUGUST 12, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 12, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·4	3·0	471	124	94	11	1	5	9	2	59	11	39	22	3	10	143
GLASGOW, .	15·2	4·1	229	69	34	4	1	2	5	1	42	7	18	14	2	7	73
EDINBURGH,	12·2	1·3	75	17	17	0	0	1	0	1	4	2	11	3	0	1	31
DUNDEE, . .	13·9	0·9	*44	9	8	0	0	0	1	0	2	0	3	2	0	0	14
ABERDEEN, .	12·5	1·9	39	8	15	3	0	1	0	0	1	1	2	0	0	0	10
PAISLEY, . .	13·6	3·1	22	3	6	0	0	1	3	0	0	1	1	0	0	1	1
LEITH, . . .	12·9	3·2	20	6	4	3	0	0	0	0	2	0	2	1	0	0	2
GREENOCK, .	21·5	4·9	31	8	8	1	0	0	0	0	6	0	2	1	1	1	5
PERTH, . . .	16·0	2·9	11	4	2	0	0	0	0	0	2	0	0	1	0	0	7

* Including 1 from Small-pox.

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, August 13, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·1	1·8	460	94	125	0	4	3	4	9	*3	35	0	47	30	155	13	3
GLASGOW, .	14·7	2 3	221	40	53	0	2	2	2	6	†2	21	0	21	19	79	6	1
EDINBURGH,	12·9	0·8	79	15	23	0	1	0	0	1	0	3	0	6	4	35	2	1
DUNDEE, . .	15·5	1·9	49	11	15	0	0	0	0	0	1	5	0	5	4	16	1	0
ABERDEEN, .	12·2	1·6	38	13	11	0	0	0	1	1	0	3	0	4	0	6	2	1
PAISLEY, . .	10·6	0·6	17	4	2	0	0	0	0	0	0	1	0	2	1	4	2	0
LEITH, . . .	8·4	0·6	13	2	6	0	0	0	0	0	0	1	0	3	0	5	0	0
GREENOCK, .	19·6	2·1	28	5	11	0	0	0	1	1	0	1	0	4	1	5	0	0
PERTH, . . .	21·9	2·9	15	4	4	0	1	1	0	0	0	0	0	2	1	5	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 19, 1911.

During the week ending 19th August 1911 there were registered in Eight of the Principal Towns of Scotland the births of 816 living children, and the deaths of 465 persons. The equivalent annual birth-rate is 24·9 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 14·2 per thousand.

The death-rate for the week is 0·2 per thousand below that for the previous week, 0·2 below the mean of the rates for the three preceding weeks, and 0·5 below the rate for the corresponding week of last year.

The death-rate for the week ranged from 18·7 in Greenock to 8·7 in Perth. In Glasgow it was 16·4, in Leith 16·2, in Dundee 14·2, in Paisley 11·1, in Edinburgh 10·9, and in Aberdeen 9·6.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 99; they are 1 more than in the previous week, and are equal to an annual death-rate from these causes of 3·0 per thousand. These deaths include 6 from measles; 4 from scarlet fever; 3 from diphtheria; 7 from whooping-cough; 1 from enteric fever; and 78 from diarrhœa, of which 50 were registered in Glasgow, and 64 were of children of less than two years old. Compared with the returns for the previous week, deaths from measles are 5 fewer, from diphtheria and whooping cough each 2 fewer, and from enteric fever 1 fewer, while those from scarlet fever are 3 more, and those from diarrhœa 8 more. The death-rate from these causes ranged from 5·5 in Greenock to 1·0 in Edinburgh. Three deaths from cerebro-spinal meningitis were registered in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 29; they are 10 fewer than in the previous week, and 9 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 133; they are 9 more than in the previous week, and 23 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 80; they are 14 less than in the previous week.

The mean temperature was 60°·9, being 1°·8 below that for the week immediately preceding, but 1°·7 above that for the corresponding week of last year. The mean rainfall was 0·13 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 19, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Aug. 19, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	816	465	186	80·0	41·5	60·9	0·13
GLASGOW, . . .	12,669	784,621	61·932	9·50	405	247	86	77·5	45·0	61·4	0·05
EDINBURGH, . .	10,912	320,829	29·401	13·79	120	67	41	77·9	45·6	59·2	0·13
DUNDEE, . . .	4,755	165,044	34·710	12·69	81	45	12	78·0	45·0	59·7	0·27
ABERDEEN, . .	6,319	163,318	25·846	14·70	68	30	17	68·2	44·1	57·3	0·13
PAISLEY, . . .	3,487	84,603	24·262	15·18	33	18	14	76·4	46·1	62·9	0·05
LEITH, ...	1,467	80,674	54·993	10·08	52	25	8	76·3	45·4	60·8	0·05
GREENOCK, . .	2,773	75,305	27·157	14·35	49	27	7	79·0	50·0	62·7	0·14
PERTH, ...	3,139	35,897	11·436	22·11	8	6	1	80·0	41·5	63·4	0·20
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	826	481	216	71·9	46·0	59·2	1·92

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—8/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, AUGUST 19, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 19, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·2	3·0	465	133	80	6	4	3	7	1	64	14	29	13	0	4	129
GLASGOW, .	16·4	4·1	247	78	35	4	3	1	3	1	45	5	14	6	0	4	74
EDINBURGH,	10·9	1·0	67	13	18	0	0	1	2	0	1	2	7	1	0	0	22
DUNDEE, . .	14·2	1·6	45	10	8	0	0	0	1	0	2	2	2	2	0	0	9
ABERDEEN, .	9·6	1·3	30	9	7	0	1	0	1	0	2	0	1	2	0	0	9
PAISLEY, . .	11·1	3·7	18	6	2	0	0	0	0	0	4	2	3	0	0	0	2
LEITH, . . .	16·2	4·5	25	6	7	2	0	1	0	0	2	2	1	2	0	0	5
GREENOCK, .	18·7	5·5	27	11	1	0	0	0	0	0	8	0	0	0	0	0	5
PERTH, . . .	8·7	1·5	6	0	2	0	0	0	0	0	0	1	1	0	0	0	3

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal To during the Week ending Saturday, August 20, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·7	2·2	481	110	130	0	2	8	6	7	0	50	1	38	30	146	13	3
GLASGOW, .	15·3	2·7	230	68	48	0	0	2	3	4	0	32	0	18	13	73	7	2
EDINBURGH,	16·8	1·5	103	13	31	0	1	3	1	1	0	3	0	9	10	37	3	0
DUNDEE, . .	13·9	1·9	44	10	12	0	0	1	1	0	0	4	0	4	3	10	0	0
ABERDEEN, .	11·6	1·6	36	6	11	0	1	1	1	0	0	2	0	3	0	11	0	0
PAISLEY, . .	16·1	3·7	26	6	8	0	0	0	0	0	0	6	0	1	3	5	1	0
LEITH, . . .	6·5	0·6	10	3	5	0	0	0	0	0	0	1	0	1	0	2	1	0
GREENOCK, .	16·1	2·8	23	4	8	0	0	0	0	2	0	2	0	2	1	6	1	1
PERTH, . . .	13·2	1·5	9	0	7	0	0	1	0	0	0	0	1	0	0	2	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 26, 1911.

During the week ending 26th August 1911 there were registered in Eight of the Principal Towns of Scotland the births of 815 living children, and the deaths of 509 persons. The equivalent annual birth-rate is 24·9 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 15·5 per thousand.

The death-rate for the week is 1·3 per thousand above that for the previous week, 1·4 above the mean of the rates for the three preceding weeks, and 0·5 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 17·3 in Aberdeen to 10·2 in Perth. In Dundee it was 16·8, in Glasgow 16·7, in Greenock 16·6, in Paisley 14·8, in Leith 12·9, and in Edinburgh 12·4.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 114; they are 15 more than in the previous week, and are equal to an annual death-rate from these causes of 3·5 per thousand. These deaths include 4 from measles; 1 from scarlet fever; 5 from diphtheria; 12 from whooping-cough; 4 from enteric fever; and 88 from diarrhœa, of which 73 were of children of less than two years old. Compared with the returns for the previous week, deaths from scarlet fever are 3 fewer, and those from measles 2 fewer, but those from diphtheria are 2 more, from enteric fever 3 more, from whooping cough 5 more, and from diarrhœa 10 more. The death-rate from these causes ranged from 5·4 in Dundee to 1·5 in Perth. The highest of the epidemic death-rates were due to the prevalence of diarrhœa.

Deaths from pneumonia, bronchitis, and pleurisy numbered 41; they are 12 more than in the previous week, but 8 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 144; they are 11 more than in the previous week, and 17 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 105; they are 25 more than in the previous week.

The mean temperature was 58°·7, being 2°·2 below that for the previous week, but 4°·4 above that for the corresponding week of 1910. The mean rainfall was 0·42 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 26, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Aug. 26, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	815	509	210	74·0	42·5	58·7	0·42
GLASGOW, . . .	12,669	784,621	61·932	9·50	435	251	99	72·0	47·0	59·3	0·14
EDINBURGH, . .	10,912	320,829	29·401	13·79	127	76	50	68·0	50·7	58·4	0·34
DUNDEE, . . .	4,755	165,044	34·710	12·69	67	53	19	66·8	47·2	57·7	0·17
ABERDEEN, . .	6,319	163,318	25·846	14·70	65	54	21	69·3	45·3	57·3	0·20
PAISLEY, . . .	3,487	84,603	24·262	15·18	37	24	4	73·0	47·1	59·2	0·68
LEITH, ...	1,467	80,674	54·993	10·08	34	20	4	68·1	51·3	60·1	0·29
GREENOCK, . .	2,773	75,305	27·157	14·35	37	24	7	69·5	48·7	58·5	1·36
PERTH, ...	3,139	35,897	11·436	22·11	13	7	6	74·0	42·5	59·2	0·19
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	753	492	177	66·9	39·9	54·3	2·12

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

[TURN OVER.

N.—240—8/1911. 120/11 Group II.

Week ending Saturday, AUGUST 26, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 26, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.*	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	15·5	3·5	509	144	105	4	1	5	12	4	73	15	41	27	0	14	157
GLASGOW, .	16·7	4·4	251	67	39	3	0	5	6	2	40	10	26	16	0	6	89
EDINBURGH,	12·4	1·6	76	13	24	0	0	0	2	0	4	4	7	1	0	3	33
DUNDEE, . .	16·8	5·4	53	22	8	0	0	0	1	0	15	1	1	3	0	0	6
ABERDEEN, .	17·3	2·2	54	14	17	0	0	0	1	1	5	0	1	4	0	1	12
PAISLEY, . .	14·8	3·7	24	9	4	0	1	0	1	0	4	0	1	1	0	2	8
LEITH, . . .	12·9	1·9	20	7	6	1	0	0	0	1	1	0	4	1	0	2	5
GREENOCK, .	16·6	2·8	24	10	6	0	0	0	1	0	3	0	1	0	0	0	1
PERTH, . . .	10·2	1·5	7	2	1	0	0	0	0	0	1	0	0	1	0	0	3

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, August 27, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·0	2·5	492	127	109	0	0	4	6	8	2	63	0	49	17	155	11	1
GLASGOW, .	16·9	3·5	254	74	38	0	0	3	4	3	0	43	0	25	5	83	8	1
EDINBURGH,	10·9	0·5	67	11	23	0	0	1	0	0	0	2	0	3	4	29	0	0
DUNDEE, . .	18·0	2·5	57	15	17	0	0	0	1	2	1	4	0	8	1	19	1	0
ABERDEEN, .	12·5	0·3	39	9	15	0	0	0	0	0	0	1	0	5	3	9	0	0
PAISLEY, . .	14·3	3·1	23	3	7	0	0	0	0	0	0	5	0	2	1	7	2	0
LEITH, . . .	12·3	1·3	19	4	5	0	0	0	0	0	0	2	0	3	2	3	0	0
GREENOCK, .	17·5	4·9	25	9	2	0	0	0	0	3	0	4	0	3	0	4	0	0
PERTH, . . .	11·7	5·8	8	2	2	0	0	0	1	0	1	2	0	0	1	1	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 35. WEEK ENDING SATURDAY, SEPTEMBER 2, 1911.

During the week ending 2nd September 1911 there were registered in Eight of the Principal Towns of Scotland the births of 752 living children, and the deaths of 564 persons. The equivalent annual birth-rate is 22·9 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 17·2 per thousand.

The death-rate for the week is 1·7 above that for the previous week, 2·5 above the mean of the rates for the three preceding weeks, and 2·4 above that for the corresponding week of last year.

The death-rate for the week ranged from 20·3 in Perth, and 20·1 in Leith, to 13·4 in Aberdeen. In Greenock it was 18·7, in Dundee 18·3, in Glasgow 18·0, in Paisley 16·0, and in Edinburgh 15·4.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 134; they are 20 more than in the previous week, and are equal to an annual death-rate from these causes of 4·1 per thousand. These deaths include 4 from measles; 1 from scarlet fever; 5 from diphtheria; 10 from whooping-cough; 1 from enteric fever; and 113 from diarrhœa, of which 96 were of children of less than two years old. Compared with the returns for the previous week, deaths from enteric fever are 3 fewer, and from whooping cough 2 fewer, while those from measles, from scarlet fever, and from diphtheria number the same, and those from diarrhœa are 25 more. The death-rate from these causes ranged from 11·6 in Perth, to 1·9 in Aberdeen. In almost all towns the high death-rate from these causes was due to the continued prevalence of diarrhœa.

Deaths from pneumonia, bronchitis, and pleurisy numbered 24; they are 17 fewer than in the previous week, and 23 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 163; they are 19 more than in the previous week, and 45 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 114; they are 9 more than in the previous week.

The mean temperature was 59°·0, being 0°·3 above that for the previous week, and 3°·4 above that for the corresponding week of last year. The mean rainfall was 0·89 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 2, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Sept. 2, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	752	564	260	72·9	42·5	59·0	0·89
GLASGOW, . . .	12,669	784,621	61·932	9·50	370	271	134	70·8	45·5	59·3	0·82
EDINBURGH, . .	10,912	320,829	29·401	13·79	122	95	50	69·0	46·6	58·9	0·37
DUNDEE, . . .	4,755	165,044	34·710	12·69	69	58	12	70·0	45·0	58·9	0·11
ABERDEEN, . .	6,319	163,318	25·846	14·70	78	42	27	72·9	43·8	58·9	0·12
PAISLEY, . . .	3,487	84,603	24·262	15·18	30	26	7	69·3	44·2	59·2	1·41
LEITH, ...	1,467	80,674	54·993	10·08	37	31	16	71·6	47·8	60·6	0·46
GREENOCK, . .	2,773	75,305	27·157	14·35	32	27	9	67·0	45·2	57·7	3·48
PERTH, ...	3,139	35,897	11·436	22·11	14	14	5	71·0	42·5	58·8	0·39
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	779	483	255	67·1	39·0	55·6	1·56

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, SEPTEMBER 2, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 2, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7-13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	17·2	4·1	564	163	114	4	1	5	10	1	96	17	24	14	0	10	159
GLASGOW, .	18·0	5·3	271	92	45	2	0	1	3	1	60	12	12	7	0	6	69
EDINBURGH,	15·4	2·1	95	16	20	0	1	0	4	0	8	0	1	2	0	2	47
DUNDEE, . .	18·3	3·5	58	17	10	0	0	0	0	0	9	2	2	1	0	0	12
ABERDEEN, .	13·4	1·9	42	11	15	0	0	0	3	0	2	1	5	2	0	1	6
PAISLEY, . .	16·0	4·3	26	7	8	1	0	0	0	0	4	2	1	0	0	1	4
LEITH, . . .	20·1	2·6	31	3	8	1	0	2	0	0	1	0	2	1	0	0	9
GREENOCK, .	18·7	4·2	27	8	7	0	0	0	0	0	6	0	1	1	0	0	8
PERTH, . . .	20·3	11·6	14	9	1	0	0	2	0	0	6	0	0	0	0	0	4

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, September 3, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·8	2·8	483	118	106	0	0	5	7	10	3	68	0	47	20	127	12	1
GLASGOW, .	15·8	3·6	237	66	50	0	0	3	3	6	1	41	0	25	13	61	8	1
EDINBURGH,	12·2	1·0	75	8	23	0	0	1	2	1	0	2	0	6	3	29	0	0
DUNDEE, . .	20·9	3·2	66	13	11	0	0	1	1	1	0	7	0	4	2	13	0	0
ABERDEEN, .	10·6	1·6	33	10	3	0	0	0	0	0	1	4	0	4	0	9	2	0
PAISLEY, . .	16·1	5·0	26	7	7	0	0	0	0	0	0	8	0	2	1	1	2	0
LEITH, . . .	7·8	0·0	12	4	6	0	0	0	0	0	0	0	0	2	0	4	0	0
GREENOCK, .	15·4	5·6	22	8	4	0	0	0	0	2	0	6	0	2	0	6	0	0
PERTH, . . .	17·5	2·9	12	2	2	0	0	0	1	0	1	0	0	2	1	4	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 36. WEEK ENDING SATURDAY, SEPTEMBER 9, 1911.

During the week ending 9th September 1911 there were registered in Eight of the Principal Towns of Scotland the births of 758 living children, and the deaths of 536 persons. The equivalent annual birth-rate is 23·1 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 16·4 per thousand.

The death-rate for the week is 0·8 below that for the previous week, but is 0·8 above the mean of the rates for the three preceding weeks, and 1·9 above that for the corresponding week of last year.

The death-rate for the week ranged from 20·1 in Aberdeen, to 11·1 in Paisley. In Greenock it was 19·4, in Dundee 18·3, in Glasgow 17·4, in Perth 14·5, in Leith 14·2, and in Edinburgh 12·2.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 105; they are 29 fewer than in the previous week, and are equal to an annual death-rate from these causes of 3·2 per thousand. These deaths include 3 from measles; 2 from scarlet fever; 8 from diphtheria: 12 from whooping-cough; 2 from enteric fever; and 78 from diarrhœa, of which 67 were of children of less than two years old. Compared with the returns for the previous week, deaths from diarrhœa are 35 fewer, and from measles 1 fewer, while those from scarlet fever and from enteric fever are each 1 more, those from whooping cough 2 more, and from diphtheria 3 more. The death-rate from these causes ranged from 5·8 in Perth, to 0·7 in Edinburgh. Two deaths from cerebro-spinal meningitis were registered in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 53; they are 29 more than in the previous week, and 13 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 151; they are 12 fewer than in the previous week, but 29 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 117; they are 3 more than in the previous week.

The mean temperature was 57°·5, being 1°·5 below that for the previous week, but 2°·2 above that for the corresponding week of last year. The mean rainfall was 0·17 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 9, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Sept. 9, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	758	536	284	76·3	33·0	57·5	0·17
GLASGOW, . . .	12,669	784,621	61·932	9·50	395	262	149	69·0	40·0	57·6	0·02
EDINBURGH, . .	10,912	320,829	29·401	13·79	115	75	60	67·0	42·9	57·5	0·18
DUNDEE, . . .	4,755	165,044	34·710	12·69	70	58	17	70·9	38·6	56·7	0·30
ABERDEEN, . .	6,319	163,318	25·846	14·70	70	63	24	76·3	43·8	58·9	0·30
PAISLEY, . . .	3,487	84,603	24·262	15·18	30	18	5	68·0	43·5	58·1	0·00
LEITH, ...	1,467	80,674	54·993	10·08	29	22	9	68·0	42·6	57·8	0·16
GREENOCK, . .	2,773	75,305	27·157	14·35	35	28	12	65·5	45·5	56·7	0·11
PERTH, ...	3,139	35,897	11·436	22·11	14	10	8	70·0	33·0	56·5	0·28
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	865	473	254	73 0	38·5	55·3	0·44

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, SEPTEMBER 9, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 9, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·4	3·2	536	151	117	3	2	8	12	2	67	11	53	21	0	20	167
GLASGOW, .	17·4	3·8	262	80	46	2	0	3	4	1	40	7	23	15	0	15	85
EDINBURGH,	12·2	0·7	75	14	25	0	0	0	2	0	2	0	7	1	0	2	24
DUNDEE, . .	18·3	5·4	58	23	10	0	0	2	2	0	12	1	8	1	0	0	16
ABERDEEN, .	20·1	3·8	63	14	11	0	2	1	2	1	4	2	4	2	0	2	16
PAISLEY, . .	11·1	1·9	18	2	7	0	0	0	1	0	1	1	4	0	0	0	4
LEITH, . . .	14·2	2·6	22	7	6	0	0	2	0	0	2	0	3	2	0	1	5
GREENOCK, .	19·4	2·8	28	6	10	1	0	0	0	0	3	0	4	0	0	0	11
PERTH, . . .	14·5	5·8	10	5	2	0	0	0	1	0	3	0	0	0	0	0	6

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, September 10, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·5	2·1	473	122	106	0	1	3	5	8	1	51	2	40	22	137	15	3
GLASGOW, .	14·5	2·7	218	56	47	0	0	3	2	6	0	29	0	22	9	71	4	0
EDINBURGH,	13·8	0·8	85	15	26	0	0	0	1	1	0	3	0	6	4	29	4	0
DUNDEE, . .	15·8	4·4	50	17	7	0	0	0	0	0	1	13	0	5	2	10	1	1
ABERDEEN, .	14·8	0·3	46	13	9	0	0	0	0	0	0	1	1	4	2	12	2	2
PAISLEY, . .	15·5	1·9	25	10	2	0	0	0	0	1	0	2	1	0	1	4	2	0
LEITH, . . .	13·0	2·6	20	7	3	0	0	0	2	0	0	2	0	2	3	5	1	0
GREENOCK, .	14·0	1·4	20	4	7	0	1	0	0	0	0	1	0	1	1	3	1	0
PERTH, . . .	13·2	0·0	9	0	5	0	0	0	0	0	0	0	0	0	0	3	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 16, 1911.

During the week ending 16th September 1911 there were registered in Eight of the Principal Towns of Scotland the births of 744 living children, and the deaths of 516 persons. The equivalent annual birth-rate is 22·7 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 15·7 per thousand.

The death-rate for the week is 0·7 per thousand below that for the previous week, and the same amount below the mean of the rates for the three preceding weeks, but is 1·2 above the rate for the corresponding week of last year.

The death-rate for the week ranged from 21·8 in Perth, to 9·1 in Leith. In Dundee it was 18·3, in Glasgow 17·5, in Greenock 15·9, in Edinburgh 13·8, in Aberdeen 13·4, and in Paisley 9·9.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 105; they number the same as in the previous week, and are equal to an annual death-rate from these causes of 3·2 per thousand. These deaths include 4 from measles; 2 from scarlet fever; 10 from diphtheria; 8 from whooping-cough; 1 from enteric fever; and 80 from diarrhœa, of which 67 were of children of less than two years old. Compared with the returns for the previous week, deaths from whooping cough are 4 fewer, and from enteric fever 1 fewer, while those from scarlet fever number the same, those from measles are 1 more, and from diphtheria and diarrhœa each 2 more. The death-rate from these causes ranged from 5·8 in Perth, to 1·3 in Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 41; they are 12 fewer than in the previous week, and 16 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 133; they are 18 fewer than in the previous week, but 24 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 113; they are 4 fewer than in the previous week.

The mean temperature was 52°·6, being 4°·9 below that for the previous week, and 1°·6 below that for the corresponding week of last year. The mean rainfall was 0·08 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 16, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Sept. 16, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	744	516	216	73·1	32·5	52·6	0·08
GLASGOW, . . .	12,669	784,621	61·932	9·50	354	263	131	72·7	40·0	53·3	0·13
EDINBURGH, . .	10,912	320,829	29·401	13·79	121	85	28	71·6	43·6	53·6	0·13
DUNDEE, . . .	4,755	165,044	34·710	12·69	66	58	14	57·2	38·9	48·2	0·08
ABERDEEN, . .	6,319	163,318	25·846	14·70	83	42	18	68·9	41·8	53·7	0·00
PAISLEY, . . .	3,487	84,603	24·262	15·18	42	16	6	71·5	38·0	53·7	0·08
LEITH, ...	1,467	80,674	54·993	10·08	32	14	5	73·1	45·9	55·6	0·15
GREENOCK, . .	2,773	75,305	27·157	14·35	31	23	9	64·5	40·2	51·9	0·08
PERTH, ...	3,139	35,897	11·436	22·11	15	15	5	71·0	32·5	51·1	0·03
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	785	473	230	69·0	39·0	54·2	0·12

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, SEPTEMBER 16, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 16, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	15·7	3·2	516	133	113	4	2	10	8	1	67	13	41	25	2	10	142
GLASGOW, .	17·5	3·7	263	67	43	2	1	8	6	0	34	5	23	13	2	6	83
EDINBURGH,	13·8	2·0	85	14	26	1	0	1	0	1	7	2	5	3	0	2	30
DUNDEE, . .	18·3	5·1	58	22	12	0	0	0	1	0	14	1	5	3	0	0	8
ABERDEEN, .	13·4	1·9	42	9	11	0	1	0	0	0	4	1	4	3	0	1	10
PAISLEY, . .	9·9	1·9	16	2	6	0	0	0	1	0	0	2	0	1	0	1	2
LEITH, . . .	9·1	1·3	14	7	4	1	0	0	0	0	1	0	2	1	0	0	1
GREENOCK, .	15·9	4·2	23	7	7	0	0	0	0	0	4	2	2	1	0	0	3
PERTH, . . .	21·8	5·8	15	5	4	0	0	1	0	0	3	0	0	0	0	0	5

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, September 17, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·5	2·4	473	109	121	0	0	6	10	13	4	45	1	57	19	148	12	0
GLASGOW, .	15·0	2·9	226	51	48	0	0	4	3	9	3	25	1	25	11	77	6	0
EDINBURGH,	13·2	1·6	81	10	29	0	0	1	2	1	0	6	0	10	1	34	3	0
DUNDEE, . .	16·8	3·8	53	22	13	0	0	0	2	0	0	10	0	6	1	9	0	0
ABERDEEN, .	14·1	1·6	44	13	12	0	0	0	2	1	0	2	0	10	3	14	1	0
PAISLEY, . .	15·5	1·2	25	3	6	0	0	0	0	0	0	2	0	2	1	6	1	0
LEITH, . . .	8·4	0·0	13	3	5	0	0	0	0	0	0	0	0	1	0	2	0	0
GREENOCK, .	14·0	2·1	20	6	5	0	0	0	0	2	1	0	0	2	1	4	1	0
PERTH, . . .	16·1	2·9	11	1	3	0	0	1	1	0	0	0	0	1	1	2	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 38. WEEK ENDING SATURDAY, SEPTEMBER 23, 1911.

During the week ending 23rd September 1911 there were registered in Eight of the Principal Towns of Scotland the births of 835 living children, and the deaths of 547 persons. The equivalent annual birth-rate is 25·5 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 16·7 per thousand.

The death-rate for the week is 1·0 above that for the previous week, 0·3 above the mean of the rates for the three preceding weeks, and 1·6 above that for the corresponding week of 1910.

The death-rate for the week ranged from 20·3 in Perth to 13·0 in Paisley. In Dundee it was 19·0, in Glasgow 17·7, in Leith 16·2, in Edinburgh 15·1, in Aberdeen 15·0, and in Greenock 14·6.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 95; they are 10 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·9 per thousand. These deaths include 5 from measles; 5 from scarlet fever; 5 from diphtheria; 12 from whooping-cough; 3 from enteric fever; and 65 from diarrhœa, of which 59 were those of children of less than two years old. Compared with the returns for the previous week, deaths from diarrhœa are 15 fewer, and from diphtheria 5 fewer, but those from measles are 1 more, from enteric fever 2 more, from scarlet fever 3 more, and from whooping cough 4 more. The death-rate from these causes ranged from 4·7 in Dundee to 0·6 in Paisley. One death in Glasgow and one in Dundee were registered as due to cerebro-spinal meningitis.

Deaths from pneumonia, bronchitis, and pleurisy numbered 57; they are 16 more than in the previous week, but 7 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 157; they are 24 more than in the previous week, and 27 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 102; they are 11 fewer than in the previous week.

The mean temperature was 53°·3, being 0°·7 above that for the previous week, and 0°·5 above that for the corresponding week of last year. The mean rainfall was 0·39 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 23, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Sept. 23, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	835	547	327	70·3	28·5	53·3	0·39
GLASGOW, . . .	12,669	784,621	61·932	9·50	403	266	165	65·0	32·9	53·5	0·30
EDINBURGH, . .	10,912	320,829	29·401	13·79	139	93	79	63·5	40·1	53·9	0·00
DUNDEE, . . .	4,755	165,044	34·710	12·69	84	60	17	69·5	35·4	53·4	0·34
ABERDEEN, . .	6,319	163,318	25·846	14·70	72	47	35	70·3	37·1	52·6	0·44
PAISLEY, . . .	3,487	84,603	24·262	15·18	32	21	9	65·0	32·5	53·2	0·44
LEITH, ...	1,467	80,674	54·993	10·08	40	25	12	65·2	36·4	54·9	0·23
GREENOCK, . .	2,773	75,305	27·157	14·35	44	21	7	60·9	38·0	52·3	0·96
PERTH, ...	3,139	35,897	11·436	22·11	21	14	3	68·0	28·5	52·3	0·41
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	800	494	285	70·0	36·5	52·8	0·03

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—9/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, SEPTEMBER 23, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 23, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·7	2·9	547	157	102	5	5	5	12	3	59	6	57	22	4	17	166
GLASGOW, .	17·7	3·5	266	74	44	5	3	2	3	3	32	4	33	10	2	11	95
EDINBURGH,	15·1	1·8	93	23	23	0	1	0	0	0	9	1	8	3	0	1	35
DUNDEE, . .	19·0	4·7	60	25	15	0	0	1	3	0	11	0	4	1	0	0	10
ABERDEEN, .	15·0	3·5	47	14	7	0	1	1	5	0	3	1	3	2	1	2	10
PAISLEY, . .	13·0	0·6	21	3	3	0	0	0	0	0	1	0	4	2	0	2	7
LEITH, . . .	16·2	1·3	25	6	6	0	0	1	0	0	1	0	2	2	1	1	3
GREENOCK, .	14·6	1·4	21	7	3	0	0	0	1	0	1	0	1	1	0	0	4
PERTH, . . .	20·3	1·5	14	5	1	0	0	0	0	0	1	0	2	1	0	0	2

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, September 24, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·1	2·2	494	130	117	0	2	5	10	4	*4	47	0	64	19	144	14	3
GLASGOW, .	15·2	2·2	228	64	49	0	0	3	3	2	†3	22	0	31	11	74	7	3
EDINBURGH,	13·4	1·6	82	16	25	0	0	0	4	1	0	5	0	12	2	24	2	0
DUNDEE, . .	15·8	4·4	50	17	12	0	2	1	1	1	0	9	0	5	1	12	0	0
ABERDEEN, .	15·1	1·6	47	14	10	0	0	0	0	0	0	5	0	10	1	8	3	0
PAISLEY, . .	10·6	2·5	17	4	4	0	0	0	0	0	0	4	0	1	0	1	0	0
LEITH, . . .	13·6	0·0	21	2	7	0	0	0	0	0	0	0	0	2	2	6	1	0
GREENOCK, .	23·1	2·8	33	11	6	0	0	0	1	0	1	2	0	3	0	9	0	0
PERTH, . . .	23·4	2·9	16	2	4	0	0	1	1	0	0	0	0	0	2	10	1	0

* 3 Enteric fever ; 1 Cerebro-spinal meningitis.
† 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, SEPTEMBER 30, 1911.

During the week ending 30th September 1911 there were registered in Eight of the Principal Towns of Scotland the births of 798 living children, and the deaths of 499 persons. The equivalent annual birth-rate is 24·3 per thousand of the estimated aggregate population, and the death-rate 15·2.

The death-rate for the week is 1·5 below that for the previous week, and 1·1 below the mean of the rates for the three preceding weeks, but is the same as that for the corresponding week of last year.

The death-rate for the week ranged from 19·0 in Dundee to 13·0 in Paisley. In Edinburgh it was 17·2, in Greenock 15·9, in Perth 14·5, in Glasgow 14·3, in Leith 14·2, and in Aberdeen 13·4.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 78; they are 17 fewer than in the previous week, and are equal to an annual death-rate from these causes of 2·4 per thousand. These deaths include 1 from measles; 3 from scarlet fever; 13 from diphtheria; 8 from whooping-cough; 1 from enteric fever; and 52 from diarrhœa, of which 47 were of children of less than two years old. Compared with the returns for the previous week, deaths from diarrhœa are 13 fewer, from whooping cough and from measles each 4 fewer, and from scarlet fever and enteric fever each 2 fewer, while those from diphtheria are 8 more. The death-rate from these causes ranged from 4·4 in Perth to 1·2 in Paisley. One death from cerebro-spinal meningitis was registered in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 62; they are 5 more than in the previous week, and 2 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 118; they are 39 fewer than in the previous week, but 23 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 111; they are 9 more than in the previous week.

The mean temperature was 50°·1, being 3°·2 below that for the previous week, and 5°·0 below that for the corresponding week of last year. The mean rainfall was 0·73 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 30, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Sept. 30, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	798	499	322	66·0	35·0	50·1	0·73
GLASGOW, . . .	12,669	784,621	61·932	9·50	395	215	178	63·4	36·5	50·5	1·16
EDINBURGH, . .	10,912	320,829	29·401	13·79	134	106	49	63·3	35·2	50·3	0·79
DUNDEE, . . .	4,755	165,044	34·710	12·69	66	60	24	62·7	36·8	49·4	0·16
ABERDEEN, . .	6,319	163,318	25·846	14·70	69	42	29	66·0	38·7	50·8	0·17
PAISLEY, . . .	3,487	84,603	24·262	15·18	44	21	13	63·0	36·0	50·3	1·06
LEITH, ...	1,467	80,674	54·993	10·08	43	22	8	63·0	38·8	50·7	0·72
GREENOCK, . .	2,773	75,305	27·157	14·35	36	23	13	61·2	35·0	49·2	1·53
PERTH, ...	3,139	35,897	11·436	22·11	11	10	8	64·0	35·0	49·7	0·27
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	763	497	291	69·3	39·5	55·1	0·32

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, SEPTEMBER 30, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 30, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	15·2	2·4	499	118	111	1	3	13	8	1	47	5	62	14	0	9	181
GLASGOW, .	14·3	2·5	215	57	29	1	2	5	3	1	23	2	28	6	0	1	79
EDINBURGH,	17·2	2·1	106	17	34	0	1	2	3	0	6	1	9	5	0	6	48
DUNDEE, . .	19·0	3·2	60	17	19	0	0	1	0	0	9	0	10	2	0	0	20
ABERDEEN, .	13·4	1·9	42	9	12	0	0	2	1	0	2	1	5	1	0	1	9
PAISLEY, . .	13·0	1·2	21	6	1	0	0	0	0	0	2	0	2	0	0	0	7
LEITH, . . .	14·2	1·3	22	5	5	0	0	1	0	0	1	0	4	0	0	1	10
GREENOCK, .	15·9	3·5	23	5	7	0	0	0	1	0	4	0	3	0	0	0	4
PERTH, . . .	14·5	4·4	10	2	4	0	0	2	0	0	0	1	1	0	0	0	4

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, October 1, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·2	2·5	497	95	148	0	5	5	14	8	0	51	1	60	11	140	16	3
GLASGOW, .	14·6	2·2	219	39	52	0	2	3	4	3	0	21	0	34	7	65	9	2
EDINBURGH,	16·4	2·1	101	12	43	0	3	2	2	1	0	5	0	8	1	35	4	0
DUNDEE, . .	19·9	5·1	63	18	17	0	0	0	5	0	0	11	0	5	1	12	0	0
ABERDEEN, .	9·6	1·6	30	7	13	0	0	0	0	3	0	2	0	3	1	9	1	0
PAISLEY, . .	16·1	3·1	26	9	6	0	0	0	0	0	0	5	0	2	0	5	0	0
LEITH, . . .	15·6	4·5	24	4	5	0	0	0	2	0	0	5	0	1	1	8	2	1
GREENOCK, .	14·0	1·4	20	6	4	0	0	0	0	1	0	1	1	4	0	0	0	0
PERTH, . . .	20·5	2·9	14	0	8	0	0	0	1	0	0	1	0	3	0	6	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 40. WEEK ENDING SATURDAY, OCTOBER 7, 1911.

During the week ending 7th October 1911 there were registered in Eight of the Principal Towns the births of 825 living children, and the deaths of 490 persons. The equivalent annual birth-rate is 25·2 per thousand of the estimated aggregate population, and the equivalent annual death-rate 14·9 per thousand.

The death-rate of the week is 0·3 below that of the previous week, 1·0 less than the mean of the death-rates of the three preceding weeks, and 1·0 below the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 19·0 in Dundee to 11·6 in Leith. In Edinburgh it was 15·4, in Glasgow 14·9, in Greenock 14·6, in Perth 14·5, in Aberdeen 13·4, and in Paisley 12·3.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 60; they are 18 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·8 per thousand. These deaths include 4 from measles; 8 from scarlet fever; 11 from diphtheria; 3 from whooping-cough; 1 from enteric fever; and 33 from diarrhœa, of which 26 were of children of less than two years old. Compared with the returns of the previous week, deaths from diarrhœa are 19 fewer, from whooping cough 5 fewer, and from diphtheria 2 fewer, but those from enteric fever are of the same number, from measles 3 more, and from scarlet fever 5 more. The death-rate from these causes varied from 5·8 in Perth and 2·9 in Aberdeen, to 0 in Greenock, and 0·8 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 78; they are 16 more than in the previous week, and 7 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 103; they are 15 fewer than in the previous week, and 14 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 84; they are 27 fewer than in the previous week.

The mean temperature was 46°·7, being 3°·4 below that for the previous week, and 8°·5 below that for the corresponding week of last year. The mean rainfall was 0·16 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 7, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Oct. 7, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	825	490	312	59·7	31·0	46·7	0·16
GLASGOW, . . .	12,669	784,621	61·932	9·50	435	224	150	55·0	35·5	46·8	0·01
EDINBURGH, . .	10,912	320,829	29·401	13·79	123	95	51	54·7	36·6	46·2	0·33
DUNDEE, . . .	4,755	165,044	34·710	12·69	79	60	44	56·8	34·2	46·5	0·03
ABERDEEN, . .	6,319	163,318	25·846	14·70	65	42	23	59·7	37·2	47·3	0·30
PAISLEY, . . .	3,487	84,603	24·262	15·18	43	20	7	57·1	33·0	46·9	0·07
LEITH, ...	1,467	80,674	54·993	10·08	34	18	15	55·1	38·9	47·8	0·32
GREENOCK, . .	2,773	75,305	27·157	14·35	36	21	16	56·0	33·7	46·7	0·19
PERTH, ...	3,139	35,897	11·436	22·11	10	10	6	57·0	31·0	45·6	0·03
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	845	521	289	70·0	36·5	55·2	0·33

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1911. 120/11 Group II.

TURN OVER.

Week ending Saturday, OCTOBER 7, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 7, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	14·9	1·8	490	103	84	4	8	11	3	1	26	7	78	28	3	7	170
GLASGOW, .	14·9	1·9	224	41	31	2	4	4	2	1	11	5	40	14	3	5	91
EDINBURGH,	15·4	0·8	95	20	24	0	2	1	0	0	2	0	10	5	0	2	32
DUNDEE, . .	19·0	2·8	60	15	12	0	0	1	0	0	7	1	8	4	0	0	18
ABERDEEN, .	13·4	2·9	42	14	7	1	2	1	1	0	4	0	3	2	0	0	9
PAISLEY, . .	12·3	1·2	20	2	2	0	0	1	0	0	1	0	5	0	0	0	8
LEITH, . . .	11·6	1·3	18	6	3	1	0	1	0	0	0	0	4	2	0	0	2
GREENOCK, .	14·6	0·0	21	2	3	0	0	0	0	0	0	0	6	0	0	0	5
PERTH, . . .	14·5	5·8	10	3	2	0	0	2	0	0	1	1	2	1	0	0	5

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, October 8, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·9	2·1	521	117	156	0	0	5	14	8	*2	40	1	71	26	159	9	3
GLASGOW, .	16·8	2·7	252	55	71	0	0	3	8	4	*2	23	1	38	11	81	3	3
EDINBURGH,	15·6	1·1	96	16	41	0	0	1	4	0	0	2	0	9	6	38	2	0
DUNDEE, . .	17·4	1·6	55	16	12	0	0	1	0	0	0	4	0	8	1	12	0	0
ABERDEEN, .	14·1	1·3	44	11	12	0	0	0	0	1	0	3	0	7	5	9	4	0
PAISLEY, . .	13·0	2·5	21	8	4	0	0	0	0	0	0	4	0	1	0	4	0	0
LEITH, . . .	11·0	1·9	17	3	5	0	0	0	0	0	0	3	0	3	0	3	0	0
GREENOCK, .	15·4	3·5	22	6	4	0	0	0	1	3	0	1	0	3	1	6	0	0
PERTH, . . .	20·5	1·5	14	2	7	0	0	0	1	0	0	0	0	2	2	6	0	0

* 1 Enteric fever; 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 14, 1911.

During the week ending 14th October 1911 there were registered in Eight of the Principal Towns of Scotland the births of 829 living children, and the deaths of 538 persons. The equivalent annual birth-rate is 25·3 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 16·4 per thousand.

The death-rate for the week is 1·5 above that for the previous week, 0·8 above the mean of the rates for the three preceding weeks, and 2·1 above that for the corresponding week of last year.

The death-rate for the week ranged from 18·7 in Glasgow to 10·2 in Perth. In Dundee it was 16·1, in Greenock 15·9, in Leith 15·5, in Edinburgh 15·3, in Paisley 14·2, and in Aberdeen 11·2.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 74; they are 14 more than in the previous week, and are equal to an annual death-rate from these causes of 2·3 per thousand. These deaths include 5 from measles; 8 from scarlet fever; 12 from diphtheria; 7 from whooping-cough; 1 from enteric fever; and 41 from diarrhœa, of which 37 were of children of less than two years old. Compared with the returns for the previous week, deaths from scarlet fever and from enteric fever number the same, but those from measles and from diphtheria are each 1 more, from whooping cough 4 more, and from diarrhœa 8 more. The death-rate from these causes ranged from 3·2 in Glasgow and in Dundee to 0 in Greenock. One death from cerebro-spinal meningitis was registered in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 80; they are 2 more than in the previous week, and 11 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 121; they are 18 more than in the previous week, and 23 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 108; they are 24 more than in the previous week.

The mean temperature was 45°·4, being 1°·3 below that for the previous week, and 3°·2 below that for the corresponding week of last year. The mean rainfall was 0·02 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 14, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Oct. 14, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	829	538	220	60·0	25·0	45·4	0·02
GLASGOW, . . .	12,669	784,621	61·932	9·50	400	281	100	58·2	28·8	45·8	0·00
EDINBURGH, . .	10,912	320,829	29·401	13·79	136	94	48	55·9	35·7	45·9	0·05
DUNDEE, . . .	4,755	165,044	34·710	12·69	78	51	15	57·0	30·8	44·3	0·00
ABERDEEN, . .	6,319	163,318	25·846	14·70	76	35	23	60·0	32·2	44·2	0·02
PAISLEY, . . .	3,487	84,603	24·262	15·18	46	23	7	57·5	30·9	45·7	0·00
LEITH, ...	1,467	80,674	54·993	10·08	55	24	13	57·0	37·4	47·0	0·07
GREENOCK, . .	2,773	75,305	27·157	14·35	28	23	11	57·2	35·0	47·0	0·03
PERTH, ...	3,139	35,897	11·436	22·11	10	7	3	59·0	25·0	43·0	0·01
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	878	468	240	62·0	32·5	48·6	0·13

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1911. 120/11 Group II.

TURN OVER.

Week ending Saturday, OCTOBER 14, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 14, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·4	2·3	538	121	108	5	8	12	7	1	37	4	80	23	3	17	180
GLASGOW, .	18·7	3·2	281	70	49	4	5	8	6	1	21	3	47	12	3	11	101
EDINBURGH,	15·3	0·8	94	15	16	0	0	0	1	0	4	0	13	2	0	3	42
DUNDEE, . .	16·1	3·2	51	13	14	0	1	2	0	0	7	0	5	1	0	0	9
ABERDEEN, .	11·2	1·0	35	7	9	0	0	1	0	0	2	0	3	2	0	1	7
PAISLEY, . .	14·2	1·9	23	2	4	0	2	0	0	0	1	0	4	2	0	2	11
LEITH, . . .	15·5	1·9	24	9	3	1	0	0	0	0	1	1	2	4	0	0	3
GREENOCK, .	15·9	0·0	23	4	10	0	0	0	0	0	0	0	5	0	0	0	5
PERTH, . . .	10·2	2·9	7	1	3	0	0	1	0	0	1	0	1	0	0	0	2

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, October 15, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·3	1·9	468	98	135	0	3	4	15	10	2	29	0	69	15	160	14	0
GLASGOW, .	14·9	2·3	224	49	53	0	0	2	9	4	1	19	0	44	7	92	5	0
EDINBURGH,	13·8	0·8	85	12	30	0	2	0	1	0	1	1	0	11	1	30	7	0
DUNDEE, . .	18·0	3·5	57	16	17	0	0	1	1	3	0	6	0	4	3	14	0	0
ABERDEEN, .	11·2	0·6	35	7	14	0	0	0	0	1	0	1	0	6	2	5	1	0
PAISLEY, . .	11·8	0·6	19	3	5	0	1	0	0	0	0	0	0	1	1	8	0	0
LEITH, . . .	11·7	0·6	18	4	4	0	0	0	0	1	0	0	0	1	1	4	0	0
GREENOCK, .	14·7	2·1	21	7	9	0	0	0	0	1	0	2	0	2	0	4	1	0
PERTH, . . .	13·2	7·3	9	0	3	0	0	1	4	0	0	0	0	0	0	3	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 42. WEEK ENDING SATURDAY, OCTOBER 21, 1911.

During the week ending 21st October 1911 there were registered in Eight of the Principal Towns of Scotland the births of 819 living children, and the deaths of 513 persons. The equivalent annual birth-rate is 25·0 per thousand of the estimated aggregate population of these towns, and the equivalent annual death-rate 15·7 per thousand.

The death-rate for the week is 0·7 below that for the previous week, but is 0·2 above the mean of the rates for the three preceding weeks, and 1·3 above that for the corresponding week of last year.

The death-rate for the week ranged from 17·0 in Glasgow to 11·6 in Perth. In Leith it was 16·8, in Dundee 15·2, in Paisley 14·8, in Greenock 14·6, in Aberdeen 14·4, and in Edinburgh 14·0.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 47; they are 27 fewer than in the previous week, and are equal to an annual death-rate from these causes of 1·4 per thousand. These deaths include 9 from measles; 7 from scarlet fever; 5 from diphtheria; 5 from whooping-cough; 1 from enteric fever; and 20 from diarrhœa, of which 17 were those of children of less than two years old. Compared with the returns for the previous week, deaths from diarrhœa are 21 fewer, from diphtheria 7 fewer, from whooping cough 2 fewer, and from scarlet fever 1 fewer, while the number from enteric fever is the same, and those from measles are 4 more. The death-rate from these causes ranged from 3·5 in Greenock to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 78; they are 2 fewer than in the previous week, and the same number fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 92; they are 29 fewer than in the previous week, but 6 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 120; they are 12 more than in the previous week.

The mean temperature was 50°·7, being 5°·3 above that for the previous week, and 2°·2 above that for the corresponding week of last year. The mean rainfall was 0·70 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 21, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Oct. 21, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	819	513	177	60·0	35·2	50·7	0·70
GLASGOW, . . .	12,669	784,621	61·932	9·50	399	255	90	60·0	36·0	55·6	0·67
EDINBURGH, . .	10,912	320,829	29·401	13·79	125	86	43	55·9	43·2	49·8	0·37
DUNDEE, . . .	4,755	165,044	34·710	12·69	88	48	16	52·5	38·9	47·9	0·54
ABERDEEN, . .	6,319	163,318	25·846	14·70	62	45	14	59·0	35·2	50·4	0·45
PAISLEY, . . .	3,487	84,603	24·262	15·18	54	24	4	58·1	40·0	50·2	1·06
LEITH, ...	1,467	80,674	54·993	10·08	35	26	4	57·0	41·9	50·6	0·69
GREENOCK, . .	2,773	75,305	27·157	14·35	45	21	5	56·5	43·7	50·5	1·21
PERTH, ...	3,139	35,897	11·436	22·11	11	8	1	57·0	42·5	50·6	0·59
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	821	470	145	62·0	32·5	48·5	0·93

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1911. 120/11 Group II.

TURN OVER.

Week ending Saturday, OCTOBER 21, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 21, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	15·7	1·4	513	92	120	9	7	5	5	1	17	3	78	27	0	12	182
GLASGOW, .	17·0	1·6	255	49	52	7	2	2	3	1	7	2	45	14	0	6	98
EDINBURGH,	14·0	0·7	86	14	22	0	0	0	1	0	3	0	11	8	0	2	38
DUNDEE, . .	15·2	1·6	48	12	13	0	0	0	0	0	5	0	5	1	0	1	10
ABERDEEN, .	14·4	1·9	45	5	13	2	2	1	0	0	0	1	6	2	0	2	15
PAISLEY, . .	14·8	1·2	24	4	8	0	1	0	1	0	0	0	2	0	0	1	4
LEITH, . . .	16·8	0·6	26	5	3	0	0	1	0	0	0	0	5	2	0	0	9
GREENOCK, .	14·6	3·5	21	3	8	0	2	1	0	0	2	0	2	0	0	0	5
PERTH, . . .	11·6	0·0	8	0	1	0	0	0	0	0	0	0	2	0	0	0	3

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, October 22, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·4	1·4	470	86	134	0	0	2	13	4	*3	25	0	80	20	143	9	1
GLASGOW, .	14·4	1·1	217	48	47	0	0	0	4	2	†1	10	0	48	13	65	7	1
EDINBURGH,	14·3	0·7	88	12	31	0	0	0	0	0	0	4	0	9	4	35	2	0
DUNDEE, . .	16·1	2·8	51	8	11	0	0	0	5	0	0	4	0	8	1	9	0	0
ABERDEEN, .	14·1	0·6	44	6	19	0	0	0	0	0	1	1	0	10	1	15	0	0
PAISLEY, . .	14·9	3·7	24	7	9	0	0	0	1	0	1	4	0	2	0	3	0	0
LEITH, . . .	9·1	0·6	14	2	8	0	0	0	0	1	0	0	0	0	1	2	0	0
GREENOCK, .	14·0	2·8	20	2	4	0	0	1	0	1	0	2	0	3	0	7	0	0
PERTH, . . .	17·5	5·8	12	1	5	0	0	1	3	0	0	0	0	0	0	7	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis.
† Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 43. WEEK ENDING SATURDAY, OCTOBER 28, 1911.

During the week ending 28th October 1911 there were registered in Eight of the Principal Towns of Scotland the births of 771 living children, and the deaths of 548 persons. The equivalent annual birth-rate is 23·5 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 16·7.

The death-rate of the week is 1·0 above that of the previous week, 1·0 more than the mean of the death-rates of the three preceding weeks, and 2·6 above the rate of the corresponding week of last year.

The death-rate of the week ranged from 19·4 in Leith, and 18·6 in Glasgow, to 8·3 in Greenock. In Aberdeen it was 18·2, in Paisley 15·4, in Edinburgh 14·8, in Dundee 14·2, and in Perth 13·1.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II.) numbered 52; they are 5 more than in the previous week, and are equal to an annual death-rate from these causes of 1·6 per thousand. These deaths include 12 from measles, of which 8 were in Aberdeen; 7 from scarlet fever; 8 from diphtheria; 4 from whooping-cough; 2 from enteric fever; and 19 from diarrhœa, of which 17 were of children of less than two years old. Compared with the returns of the previous week, deaths from measles and diphtheria are each 3 more, and from enteric fever 1 more, but those from scarlet fever are of the same number, and those from whooping-cough and diarrhœa each 1 fewer. The death-rate from these causes varied from 3·5 in Aberdeen, and 2·9 in Perth, to 0 in Greenock, and 0·2 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 111; they are 33 more than in the previous week, and 39 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 123; they are 31 more than in the previous week, and 20 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 126; they are 6 more than in the previous week.

The mean temperature was 42°·4, being 8°·3 below that for the previous week, and 5°·8 below that for the corresponding week of last year. The mean rainfall was 0·81 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 28, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Oct. 28, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	771	548	239	56·1	23·5	42·4	0·81
GLASGOW, . . .	12,669	784,621	61·932	9·50	391	279	112	56·0	25·2	42·6	0·48
EDINBURGH, . .	10,912	320,829	29·401	13·79	125	91	57	54·4	31·2	42·7	1·55
DUNDEE, . . .	4,755	165,044	34·710	12·69	68	45	19	49·0	29·5	40·5	0·55
ABERDEEN, . .	6,319	163,318	25·846	14·70	67	57	22	53·6	31·3	43·2	1·76
PAISLEY, . . .	3,487	84,603	24·262	15·18	34	25	5	56·1	27·1	43·0	0·34
LEITH, ...	1,467	80,674	54·993	10·08	40	30	7	55·7	28·7	43·4	1·04
GREENOCK, . .	2,773	75,305	27·157	14·35	38	12	10	54·0	30·0	43·2	0·22
PERTH, ...	3,139	35,897	11·436	22·11	8	9	7	56·0	23·5	40·6	0·58
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	839	460	183	56·8	33·2	48·2	0·11

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—10/1911. 120/11 Group II.

TURN OVER.

Week ending Saturday, OCTOBER 28, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 28, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·7	1·6	548	123	126	12	7	8	4	2	17	2	111	25	1	18	163
GLASGOW, .	18·6	1·9	279	67	51	4	3	5	2	1	12	2	66	14	1	8	89
EDINBURGH,	14·8	0·2	91	14	37	0	1	0	0	0	0	0	16	5	0	5	23
DUNDEE, . .	14·2	1·6	45	10	8	0	0	1	0	0	4	0	8	1	0	0	14
ABERDEEN, .	18·2	3·5	57	17	13	8	2	0	1	0	0	0	7	2	0	2	12
PAISLEY, . .	15·4	1·9	25	6	4	0	1	0	1	0	1	0	6	2	0	2	9
LEITH, . . .	19·4	0·6	30	7	7	0	0	1	0	0	0	0	5	1	0	0	7
GREENOCK, .	8·3	0·0	12	2	4	0	0	0	0	0	0	0	2	0	0	1	4
PERTH, . . .	13·1	2·9	9	0	2	0	0	1	0	1	0	0	1	0	0	0	5

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, October 29, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·1	1·5	460	103	135	0	0	7	7	6	*3	25	0	72	23	148	15	3
GLASGOW, .	14·6	1·5	220	43	55	0	0	2	3	4	†2	11	0	30	10	79	9	1
EDINBURGH,	15·5	1·0	95	20	36	0	0	1	1	0	0	4	0	15	3	32	4	0
DUNDEE, . .	13·9	1·9	44	7	16	0	0	0	1	1	0	4	0	5	4	17	0	0
ABERDEEN, .	9·3	1·0	29	9	10	0	0	0	0	0	0	3	0	5	3	8	1	1
PAISLEY, . .	12·4	1·9	20	6	3	0	0	1	2	0	0	0	0	5	0	3	0	0
LEITH, . . .	13·6	1·3	21	6	7	0	0	0	0	1	0	1	0	6	2	2	0	0
GREENOCK, .	14·0	2·1	20	8	5	0	0	1	0	0	0	2	0	5	0	5	1	1
PERTH, . . .	16·1	4·4	11	4	3	0	0	2	0	0	1	0	0	1	1	2	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis.
† 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 44. WEEK ENDING SATURDAY, NOVEMBER 4, 1911.

During the week ending 4th November 1911 there were registered in Eight of the Principal Towns of Scotland the births of 793 living children, and the deaths of 538 persons. The equivalent annual birth-rate is 24·2 per thousand of the estimated aggregate population, and the equivalent annual death-rate 16·4 per thousand.

The death-rate of the week is 0·3 less than that of the previous week, but is 0·1 more than the mean of the death-rates of the three preceding weeks, and 1·4 more than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 18·3 in Glasgow, and 18·0 in Dundee, to 9·3 in Paisley. In Leith, it was 17·5, in Aberdeen 16·9, in Perth 14·5, in Edinburgh 13·3, and in Greenock 13·2.

Deaths from the principal epidemic diseases numbered 47; they are 5 fewer than in the previous week, and equal to an annual death-rate from these causes of 1·4 per thousand. These deaths include 15 from measles; 4 from scarlet fever; 11 from diphtheria; 5 from whooping-cough; and 12 from diarrhœa, of which 11 were of children of less than two years old. There were no deaths from enteric fever registered in the eight towns during the week. Compared with the returns of the previous week, deaths from diarrhœa are 7 fewer, from scarlet fever 3 fewer, and from enteric fever 2 fewer, but those from whooping-cough are 1 more, from diphtheria 3 more, and from measles 3 more. The death-rate from these causes varied from 2·9 in Perth, to 0 in Paisley, and 0·5 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 116; they are 5 more than in the previous week, and 32 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 116; they are 7 fewer than in the previous week, but 8 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 110; they are 16 fewer than in the previous week.

The mean temperature was 44°·4, being 2°·0 above that for the previous week, and 2°·7 above that for the corresponding week of last year. The mean rainfall was 2·71 inches.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 4, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Nov. 4, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	793	538	309	58·8	19·5	44·4	2·71
GLASGOW, . . .	12,669	784,621	61·932	9·50	384	275	189	58·8	26·0	45·5	3·10
EDINBURGH, . .	10,912	320,829	29·401	13·79	126	82	39	56·1	33·3	44·1	1·91
DUNDEE, . . .	4,755	165,044	34·710	12·69	78	57	22	54·6	24·0	42·9	0·74
ABERDEEN, . .	6,319	163,318	25·846	14·70	77	53	13	54·4	24·7	43·9	0·92
PAISLEY, . . .	3,487	84,603	24·262	15·18	32	15	16	56·3	26·1	45·2	4·94
LEITH, ...	1,467	80,674	54·993	10·08	45	27	9	54·8	35·9	45·6	1·68
GREENOCK, . .	2,773	75,305	27·157	14·35	35	19	14	56·9	29·5	44·5	6·71
PERTH, ...	3,139	35,897	11·436	22·11	16	10	7	58·0	19·5	43·5	1·68
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	796	492	313	53·9	27·3	41·7	0·83

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, NOVEMBER 4, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 4, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·4	1·4	538	116	110	15	4	11	5	0	11	1	116	19	5	13	158
GLASGOW, .	18·3	1·7	275	66	46	8	2	6	4	0	5	0	78	10	4	8	81
EDINBURGH,	13·3	0·5	82	13	20	0	0	1	0	0	1	1	16	6	0	4	27
DUNDEE, . .	18·0	1·3	57	12	14	0	0	1	0	0	3	0	6	2	0	0	18
ABERDEEN, .	16·9	2·6	53	12	14	6	1	1	0	0	0	0	6	0	1	1	10
PAISLEY, . .	9·3	0·0	15	1	5	0	0	0	0	0	0	0	1	0	0	0	6
LEITH, . . .	17·5	1·9	27	6	4	1	0	1	0	0	1	0	6	0	0	0	9
GREENOCK, .	13·2	1·4	19	5	4	0	1	0	0	0	1	0	3	0	0	0	3
PERTH, . . .	14·5	2·9	10	1	3	0	0	1	1	0	0	0	0	1	0	0	4

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, November 5, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·0	1·7	492	108	140	0	1	6	16	7	*3	23	0	84	20	141	16	1
GLASGOW, .	16·1	1·7	242	50	56	0	0	3	7	7	2	6	0	48	9	79	8	1
EDINBURGH,	14·7	1·5	90	19	32	0	1	1	2	0	0	5	0	9	5	25	2	0
DUNDEE, . .	17·1	5·1	54	14	14	0	0	1	6	0	†1	8	0	4	1	15	0	0
ABERDEEN, .	13·8	0·3	43	11	18	0	0	0	0	0	0	1	0	7	3	8	2	0
PAISLEY, . .	11·8	0·0	19	5	4	0	0	0	0	0	0	0	0	6	0	3	2	0
LEITH, . . .	15·6	1·9	24	7	11	0	0	0	1	0	0	2	0	5	1	8	0	0
GREENOCK, .	9·8	1·4	14	2	1	0	0	1	0	0	0	1	0	4	0	2	1	0
PERTH, . . .	8·8	0·0	6	0	4	0	0	0	0	0	0	0	0	1	1	1	1	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis.
† Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 45. WEEK ENDING SATURDAY, NOVEMBER 11, 1911.

During the week ending 11th November 1911 there were registered in Eight of the Principal Towns of Scotland the births of 798 living children, and the deaths of 533 persons. The equivalent annual birth-rate is 24·3 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate is 16·3 per thousand.

The death-rate of the week is 0·1 below that of the previous week, but is the same as the mean of the death-rates of the three preceding weeks, and 1·5 above the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 18·9 in Perth, and 18·1 in Edinburgh, to 12·3 in Paisley. In Glasgow it was 16·4, in Aberdeen 16·3, in Leith 15·5, in Greenock 14·6, and in Dundee 14·5.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II), numbered 48; they are 1 more than in the previous week, and are equal to an annual death-rate from these causes of 1·5 per thousand. These deaths include 13 from measles; 2 from scarlet fever; 14 from diphtheria; 9 from whooping-cough; 1 from enteric fever; and 9 from diarrhœa, of which 8 were of children of less than two years old. Compared with the returns of the previous week, deaths from diarrhœa are 3 fewer, from measles and scarlet fever each 2 fewer, but those from whooping-cough are 4 more, from diphtheria 3 more, and from enteric fever 1 more. The death-rate from these causes ranged from 4·4 in Perth, and 3·2 in Aberdeen, to 1·0 in Edinburgh. One death from cerebro-spinal meningitis was registered in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 108; they are 8 fewer than in the previous week, but 44 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 119; they are 3 more than in the previous week, and 29 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 112; they are 2 more than in the previous week.

The mean temperature was 40°·5, being 3°·9 below that for the previous week, but 4°·5 above that for the corresponding week of last year. The mean rainfall was 1·19 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 11, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Nov. 11, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	798	533	203	53·5	25·5	40·5	1·19
GLASGOW, . . .	12,669	784,621	61·932	9·50	389	247	114	53·5	26·2	40·7	1·29
EDINBURGH, . .	10,912	320,829	29·401	13·79	119	111	44	*...	32·1	...	1·25
DUNDEE, . . .	4,755	165,044	34·710	12·69	81	46	9	50·0	29·4	40·7	0·31
ABERDEEN, . .	6,319	163,318	25·846	14·70	90	51	9	49·1	33·3	41·2	0·80
PAISLEY, . . .	3,487	84,603	24·262	15·18	29	20	4	53·1	26·5	40·5	1·77
LEITH, ...	1,467	80,674	54·993	10·08	30	24	10	48·7	32·4	41·0	1·11
GREENOCK, . .	2,773	75,305	27·157	14·35	45	21	8	49·5	31·0	40·0	2·18
PERTH, ...	3,139	35,897	11·436	22·11	15	13	5	53·0	25·5	39·6	0·79
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	784	484	170	46·1	21·5	36·0	1·38

* Index of Maximum Thermometer shaken down by gale on 5th.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, NOVEMBER 11, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 11, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·3	1·5	533	119	112	13	2	14	9	1	8	1	108	21	0	15	155
GLASGOW, .	16·4	1·3	247	67	44	4	0	8	4	0	3	0	67	12	0	5	76
EDINBURGH,	18·1	1·0	111	22	28	1	0	2	2	0	1	0	15	2	0	7	37
DUNDEE, . .	14·5	1·3	46	6	14	0	1	2	0	0	1	0	7	0	0	0	17
ABERDEEN, .	16·3	3·2	51	10	9	7	0	0	2	0	1	0	4	4	0	1	10
PAISLEY, . .	12·3	1·2	20	6	6	0	0	0	0	0	2	0	4	1	0	1	3
LEITH, . . .	15·5	1·3	24	3	4	0	1	1	0	0	0	0	5	1	0	0	4
GREENOCK, .	14·6	1·4	21	3	4	1	0	0	0	0	0	1	5	1	0	1	2
PERTH, . . .	18·9	4·4	13	2	3	0	0	1	1	1	0	0	1	0	0	0	6

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, November 12, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·8	1·4	484	90	149	0	1	7	11	7	*4	17	1	64	18	140	15	3
GLASGOW, .	15·6	1·7	234	53	57	0	0	5	6	4	*4	6	1	29	12	75	6	2
EDINBURGH,	15·3	0·8	94	14	35	0	1	0	1	1	0	2	0	13	4	30	6	0
DUNDEE, . .	15·8	2·8	50	9	13	0	0	2	3	0	0	4	0	9	1	10	1	1
ABERDEEN, .	13·5	0·6	42	8	15	0	0	0	0	1	0	1	0	5	1	10	1	0
PAISLEY, . .	12·4	1·2	20	2	6	0	0	0	1	0	0	1	0	4	0	4	1	0
LEITH, . . .	11·0	0·6	17	3	7	0	0	0	0	1	0	0	0	2	0	3	0	0
GREENOCK, .	14·7	1·4	21	0	12	0	0	0	0	0	0	2	0	2	0	4	0	0
PERTH, . . .	8·8	1·5	6	1	4	0	0	0	0	0	0	1	0	0	0	4	0	0

* 3 Enteric fever; 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 18, 1911.

During the week ending 18th November 1911 there were registered in Eight of the Principal Towns of Scotland the births of 770 living children, and the deaths of 611 persons. The equivalent annual birth-rate is 23·5 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 18·6 per thousand.

The death-rate of the week is 2·3 above that of the previous week, 2·1 more than the mean of the death-rates of the three preceding weeks, and 0·6 more than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 21·7 in Aberdeen, and 20·8 in Greenock, to 12·3 in Dundee, and 12·9 in Leith. In Glasgow it was 20·0, in Edinburgh 19·2, in Paisley 16·7, and in Perth 13·1.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II), numbered 65; they are 17 more than in the preceding week, and equal to an annual death-rate from these causes of 2·0 per thousand. These deaths include 28 from measles, of which 16 were registered in Aberdeen; 4 from scarlet fever; 8 from diphtheria: 4 from whooping-cough; 2 from enteric fever; and 19 from diarrhœas, all of which were of children of less than two years old. Compared with the returns of the previous week, deaths from diphtheria are 6 fewer, and from whooping-cough 5 fewer, but those from enteric fever are 1 more, from scarlet fever 2 more, from diarrhœas 10 more, and from measles 15 more. The death-rate from these causes ranged from 7·3 in Aberdeen, and 1·9 in Glasgow, to 0 in Paisley. Two deaths from cerebro-spinal meningitis were registered in the eight towns during the week, the one being in Glasgow, and the other in Paisley.

Deaths from pneumonia, bronchitis, and pleurisy numbered 144; they are 36 more than in the previous week, and 25 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 152; they are 33 more than in the previous week, and 44 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 124; they are 12 more than in the previous week.

The mean temperature was 43°·9, being 3°·4 above that for the previous week, and 6°·9 above that for the corresponding week of last year. The mean rainfall was 1·55 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 18, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Nov. 18, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	770	611	181	57·1	30·5	43·9	1·55
GLASGOW, . . .	12,669	784,621	61·932	9·50	361	300	101	55·8	33·0	44·3	1·30
EDINBURGH, . .	10,912	320,829	29·401	13·79	124	118	41	55·5	34·2	43·9	1·58
DUNDEE, . . .	4,755	165,044	34·710	12·69	74	39	10	52·0	33·0	43·3	1·22
ABERDEEN, . .	6,319	163,318	25·846	14·70	55	68	14	55·0	36·4	42·8	2·16
PAISLEY, . . .	3,487	84,603	24·262	15·18	49	27	6	55·2	32·9	44·1	1·60
LEITH, ...	1,467	80,674	54·993	10·08	45	20	2	57·1	36·0	45·3	1·57
GREENOCK, . .	2,773	75,305	27·157	14·35	48	30	5	55·0	33·2	44·0	1·74
PERTH, ...	3,139	35,897	11·436	22·11	14	9	2	54·0	30·5	43·7	1·27
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	779	588	181	44·8	25·0	37·0	0·93

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1911. 120/11 Group II.

[TURN OVER.

Week ending Saturday, NOVEMBER 18, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 18, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	18·6	2·0	611	152	124	28	4	8	4	2	19	0	144	44	2	21	162
GLASGOW, .	20·0	1·9	300	93	38	9	1	4	2	2	11	0	80	25	2	7	91
EDINBURGH,	19·2	1·0	118	23	33	1	0	1	0	0	4	0	32	4	0	7	38
DUNDEE, . .	12·3	0·9	39	10	11	0	0	0	0	0	3	0	9	5	0	0	10
ABERDEEN, .	21·7	7·3	68	12	15	16	2	2	2	0	1	0	11	3	0	2	5
PAISLEY, . .	16·7	0·0	27	4	9	0	0	0	0	0	0	0	2	3	0	3	5
LEITH, . . .	12·9	1·3	20	5	6	1	0	1	0	0	0	0	5	0	0	0	4
GREENOCK, .	20·8	0·7	30	4	10	1	0	0	0	0	0	0	5	2	0	1	6
PERTH, . . .	13·1	1·5	9	1	2	0	1	0	0	0	0	0	0	2	0	1	3

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, November 19, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·0	1·9	588	108	186	0	4	5	8	13	*7	24	2	119	15	161	23	5
GLASGOW, .	18·2	2·4	273	48	83	0	0	3	6	12	†5	10	1	54	11	78	14	5
EDINBURGH,	18·9	2·1	116	14	43	0	4	2	0	0	2	5	0	26	0	40	9	0
DUNDEE, . .	17·1	0·9	54	11	17	0	0	0	1	0	0	2	0	12	2	14	0	0
ABERDEEN, .	16·7	0·6	52	11	19	0	0	0	0	0	0	2	0	7	1	9	0	0
PAISLEY, . .	21·7	1·9	35	9	12	0	0	0	1	0	0	2	1	8	0	10	0	0
LEITH, . . .	13·6	0·0	21	5	4	0	0	0	0	0	0	0	0	6	0	1	0	0
GREENOCK, .	21·0	2·1	30	9	8	0	0	0	0	1	0	2	0	5	0	8	0	0
PERTH, . . .	10·2	1·5	7	1	0	0	0	0	0	0	0	1	0	1	1	1	0	0

* 6 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 47. WEEK ENDING SATURDAY, NOVEMBER 25, 1911.

During the week ending 25th November 1911 there were registered in Eight of the Principal Towns of Scotland the births of 767 living children, and the deaths of 548 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population of the eight towns is 23·4, and the equivalent annual death-rate 16·7 per thousand.

The death-rate of the week is 1·9 less than that of the previous week, 0·4 less than the mean of the death-rates of the three preceding weeks, and 1·6 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 18·8 in Aberdeen and in Glasgow, to 10·3 in Leith, and 10·5 in Paisley. In Dundee it was 16·8, in Edinburgh 15·1, in Greenock 13·2, and in Perth 13·1.

Deaths from the principal epidemic diseases (Cols. 7 to 13 of Table II) numbered 62; they are 3 fewer than in the previous week, and equal to an annual death-rate from these causes of 1·9 per thousand. These deaths include 23 from measles, of which 14 were registered in Aberdeen; 7 from scarlet fever; 7 from diphtheria: 7 from whooping-cough; 2 from enteric fever; and 16 from diarrhœas, of which 15 were of children of less than two years old. Compared with the corresponding returns of the previous week, deaths from measles are 5 fewer, from diarrhœa 3 fewer, and from diphtheria 1 fewer, but those from enteric fever number the same, and those from scarlet fever and whooping-cough are each 3 more. The death-rate from these causes ranged from 5·8 in Aberdeen, and 3·5 in Greenock, to 0·6 in Paisley and in Leith. One death from typhus fever and one from cerebro-spinal meningitis were registered in Glasgow.

Deaths from pneumonia, bronchitis, and pleurisy numbered 113; they are 31 fewer than in the previous week, and 25 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 124; they are 28 fewer than in the previous week, but 39 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 110; they are 14 fewer than in the previous week.

The mean temperature was 38°·5, being 5°·4 below that for the previous week, but 4°·3 above that for the corresponding week of last year. The mean rainfall was 0·31 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 25, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Nov. 25, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	767	548	197	47·3	28·9	38·5	0·31
GLASGOW, . . .	12,669	784,621	61·932	9·50	405	282	102	45·8	31·5	39·0	0·03
EDINBURGH, . .	10,912	320,829	29·401	13·79	97	93	31	44·9	30·9	38·3	0·28
DUNDEE, . . .	4,755	165,044	34·710	12·69	84	53	11	45·0	30·5	38·1	0·32
ABERDEEN, . .	6,319	163,318	25·846	14·70	76	59	28	47·3	31·8	38·8	0·96
PAISLEY, . . .	3,487	84,603	24·262	15·18	43	17	8	46·5	28·9	38·4	0·03
LEITH, . . .	1,467	80,674	54·993	10·08	22	16	8	46·0	33·4	39·7	0·53
GREENOCK, . .	2,773	75,305	27·157	14·35	30	19	6	47·0	30·0	38·5	0·01
PERTH, ...	3,139	35,897	11·436	22·11	10	9	3	45·0	29·0	37·3	0·30
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	834	600	189	46·3	17·0	34·2	0·66

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—11/1911. Wt. 120/11 Group II.

[TURN OVER.

Week ending Saturday, NOVEMBER 25, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 25, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·7	1·9	*548	124	110	23	7	7	7	2	15	1	113	31	2	22	165
GLASGOW, .	18·8	1·7	*282	67	50	7	3	4	4	2	4	1	70	19	0	10	98
EDINBURGH,	15·1	1·0	93	21	26	0	1	0	1	0	4	0	12	4	0	7	25
DUNDEE, . .	16·8	1·6	53	9	7	0	0	2	0	0	3	0	10	3	0	0	20
ABERDEEN, .	18·8	5·8	59	15	14	14	1	0	2	0	1	0	7	2	0	2	7
PAISLEY, . .	10·5	0·6	17	5	3	0	0	0	0	0	1	0	6	1	0	0	4
LEITH, . . .	10·3	0·6	16	3	3	0	1	0	0	0	0	0	2	0	1	1	5
GREENOCK, .	13·2	3·5	19	4	2	2	0	1	0	0	2	0	4	2	1	2	4
PERTH, . . .	13·1	1·5	9	0	5	0	1	0	0	0	0	0	2	0	0	0	2

* Including 1 death from Typhus Fever.

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, November 26, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·3	1·7	600	85	196	0	1	11	14	12	2	15	0	138	19	183	16	0
GLASGOW, .	19·0	2·1	285	42	84	0	1	6	5	8	2	9	0	72	6	97	9	0
EDINBURGH,	15·6	1·0	96	10	39	0	0	1	3	0	0	2	0	17	3	35	5	0
DUNDEE, . .	21·8	2·2	69	11	19	0	0	4	1	1	0	1	0	17	3	18	0	0
ABERDEEN, .	14·1	1·0	44	8	16	0	0	0	2	1	0	0	0	6	3	8	2	0
PAISLEY, . .	25·4	0·6	41	6	16	0	0	0	0	1	0	0	0	15	2	9	0	0
LEITH, . . .	11·7	1·3	18	4	5	0	0	0	1	1	0	0	0	4	0	3	0	0
GREENOCK, .	19·6	2·1	28	3	10	0	0	0	1	0	0	2	0	4	2	8	0	0
PERTH, . . .	27·8	2·9	19	1	7	0	0	0	1	0	0	1	0	3	0	5	0	0

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 48. WEEK ENDING SATURDAY, DECEMBER 2, 1911.

During the week ending 2nd December 1911 there were registered in Eight of the Principal Towns of Scotland the births of 742 living children, and the deaths of 589 persons. The equivalent annual birth-rate per thousand of the estimated aggregate population of the eight towns is 22·6, and the equivalent annual death-rate 18·0 per thousand.

The death-rate for the week is 1·3 above that for the previous week, and 0·8 above the mean of the rates for the three preceding weeks, but is 1·4 below that for the corresponding week of last year.

The death-rate for the week ranged from 20·8 in Aberdeen to 14·5 in Perth. In Glasgow it was 18·8, in Greenock 18·7, in Edinburgh 17·2, in Paisley 16·0, in Dundee 15·5, and in Leith 14·9.

Deaths from the principal epidemic diseases (Cols. 6 to 13 of Table II) numbered 72; they are 10 more than in the previous week, and are equal to an annual death-rate from these causes of 2·2 per thousand. These deaths include 31 from measles, of which 18 were registered in Aberdeen; 2 from scarlet fever; 15 from diphtheria; 6 from whooping-cough; 2 from enteric fever; and 16 from diarrhœa, of which 10 were of children of less than two years old. Compared with the corresponding returns for the previous week, deaths from scarlet fever are 5 fewer, and from whooping-cough 1 fewer, while those from enteric fever and from diarrhœa each number the same, and those from measles and from diphtheria each number 8 more. The death-rate from these causes ranged from 6·7 in Aberdeen to 0 in Perth.

Deaths from pneumonia, bronchitis, and pleurisy numbered 113; they are the same as in the previous week, and 43 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 136; they are 12 more than in the previous week, and 21 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 122; they are 12 more than in the previous week.

The mean temperature was 41°·8, being 3°·3 above that for the week immediately preceding, and 4°·4 above that for the corresponding week of last year. The mean rainfall was 0·72 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 2, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Dec. 2, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	742	589	271	52·8	29·5	41·8	0·72
GLASGOW, . . .	12,669	784,621	61·932	9·50	379	283	141	51·9	31·9	42·2	0·60
EDINBURGH, . .	10,912	320,829	29·401	13·79	111	106	41	50·5	31·7	41·7	0·43
DUNDEE, . . .	4,755	165,044	34·710	12·69	63	49	23	50·0	30·5	40·2	0·57
ABERDEEN, . .	6,319	163,318	25·846	14·70	65	65	33	49·4	35·5	42·7	0·39
PAISLEY, . . .	3,487	84,603	24·262	15·18	36	26	3	51·3	31·1	41·8	1·48
LEITH, . . .	1,467	80,674	54·993	10·08	36	23	8	52·8	31·0	42·7	0·43
GREENOCK, . .	2,773	75,305	27·157	14·35	36	27	11	52·7	32·5	42·4	1·26
PERTH, ...	3,139	35,897	11·436	22·11	16	10	11	52·0	29·5	40·5	0·64
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	780	633	276	46·2	22·0	37·4	0·22

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1911. Wt. 120/11 Group II.

[TURN OVER.

Week ending Saturday, DECEMBER 2, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 2, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	18·0	2·2	589	136	122	31	2	15	6	2	10	6	113	16	1	16	161
GLASGOW, .	18·8	2·3	283	67	40	11	1	8	3	2	4	5	61	9	0	6	87
EDINBURGH,	17·2	0·8	106	15	33	1	0	2	0	0	1	1	17	5	0	2	29
DUNDEE, . .	15·5	1·9	49	16	7	0	0	2	1	0	3	0	8	0	1	2	13
ABERDEEN, .	20·8	6·7	65	22	9	18	0	2	1	0	0	0	11	0	0	3	13
PAISLEY, . .	16·0	1·2	26	6	9	0	0	0	0	0	2	0	5	0	0	3	4
LEITH, . . .	14·9	1·3	23	1	9	0	1	1	0	0	0	0	2	1	0	0	7
GREENOCK, .	18·7	1·4	27	6	11	1	0	0	1	0	0	0	8	0	0	0	7
PERTH, . . .	14·5	0·0	10	3	4	0	0	0	0	0	0	0	1	1	0	0	1

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, December 3, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·4	1·4	633	115	207	0	2	5	11	10	*3	16	1	156	22	171	14	1
GLASGOW, .	19·6	1·3	294	52	79	0	0	2	5	7	1	5	0	74	12	91	6	1
EDINBURGH,	19·0	1·0	117	22	44	0	1	1	1	0	0	3	0	24	4	31	4	0
DUNDEE, . .	20·6	2·2	65	11	25	0	0	1	2	0	0	4	0	20	2	11	0	0
ABERDEEN, .	12·9	0·6	40	9	16	0	0	0	0	0	†1	1	0	8	0	5	0	0
PAISLEY, . .	23·0	0·6	37	9	15	0	0	0	0	0	0	1	0	15	1	10	3	0
LEITH, . . .	24·0	3·9	37	8	12	0	1	0	1	3	0	1	0	8	1	11	1	0
GREENOCK, .	19·6	1·4	28	3	10	0	0	0	0	0	1	1	1	5	1	7	0	0
PERTH, . . .	21·9	4·4	15	1	6	0	0	1	2	0	0	0	0	2	1	5	0	0

* 2 Enteric fever ; 1 Cerebro-spinal meningitis.
† Cerebro-spinal meningitis.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 49. WEEK ENDING SATURDAY, DECEMBER 9, 1911.

During the week ending 9th December 1911 there were registered in Eight of the Principal Towns of Scotland the births of 796 living children, and the deaths of 550 persons. The equivalent annual birth-rate is 24·3 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 16·8 per thousand.

The death-rate of the week is 1·2 less than that of the previous week, 1·0 less than the mean of the death-rates of the three preceding weeks, and 2·2 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 24·3 in Greenock, to 14·1 in Edinburgh, and 14·5 in Perth. In Aberdeen it was 18·5, in Glasgow 17·1, in Dundee 16·8, in Paisley 16·7, and in Leith 14·9.

Deaths from the principal epidemic diseases (Cols. 6 to 13 of Table II) numbered 58; they are 14 fewer than in the previous week, and equal to an annual death-rate from these causes of 1·8 per thousand. These deaths include 23 from measles, of which 13 were in Aberdeen; 3 from scarlet fever; 8 from diphtheria: 10 from whooping-cough; 5 from enteric fever, all of which were registered in Glasgow; and 9 from diarrhœas, of which 8 were of children of less than two years old. Compared with the returns of the previous week, deaths from measles are 8 fewer, from diphtheria 7 fewer, and from diarrhœas 7 fewer, but those from scarlet fever are 1 more, from enteric fever 3 more, and from whooping-cough 4 more. The death-rate from these causes varied from 6·1 in Aberdeen and 3·1 in Paisley, to 0·3 in Edinburgh and 0·9 in Dundee. Two deaths from cerebro-spinal meningitis were registered in Glasgow during the week.

Deaths from pneumonia, bronchitis, and pleurisy numbered 122; they are 9 more than in the previous week, but 29 fewer than in the corresponding week of last year.

Deaths of children of less than one year old numbered 115; they are 21 fewer than in the previous week, and 12 fewer than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 127; they are 5 more than in the previous week.

The mean temperature was 38°·3, being 3°·5 below that for the previous week, and 5°·1 below that for the corresponding week of 1910. The mean rainfall was 1·18 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 9, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Dec. 9, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	796	550	275	51·3	26·0	38·3	1·18
GLASGOW, . . .	12,669	784,621	61·932	9·50	384	257	122	51·3	31·5	39·0	1·24
EDINBURGH, . .	10,912	320,829	29·401	13·79	128	87	66	50·7	31·9	38·8	0·32
DUNDEE, . . .	4,755	165,044	34·710	12·69	72	53	17	47·0	28·4	36·3	0·46
ABERDEEN, . .	6,319	163,318	25·846	14·70	87	58	27	47·0	30·3	39·3	1·08
PAISLEY, . . .	3,487	84,603	24·262	15·18	47	27	8	51·3	31·2	39·5	1·87
LEITH, . . .	1,467	80,674	54·993	10·08	27	23	12	50·0	32·5	39·1	0·37
GREENOCK, . .	2,773	75,305	27·157	14·35	38	35	11	46·5	30·1	38·4	3·38
PERTH, ...	3,139	35,897	11·436	22·11	13	10	12	51·0	26·0	35·8	0·74
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	838	622	234	51·0	32·5	43·4	1·25

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1911. Wt. 120/11 Group II.

[TURN OVER.

Week ending Saturday, DECEMBER 9, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 9, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	16·8	1·8	550	115	127	23	3	8	10	5	8	1	122	19	2	14	144
GLASGOW, .	17·1	1·4	257	49	54	7	1	2	3	5	3	0	62	6	2	4	72
EDINBURGH,	14·1	0·3	87	16	24	0	0	1	1	0	0	0	19	4	0	7	26
DUNDEE, . .	16·8	0·9	53	12	13	0	0	0	1	0	2	0	10	2	0	0	15
ABERDEEN, .	18·5	6·1	58	21	9	13	0	1	5	0	0	0	11	2	0	1	5
PAISLEY, . .	16·7	3·1	27	4	6	1	1	0	0	0	2	1	7	1	0	1	7
LEITH, . . .	14·9	1·3	23	4	7	0	0	2	0	0	0	0	3	3	0	0	8
GREENOCK, .	24·3	2·8	35	8	8	2	1	1	0	0	0	0	9	1	0	1	9
PERTH, . . .	14·5	2·9	10	1	6	0	0	1	0	0	1	0	1	0	0	0	2

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, December 10, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·0	1·2	622	127	194	0	2	4	13	8	*4	9	0	151	20	191	21	5
GLASGOW, .	18·0	1·1	271	57	63	0	1	1	7	3	†3	2	0	68	12	95	11	4
EDINBURGH,	20·5	1·0	126	24	49	0	1	1	3	0	0	1	0	28	2	45	5	0
DUNDEE, . .	23·7	2·2	75	17	24	0	0	2	3	0	0	2	0	18	2	15	0	0
ABERDEEN, .	16·1	0·6	50	13	22	0	0	0	0	0	0	2	0	9	1	13	1	0
PAISLEY, . .	21·1	0·6	34	3	16	0	0	0	0	0	0	1	0	13	1	8	2	0
LEITH, . . .	18·8	4·5	29	5	9	0	0	0	0	5	1	1	0	6	1	8	0	0
GREENOCK, .	17·5	0·0	25	6	8	0	0	0	0	0	0	0	0	6	1	3	1	0
PERTH, . . .	17·5	0·0	12	2	3	0	0	0	0	0	0	0	0	3	0	4	1	1

* 2 Enteric fever; 2 Cerebro-spinal meningitis.
† 2 Cerebro-spinal meningitis.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 50. WEEK ENDING SATURDAY, DECEMBER 16, 1911.

During the week ending 16th December 1911 there were registered in Eight of the Principal Towns of Scotland the births of 789 living children, and the deaths of 587 persons. The equivalent annual birth-rate is 24·1 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 17·9 per thousand.

The death-rate of the week is 1·1 above that of the previous week, and 0·7 more than the mean of the death-rates of the three preceding weeks, but is 0·4 less than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 21·4 in Aberdeen, and 19·9 in Dundee, to 7·3 in Perth, and 15·1 in Edinburgh. In Greenock it was 18·7, in Glasgow 18·4, in Leith 18·1, and in Paisley 17·3.

Deaths from the principal epidemic diseases (Cols. 6 to 13 of Table II) numbered 59; they are 1 more than in the previous week, and are equal to an annual death-rate from these causes of 1·8 per thousand. These deaths include 32 from measles, of which 18 were in Glasgow, and 13 in Aberdeen; 4 from scarlet fever; 6 from diphtheria; 8 from whooping-cough; 1 from enteric fever; and 8 from diarrhœas, of which 7 were of children of less than two years old. Compared with the returns of the previous week, deaths from enteric fever are 4 fewer, from whooping-cough and diphtheria each 2 fewer, and from diarrhœas 1 fewer, but those from scarlet fever are 1 more, and from measles 9 more. The death-rate from these causes varied from 6·1 in Aberdeen and 2·1 in Glasgow, to 0 in Perth and 0·3 in Edinburgh.

Deaths from pneumonia, bronchitis, and pleurisy numbered 126; they are 4 more than in the previous week, and the same number more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 129; they are 14 more than in the previous week, and 16 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 134; they are 7 more than in the previous week.

The mean temperature was 41°·8, being 3°·5 above that for the previous week, but 2°·5 below that for the corresponding week of 1910. The mean rainfall was 1·43 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 16, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Dec. 16, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	789	587	213	52·0	32·3	41·8	1·43
GLASGOW, . . .	12,669	784,621	61·932	9·50	387	276	107	50·0	37·0	42·8	0·99
EDINBURGH, . .	10,912	320,829	29·401	13·79	146	93	40	48·0	32·9	41·2	0·61
DUNDEE, . . .	4,755	165,044	34·710	12·69	65	63	11	45·3	32·3	40·1	2·27
ABERDEEN, . .	6,319	163,318	25·846	14·70	72	67	26	48·4	33·3	42·8	1·93
PAISLEY, . . .	3,487	84,603	24·262	15·18	36	28	6	49·9	35·2	42·2	1·29
LEITH, . . .	1,467	80,674	54·993	10·08	27	28	12	52·0	34·0	42·5	0·64
GREENOCK, . .	2,773	75,305	27·157	14·35	41	27	7	51·2	34·0	42·0	2·01
PERTH, ...	3,139	35,897	11·436	22·11	15	5	4	48·0	32·5	41·0	1·68
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	850	598	193	52·4	35·0	44·3	0·91

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1911. Wt. 120/11 Group II.

[TURN OVER.

Week ending Saturday, DECEMBER 16, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 16, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
											Diarrhœa.						
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Under 2 years.	2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	17·9	1·8	587	129	134	32	4	6	8	1	7	1	126	20	1	14	164
GLASGOW, .	18·4	2·1	276	63	60	18	1	4	2	1	4	1	61	11	1	8	84
EDINBURGH,	15·1	0·3	93	20	25	0	0	0	1	0	1	0	19	3	0	5	32
DUNDEE, . .	19·9	0·6	63	16	15	0	0	1	0	0	1	0	12	1	0	0	14
ABERDEEN, .	21·4	6·1	67	16	13	13	2	0	4	0	0	0	14	0	0	0	9
PAISLEY, . .	17·3	1·9	28	4	5	0	0	1	1	0	1	0	6	1	0	1	9
LEITH, . . .	18·1	0·6	28	4	5	1	0	0	0	0	0	0	8	1	0	0	8
GREENOCK, .	18·7	0·7	27	5	9	0	1	0	0	0	0	0	6	2	0	0	7
PERTH, . . .	7·3	0·0	5	1	2	0	0	0	0	0	0	0	0	1	0	0	1

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, December 17, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·3	1·5	598	113	216	0	2	7	18	13	*1	9	0	122	15	174	19	0
GLASGOW, .	19·4	1·1	291	56	99	0	0	2	4	7	*1	3	0	69	6	89	8	0
EDINBURGH,	17·7	2·0	109	11	39	0	1	2	8	1	0	0	0	22	3	46	8	0
DUNDEE, . .	18·4	1·6	58	14	25	0	0	0	0	3	0	2	0	9	1	7	1	0
ABERDEEN, .	17·7	1·0	55	19	23	0	0	0	1	0	0	2	0	6	3	11	1	0
PAISLEY, . .	19·9	1·9	32	3	16	0	0	2	0	0	0	1	0	8	0	8	0	0
LEITH, . . .	17·5	3·2	27	6	5	0	0	0	2	2	0	1	0	6	0	6	0	0
GREENOCK, .	11·2	0·7	16	3	5	0	0	0	1	0	0	0	0	2	2	4	1	0
PERTH, . . .	14·6	5·8	10	1	4	0	1	1	2	0	0	0	0	0	0	3	0	0

* Cerebro-spinal meningitis.

FOR OFFICIAL USE.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 23, 1911.

During the week ending 23rd December 1911 there were registered in Eight of the Principal Towns of Scotland the births of 809 living children, and the deaths of 609 persons. The equivalent annual birth-rate is 24·7 per thousand of the estimated aggregate population of the eight towns, and the death-rate 18·6 per thousand.

The death-rate of the week is 0·7 more than that of the previous week, 1·0 more than the mean of the death-rates of the three preceding weeks, and 3·7 more than the death-rate of the corresponding week of last year.

The death-rate of the week ranged from 25·6 in Greenock, and 22·0 in Aberdeen, to 13·1 in Perth, and 15·4 in Paisley. In Dundee it was 19·9, in Glasgow 18·2, in Edinburgh 17·6, and in Leith 16·2.

Deaths from the principal epidemic diseases numbered 69; they are 10 more than in the previous week, and are equal to an annual death-rate from these causes of 2·1 per thousand. These deaths included 38 from measles, of which 25 were in Glasgow, and 8 in Aberdeen; 3 from scarlet fever; 7 from diphtheria: 10 from whooping-cough; 1 from enteric fever; and 10 from diarrhœas, of which 8 were of children of less than two years old. Compared with the returns of the previous week, deaths from measles are 6 more, from whooping-cough 2 more, from diarrhœas 2 more, and from diphtheria 1 more, but deaths from scarlet fever are 1 fewer, and from enteric fever of the same number as in that week. The death-rate from these causes varied from 4·5 in Aberdeen and 2·5 in Glasgow, to 0 in Paisley and 1·0 in Edinburgh. One death from cerebro-spinal meningitis was registered in Dundee during the week.

Deaths from pneumonia, bronchitis, and pleurisy numbered 118; they are 8 fewer than in the previous week, but 1 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 115; they are 14 fewer than in the previous week, but 17 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 151; they are 17 more than in the previous week.

The mean temperature was 43°·3, being 1°·5 above that for the previous week, but 0°·8 below that for the corresponding week of 1910. The mean rainfall was 1·18 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 23, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Dec. 23, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	809	609	235	55·0	27·5	43·3	1·18
GLASGOW, . . .	12,669	784,621	61·932	9·50	397	273	109	54·3	35·0	44·6	1·05
EDINBURGH, . .	10,912	320,829	29·401	13·79	123	108	50	53·3	34·0	43·9	0·76
DUNDEE, . . .	4,755	165,044	34·710	12·69	86	63	15	51·8	31·3	41·1	0·94
ABERDEEN, . .	6,319	163,318	25·846	14·70	84	69	31	49·6	32·7	42·4	1·04
PAISLEY, . . .	3,487	84,603	24·262	15·18	36	25	8	53·7	32·9	43·7	1·91
LEITH, . . .	1,467	80,674	54·993	10·08	23	25	8	55·0	35·5	44·4	0·74
GREENOCK, . .	2,773	75,305	27·157	14·35	50	37	9	53·7	32·5	44·0	2·24
PERTH, ...	3,139	35,897	11·436	22·11	10	9	5	55·0	27·5	42·5	0·75
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	823	486	270	56·0	32·5	44·1	0·59

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—12/1911. Wt. 120/11 Group II.

[TURN OVER.

Week ending Saturday, DECEMBER 23, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 23, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	18·6	2·1	609	115	151	38	3	7	10	1	8	2	118	24	4	11	157
GLASGOW, .	18·2	2·5	273	57	45	25	1	1	5	1	5	0	44	13	2	6	88
EDINBURGH,	17·6	1·0	108	11	45	3	1	0	1	0	1	0	17	4	1	3	32
DUNDEE, . .	19·9	1·3	63	16	13	0	0	2	1	0	1	0	16	3	0	0	11
ABERDEEN, .	22·0	4·5	69	18	15	8	0	1	3	0	1	1	16	2	0	1	6
PAISLEY, . .	15·4	0·0	25	4	12	0	0	0	0	0	0	0	7	0	0	0	6
LEITH, . . .	16·2	1·9	25	0	7	0	0	3	0	0	0	0	4	1	0	0	9
GREENOCK, .	25·6	2·1	37	9	13	2	0	0	0	0	0	1	13	1	1	1	4
PERTH, . . .	13·1	1·5	9	0	1	0	1	0	0	0	0	0	1	0	0	0	1

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, December 24, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14·9	1·2	486	98	155	0	0	6	10	12	1	11	0	117	15	141	13	2
GLASGOW, .	14·8	1·0	223	42	65	0	0	1	6	3	0	5	0	52	8	74	5	1
EDINBURGH,	13·2	0·5	81	13	35	0	0	1	1	0	0	1	0	19	3	32	4	0
DUNDEE, . .	21·5	4·1	68	20	20	0	0	2	2	3	1	5	0	17	1	15	1	0
ABERDEEN, .	12·2	1·0	38	11	6	0	0	0	1	2	0	0	0	10	1	5	0	0
PAISLEY, . .	9·9	1·2	16	3	6	0	0	1	0	1	0	0	0	6	0	4	0	0
LEITH, . . .	15·6	0·6	24	7	9	0	0	0	0	1	0	0	0	9	0	1	2	0
GREENOCK, .	15·4	1·4	22	2	7	0	0	0	0	2	0	0	0	3	1	5	1	1
PERTH, . . .	20·5	1·5	14	0	7	0	0	1	0	0	0	0	0	1	1	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 52. WEEK ENDING SATURDAY, DECEMBER 30, 1911.

During the week ending 30th December 1911 there were registered in Eight of the Principal Towns of Scotland the births of 814 living children, and the deaths of 568 persons. The equivalent annual birth-rate is 24·8 per thousand of the estimated aggregate population of the eight towns, and the equivalent annual death-rate 17·3 per thousand.

The death-rate of the week is 1·3 less than that of the previous week, and 0·5 less than the mean of the death-rates of the three preceding weeks, but is 1·0 more than the death-rate of the corresponding week of last year.

The death-rate of the week varied from 24·9 in Aberdeen, to 9·1 in Leith. In Greenock it was 18·7, in Glasgow 18·2, in Dundee 15·8, in Edinburgh 15·5, in Paisley 14·2, and in Perth 10·2.

Deaths from the principal epidemic diseases (Cols. 6 to 13 of Table II.) numbered 68; they are 1 fewer than in the previous week, and equal to an annual death-rate from these causes of 2·1 per thousand. These deaths include 26 from measles; 4 from scarlet fever; 17 from diphtheria; 12 from whooping-cough; 2 from enteric fever; and 7 from diarrhœa, of which 5 were of children of less than two years old. Compared with the returns of the previous week, deaths from measles are 12 fewer, and from diarrhœa 3 fewer, but those from diphtheria are 10 more, from scarlet fever 1 more, from whooping-cough 2 more, and from enteric fever 1 more. The death-rate from these causes varied from 5·4 in Aberdeen, to 0·6 in Dundee and Leith.

Deaths from pneumonia, bronchitis, and pleurisy numbered 115; they are 3 fewer than in the previous week, but 25 more than in the corresponding week of last year.

Deaths of children of less than one year old numbered 103; they are 12 fewer than in the previous week, but 2 more than in the corresponding week of last year. Deaths of persons of over sixty-five numbered 114; they are 37 fewer than in the previous week.

The mean temperature was 40°·5, being 2°·8 below that for the previous week, but 1°·3 above that for the corresponding week of 1910. The mean rainfall was 1·03 inch.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 30, 1911, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1911.	Persons to an Acre. 1911.	Proximity in Yards.	Registered during the Week ending Dec. 30, 1911.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	45,521	1,710,291	37·571	12·20	814	568	619	52·0	28·5	40·5	1·03
GLASGOW, . . .	12,669	784,621	61·932	9·50	399	274	271	51·0	35·2	42·4	0·85
EDINBURGH, . .	10,912	320,829	29·401	13·79	105	95	145	51·6	33·7	41·3	0·30
DUNDEE, . . .	4,755	165,044	34·710	12·69	85	50	59	45·0	30·5	37·3	0·61
ABERDEEN, . .	6,319	163,318	25·846	14·70	84	78	79	46·9	32·8	39·5	1·25
PAISLEY, . . .	3,487	84,603	24·262	15·18	52	23	12	50·3	34·0	42·0	1·51
LEITH, . . .	1,467	80,674	54·993	10·08	47	14	22	52·0	33·9	42·5	0·52
GREENOCK, . .	2,773	75,305	27·157	14·35	30	27	24	51·9	34·0	42·2	2·54
PERTH, ...	3,139	35,897	11·436	22·11	12	7	7	47·0	28·5	36·8	0·63
Corresponding Week of 1910 — Eight Towns.	45,521	1,706,295	37·484	12·21	855	534	507	49·7	22·0	39·2	0·25

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

N.—240—1/1912. Wt. 120/11 Group II.

[TURN OVER.

Week ending Saturday, DECEMBER 30, 1911.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 30, 1911.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Epidemic Diseases [Cols. 7–13].		Infants under One Year of Age.	Persons aged 65 Years & upwards.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Enteric Fever.	Diarrhœa. Under 2 years.	Diarrhœa. 2 Years and over.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Causes not yet Specified.	Causes not yet Certified.	Deaths in Public Institutions.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
In Eight Towns,	17·3	2·1	568	103	114	26	4	17	12	2	5	2	115	20	2	13	162
GLASGOW, .	18·2	2·4	274	51	45	17	3	5	4	2	3	2	54	13	2	8	83
EDINBURGH,	15·5	1·0	95	9	23	2	0	4	0	0	0	0	12	3	0	2	44
DUNDEE, . .	15·8	0·6	50	7	16	0	0	2	0	0	0	0	8	2	0	0	12
ABERDEEN, .	24·9	5·4	78	22	12	5	1	3	8	0	0	0	22	2	0	2	13
PAISLEY, . .	14·2	1·2	23	4	8	1	0	0	0	0	1	0	3	0	0	1	6
LEITH, . . .	9·1	0·6	14	4	4	0	0	1	0	0	0	0	6	0	0	0	1
GREENOCK, .	18·7	2·1	27	6	3	1	0	1	0	0	1	0	9	0	0	0	2
PERTH, . . .	10·2	1·5	7	0	3	0	0	1	0	0	0	0	1	0	0	0	1

TABLE III.—DEATHS and RATE OF MORTALITY (revised) in Eight Principal Towns during the Week ending Saturday, December 31, 1910.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Epidemic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·3	1·3	534	101	183	0	0	6	14	7	*3	13	2	90	17	155	14	0
GLASGOW, .	16·3	1·3	245	36	73	0	0	2	5	1	†2	9	1	46	10	80	6	0
EDINBURGH,	16·6	1·1	102	22	44	0	0	1	5	0	0	1	1	19	4	34	2	0
DUNDEE, . .	15·5	1·6	49	13	18	0	0	0	2	2	0	1	0	8	0	8	1	0
ABERDEEN, .	12·5	1·0	39	9	19	0	0	1	1	0	0	1	0	4	2	6	2	0
PAISLEY, . .	14·9	1·9	24	4	9	0	0	1	0	0	1	1	0	2	0	8	1	0
LEITH, . . .	20·1	1·9	31	10	8	0	0	0	0	3	0	0	0	6	0	4	2	0
GREENOCK, .	21·0	2·1	30	4	5	0	0	1	1	1	0	0	0	5	1	12	0	0
PERTH, . . .	20·5	0·0	14	3	7	0	0	0	0	0	0	0	0	0	0	3	0	0

* 2 Enteric fever; 1 Cerebro-spinal meningitis. † 1 Cerebro-spinal meningitis.